



PAVEMENT MANAGEMENT HISTORICAL PAVEMENT INDEX REPORT

Data from 1997 – 2006
Compiled January, 2007

District Three

Prepared by:
Idaho Transportation Department
Division of Planning and Programming



DEFINITIONS OF TERMS USED IN THE ANNUAL INDEXLIST REPORT

D: The Idaho Transportation Department maintenance district number. It can be 1 - 6.

Route: The Route Number of the Highway (097 means State Highway 97, 084 means Interstate 84).

MACS Code (Segment Code): six-digit number that identifies the section of highway according to the code in the Milepost and Coded Segment (MACS) System.

Beginning Milepost: The milepost at the beginning of the test section of highway.

Ending Milepost: The milepost at the ending of the test section of highway.

DIR: Refers to direction of testing on a divided highway. Ascending means in the direction of ascending mileposts. Descending means the opposite direction.

YEAR: Shows the year to which the indices correspond.

RI (Roughness Index): Formerly called PSI, this index is a 0 - 5 rating of the pavement section's roughness. This number is now obtained via profile measuring equipment.

CI (Crack Index): The CI is a rating similar to the RI, 5.0 corresponding to a section with little or no cracking and 0.0 representing sections with extreme cracking. Pavements are rated annually by the Pavement Management Engineer.

SN (Skid Number): A value (typically between 20 - 100) that represents a relative pavement friction index as measured by the locked-wheel skidmeter.

FINAL INDEX: This is the final pavement index for the section. It represents a weighted average of the CI and RI, based on factors such as traffic volume and traffic speed.

REMARKS: This area is to report any pavement related rehabilitation project for that pavement section and year. Also this area can be used for the user's own comments.

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	S.H.-16	001390	000.000	009.000	N	1997	3.90	5.00	40	4.50	0.07	
						1998	3.80	5.00	40	4.45	0.16	
						1999	3.80	5.00	44	4.45	0.19	
						2000	3.80	5.00	44	4.45	0.20	
						2001	3.80	5.00	44	4.45	0.22	
						2002	3.50	4.30	44	3.91	0.24	
						2003	3.60	4.10	00	3.85	0.26	
						2004	3.50	4.10	00	3.80	0.25	MAJOR WIDENING
						2005	3.40	4.10	00	3.76	0.25	
						2006	3.50	4.10	00	3.80	0.25	
3	S.H.-16	001390	009.000	011.960	N	1997	2.90	1.40	38	2.08	0.23	
						1998	3.10	1.40	38	2.17	0.26	
						1999	3.30	5.00	50	4.22	0.04	C.R.A.B.S.
						2000	3.30	5.00	50	4.22	0.05	
						2001	3.40	5.00	50	4.27	0.05	
						2002	3.30	5.00	50	4.17	0.05	
						2003	3.30	5.00	00	4.17	0.06	
						2004	3.40	5.00	00	4.22	0.05	
						2005	3.40	5.00	00	4.22	0.08	
						2006	3.40	5.00	00	4.22	0.07	
3	S.H.-16	001390	011.960	013.927	N	1997	2.90	1.50	37	2.13	0.17	
						1998	2.70	1.50	37	2.04	0.20	
						1999	3.30	5.00	49	4.22	0.04	C.R.A.B.S.
						2000	3.40	5.00	49	4.27	0.05	
						2001	3.50	5.00	49	4.31	0.04	
						2002	3.30	5.00	49	4.17	0.05	
						2003	3.30	5.00	00	4.17	0.05	
						2004	3.30	5.00	00	4.17	0.06	
						2005	3.30	5.00	00	4.17	0.06	
						2006	3.20	5.00	00	4.12	0.06	
3	S.H.-19	001540	034.195	034.572	N	1998	2.90	2.50	24	2.65	0.12	
						1999	2.70	2.50	24	2.55	0.12	
						2000	2.90	2.50	24	2.65	0.11	SEALCOAT
						2001	2.80	2.50	49	2.61	0.13	
						2002	2.90	2.50	49	2.65	0.11	
						2003	3.00	2.50	00	2.69	0.12	
						2004	2.90	1.90	00	2.28	0.11	
						2005	2.90	1.90	00	2.28	0.13	
						2006	2.80	1.90	00	2.24	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	S.H.-19	002050	000.000	003.976	N	1997	3.00	1.50	43	2.12	0.12		
						1998	2.90	1.50	43	2.08	0.14		
						1999	2.80	1.50	43	2.03	0.14		
						2000	2.80	1.50	43	1.99	0.14		
						2001	2.90	1.50	49	2.08	0.14		
						2002	3.20	5.00	49	4.25	0.16	PLANT MIX OVERLAY	2002
						2003	3.90	5.00	00	4.54	0.02		
						2004	3.90	5.00	00	4.58	0.02		
						2005	3.90	4.60	00	4.30	0.03		
						2006	3.90	4.30	00	4.13	0.02		
3	S.H.-19	002050	003.976	004.555	N	1997	2.60	1.90	39	2.16	0.14		
						1998	2.40	1.90	39	2.08	0.17		
						1999	2.70	1.90	39	2.20	0.17		
						2000	2.70	1.90	39	2.20	0.16		
						2001	2.70	1.90	49	2.20	0.18		
						2002	3.40	5.00	49	4.39	0.19	PLANT MIX OVERLAY	2002
						2003	3.40	5.00	00	4.39	0.03		
						2004	3.40	5.00	00	4.39	0.04		
						2005	3.40	5.00	00	4.39	0.07		
						2006	3.40	5.00	00	4.39	0.08		
3	S.H.-19	002050	004.555	004.827	N	1997	3.90	4.00	42	3.96	0.06		
						1998	3.70	4.00	42	3.88	0.05		
						1999	3.70	4.00	42	3.88	0.05		
						2000	3.70	4.00	42	3.88	0.05		
						2001	3.70	2.40	49	2.89	0.05		
						2002	3.80	2.20	49	2.81	0.06	PLANT MIX OVERLAY	2002
						2003	3.80	2.20	00	2.81	0.05		
						2004	3.80	2.20	00	2.81	0.06		
						2005	3.70	2.20	00	2.77	0.08		
						2006	3.70	2.20	00	2.77	0.09		
3	S.H.-19	002050	009.070	013.400	N	1997	3.90	5.00	41	4.54	0.08		
						1998	3.80	5.00	41	4.49	0.10		
						1999	3.80	5.00	41	4.49	0.14		
						2000	3.80	5.00	41	4.49	0.16		
						2001	3.90	5.00	49	4.54	0.17		
						2002	3.60	5.00	49	4.41	0.20		
						2003	3.70	5.00	00	4.45	0.19		
						2004	3.70	5.00	00	4.45	0.22	SEALCOAT	2004
						2005	3.60	5.00	00	4.41	0.23		
						2006	3.70	5.00	00	4.45	0.22		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	S.H.-19	002050	013.400	014.280	N	1997	2.80	1.90	38	2.30	0.19	
						1998	2.70	1.90	38	2.26	0.17	
						1999	2.50	1.90	38	2.17	0.22	
						2000	2.50	1.30	38	1.84	0.22	
						2001	3.90	5.00	49	4.50	0.06	
						2002	3.60	5.00	49	4.36	0.09	
						2003	3.60	5.00	00	4.36	0.08	SEALCOAT
						2004	3.60	5.00	00	4.36	0.09	
						2005	3.50	5.00	00	4.32	0.09	
						2006	3.50	5.00	00	4.32	0.10	
3	S.H.-19	002050	014.280	014.600	N	1997	2.50	5.00	33	3.86	0.07	
						1998	2.60	5.00	33	3.90	0.08	
						1999	2.30	5.00	33	3.77	0.08	
						2000	2.40	5.00	33	3.81	0.10	
						2001	3.10	5.00	49	4.13	0.07	
						2002	3.00	5.00	49	4.08	0.08	
						2003	2.90	5.00	00	4.04	0.09	
						2004	2.80	3.60	00	3.23	0.10	SEALCOAT
						2005	2.90	3.60	00	3.28	0.10	
						2006	2.90	3.60	00	3.28	0.08	
3	S.H.-19	002050	014.600	017.481	N	1997	4.30	5.00	44	4.68	0.04	
						1998	4.20	5.00	44	4.63	0.05	
						1999	4.20	5.00	44	4.63	0.07	
						2000	4.20	5.00	44	4.63	0.07	
						2001	4.20	5.00	49	4.63	0.10	
						2002	3.90	5.00	49	4.49	0.12	
						2003	4.00	5.00	00	4.54	0.11	
						2004	4.00	5.00	00	4.54	0.13	SEALCOAT
						2005	3.90	5.00	00	4.49	0.12	
						2006	3.90	5.00	00	4.49	0.11	
3	S.H.-19	002050	017.481	018.795	N	1997	3.60	4.50	31	4.08	0.20	
						1998	3.40	4.50	31	3.99	0.17	
						1999	3.50	4.50	31	4.04	0.28	
						2000	3.60	4.50	31	4.08	0.33	
						2001	3.60	4.50	49	4.08	0.31	
						2002	3.50	4.50	49	4.04	0.29	
						2003	3.60	4.50	00	4.08	0.35	
						2004	3.60	4.50	00	4.08	0.38	SEALCOAT
						2005	3.50	4.50	00	4.04	0.44	
						2006	3.50	4.50	00	4.04	0.28	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	S.H.-19	002050	018.795	019.915	N	1997	3.20	4.50	36	3.94	0.15	
						1998	3.00	4.50	36	3.85	0.12	
						1999	3.00	4.50	36	3.85	0.21	
						2000	3.20	4.50	36	3.94	0.29	
						2001	3.10	4.50	49	3.90	0.28	
						2002	3.20	4.50	49	3.94	0.29	
						2003	3.20	4.50	00	3.94	0.35	
						2004	3.20	4.50	00	3.94	0.33	SEALCOAT
						2005	3.10	4.50	00	3.89	0.40	
						2006	3.10	4.50	00	3.89	0.30	
3	S.H.-19	025246	034.572	034.638	N	1998	2.20	5.00	24	3.60	0.33	
						1999	2.00	5.00	24	4.12	0.44	
						2000	2.10	5.00	24	3.89	0.46	
						2001	1.80	5.00	49	3.78	0.45	
						2002	1.90	5.00	49	3.82	0.44	
						2003	1.60	5.00	00	3.70	0.47	
						2004	1.60	5.00	00	3.70	0.43	
						2005	1.60	5.00	00	3.70	0.46	
						2006	1.70	5.00	00	3.74	0.50	
						3	U.S.-20	002070	000.000	001.350	N	1997
*1998	2.90	5.00	42	4.05	0.18							
1999	3.10	5.00	43	4.14	0.13							C.R.A.B.S.
2000	3.20	5.00	43	4.19	0.14							
2001	3.20	4.80	43	4.08	0.14							
2002	3.20	4.80	43	4.08	0.15							
2003	3.20	4.80	00	4.08	0.14							
2004	3.10	4.80	00	4.03	0.12							
2005	3.20	4.80	00	4.08	0.12							
2006	3.20	4.80	00	4.08	0.12							
3	U.S.-20	002070	001.350	001.578	N	1997	3.20	1.80	42	2.42	0.14	
						*1998	2.90	5.00	42	4.05	0.18	
						1999	3.20	5.00	43	4.19	0.22	
						2000	3.20	5.00	43	4.19	0.17	
						2001	3.20	5.00	43	4.19	0.20	
						2002	3.10	5.00	43	4.14	0.21	
						2003	3.10	5.00	00	4.14	0.21	
						2004	2.90	5.00	00	4.05	0.15	
						2005	2.90	5.00	00	4.05	0.15	
						2006	2.90	2.30	00	2.56	0.17	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
3	U.S.-20	002070	009.492	015.968	N	1997	3.70	2.50	46	3.04	0.11							
						1998	3.60	2.50	46	2.99	0.14							
						1999	3.60	2.30	45	2.88	0.13							
						2000	3.60	2.00	45	2.66	0.14							
						2001	3.50	2.00	45	2.67	0.15							
						2002	3.20	2.00	45	2.54	0.17							
						*2003	3.30	2.00	00	2.58	0.15							
						2004	3.20	2.00	00	2.54	0.15	SEALCOAT						
						2005	3.20	2.00	00	2.54	0.15							
						2006	3.20	2.00	00	2.54	0.16							
						3	U.S.-20	002070	015.968	016.536	N	1997	3.70	2.50	29	3.00	0.08	
												1998	3.40	2.50	29	2.87	0.07	
1999	3.50	2.50	31	2.91	0.07													
2000	3.60	2.40	31	2.90	0.07													
2001	3.60	2.40	31	2.90	0.07													
2002	3.10	2.40	31	2.69	0.07													
2003	3.00	2.40	00	2.65	0.07													
2004	3.20	2.40	00	2.73	0.06													
2005	3.10	2.40	00	2.69	0.07													
2006	3.20	2.40	00	2.73	0.08													
3	U.S.-20	002070	016.536	022.129	N							1997	3.90	4.50	42	4.24	0.03	
												1998	3.80	4.50	42	4.18	0.06	
						1999	3.80	4.50	41	4.20	0.07							
						2000	3.80	4.50	41	4.18	0.08							
						2001	3.80	4.50	41	4.18	0.08							
						2002	3.50	4.50	41	4.05	0.11							
						2003	3.60	4.50	00	4.09	0.11							
						2004	3.50	4.50	00	4.04	0.12							
						2005	3.50	4.50	00	4.04	0.13							
						2006	3.50	4.50	00	4.04	0.14							
						3	U.S.-20	002070	024.805	024.940	N	1997	2.70	4.50	42	3.72	0.12	
												1998	2.30	4.50	42	3.55	0.15	
1999	2.40	4.50	41	3.59	0.12													
2000	2.50	4.50	41	3.63	0.14													
2001	2.40	4.50	41	3.58	0.21													
2002	2.30	4.50	41	3.53	0.19													
2003	2.30	4.50	00	3.53	0.19													
2004	2.00	4.50	00	3.40	0.22													
2005	2.30	4.50	00	3.53	0.16													
2006	2.20	4.50	00	3.49	0.25													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	U.S.-20	002070	024.940	025.439	N	1997	3.00	5.00	36	4.09	0.09	SEALCOAT	1997
						1998	2.90	5.00	36	4.04	0.12	SEALCOAT	1998
						1999	2.60	5.00	28	3.91	0.15		
						2000	2.70	5.00	28	4.02	0.17		
						2001	2.80	5.00	28	4.06	0.20		
						2002	2.70	5.00	28	4.01	0.25		
						2003	2.60	5.00	00	3.98	0.22		
						2004	2.40	5.00	00	3.80	0.30		
						2005	2.40	4.50	00	3.52	0.29		
						2006	2.10	4.50	00	3.39	0.40		
3	U.S.-20	002070	025.439	029.252	N	1997	4.00	5.00	35	4.51	0.10	SEALCOAT	1997
						1998	3.90	5.00	35	4.47	0.14	SEALCOAT	1998
						1999	3.90	4.70	36	4.31	0.17		
						2000	3.90	4.70	36	4.31	0.19		
						2001	3.80	4.70	36	4.26	0.21		
						2002	3.60	4.10	36	3.85	0.24		
						2003	3.60	3.70	00	3.65	0.26		
						2004	3.60	3.40	00	3.49	0.26		
						2005	3.60	3.30	00	3.44	0.28		
						2006	3.50	3.20	00	3.34	0.31		
3	U.S.-20	002070	029.252	032.260	N	1997	4.00	5.00	37	4.51	0.18	SEALCOAT	1997
						1998	3.90	5.00	37	4.47	0.23	SEALCOAT	1998
						1999	3.80	5.00	39	4.42	0.29		
						2000	3.80	5.00	39	4.42	0.28		
						2001	3.80	5.00	39	4.42	0.35		
						2002	3.50	5.00	39	4.27	0.34		
						2003	3.60	5.00	00	4.32	0.38		
						2004	3.50	5.00	00	4.27	0.39		
						2005	3.50	5.00	00	4.27	0.45		
						2006	3.50	5.00	00	4.27	0.45		
3	U.S.-20	002070	032.260	040.116	N	1997	3.90	5.00	36	4.46	0.05	SEALCOAT	1997
						1998	3.80	5.00	36	4.40	0.09	SEALCOAT	1998
						1999	3.80	5.00	43	4.40	0.10		
						2000	3.90	5.00	43	4.48	0.13		
						2001	3.80	5.00	43	4.44	0.14		
						2002	3.60	4.70	43	4.18	0.16		
						2003	3.70	4.70	00	4.23	0.19		
						2004	3.60	3.00	00	3.28	0.19		
						2005	3.60	3.00	00	3.28	0.21		
						2006	3.50	3.00	00	3.23	0.22		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	U.S.-20	002070	040.116	041.080	N	1997	3.00	3.00	33	3.00	0.08	
						1998	2.90	3.00	33	2.95	0.11	
						1999	2.90	3.00	36	2.95	0.11	
						2000	2.90	3.00	36	2.95	0.14	
						2001	2.90	3.00	36	2.95	0.15	
						2002	2.80	3.00	36	2.90	0.18	
						*2003	2.80	5.00	00	3.94	0.18	
						2004	3.20	5.00	00	4.13	0.05	NEW CONST OR RECONST (FLEX)
						2005	3.20	5.00	00	4.13	0.07	
						2006	3.20	5.00	00	4.13	0.08	
3	U.S.-20	002070	041.080	041.158	N	1997	3.00	3.00	33	3.00	0.08	
						1998	2.90	3.00	33	2.95	0.11	
						1999	2.90	3.00	36	2.95	0.11	
						2000	2.90	3.00	36	2.95	0.14	
						2001	2.90	3.00	36	2.95	0.15	
						2002	2.80	3.00	36	2.90	0.18	
						*2003	2.80	5.00	00	3.94	0.18	
						*2004	3.70	5.00	00	4.37	0.05	
						2005	3.70	5.00	00	4.37	0.07	
						2006	3.60	5.00	00	4.33	0.07	
3	U.S.-20	002070	041.158	042.150	N	1997	2.20	2.00	33	2.09	0.18	
						1998	2.00	2.00	33	2.00	0.20	
						1999	2.10	2.00	36	2.04	0.20	
						2000	2.30	2.00	36	2.14	0.15	
						2001	2.20	2.00	36	2.09	0.17	
						2002	2.30	2.00	36	2.14	0.19	
						2003	2.20	2.00	00	2.09	0.17	
						*2004	2.20	2.00	00	2.09	0.19	
						2005	2.00	2.00	00	2.00	0.21	
						2006	2.20	5.00	00	3.65	0.20	
3	U.S.-20	002070	042.150	042.500	N	1997	2.20	2.00	33	2.09	0.18	
						1998	2.00	2.00	33	2.00	0.20	
						1999	2.10	2.00	36	2.04	0.20	
						2000	2.30	2.00	36	2.14	0.15	
						2001	2.20	2.00	36	2.09	0.17	
						2002	2.30	2.00	36	2.14	0.19	
						2003	2.20	2.00	00	2.09	0.17	
						*2004	2.20	2.00	00	2.09	0.19	
						2005	2.00	2.00	00	2.00	0.21	
						2006	4.00	5.00	00	4.51	0.34	NEW CONST OR RECONST (FLEX)

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

2004

2006

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
3	U.S.-20	002070	042.500	044.380	N	1997	3.30	4.00	36	3.66	0.09							
						1998	3.20	4.00	36	3.63	0.10							
						1999	3.20	4.00	37	3.63	0.12							
						2000	3.20	4.00	37	3.62	0.09							
						2001	3.20	2.90	37	3.04	0.13							
						2002	3.10	2.90	37	2.99	0.14							
						*2003	3.10	2.90	00	2.99	0.13							
						2004	3.30	5.00	00	4.20	0.13	C.R.A.B.S.						
						2005	3.60	5.00	00	4.34	0.12							
						2006	3.70	5.00	00	4.39	0.13	NEW CONST OR RECONST (FLEX)						
																	2006	
						3	U.S.-20	002070	044.380	044.468	N	1997	3.30	4.00	36	3.66	0.09	
1998	3.20	4.00	36	3.63	0.10													
1999	3.20	4.00	37	3.63	0.12													
2000	3.20	4.00	37	3.62	0.09													
2001	3.20	2.90	37	3.04	0.13													
2002	3.10	2.90	37	2.99	0.14													
*2003	3.10	2.90	00	2.99	0.13													
2004	3.10	5.00	00	4.11	0.13							C.R.A.B.S.						
2005	2.60	5.00	00	3.88	0.17													
2006	3.10	5.00	00	4.11	0.15													
3	U.S.-20	002070	044.468	045.798	N							1997	3.20	4.50	35	3.87	0.13	
												1998	3.00	4.50	35	3.81	0.18	
						1999	3.00	4.50	42	3.81	0.15							
						2000	3.00	3.20	42	3.10	0.23							
						2001	2.90	2.50	42	2.68	0.26							
						2002	2.90	2.20	42	2.52	0.28							
						2003	2.80	2.20	00	2.47	0.27							
						2004	3.30	5.00	00	4.21	0.24	C.R.A.B.S.						
						2005	3.60	5.00	00	4.35	0.06							
						2006	3.60	5.00	00	4.35	0.05							
						3	U.S.-20	002070	045.798	046.169	N	1997	2.70	4.50	25	3.64	0.31	
												1998	2.40	4.50	25	3.49	0.40	
1999	2.30	4.50	35	3.46	0.42													
2000	2.20	4.50	35	3.40	0.50													
2001	2.10	4.50	35	3.36	0.51													
2002	2.20	4.50	35	3.41	0.56													
2003	2.20	4.50	00	3.42	0.57													
2004	3.10	4.50	00	3.84	0.42							C.R.A.B.S.						
2005	3.30	4.50	00	3.94	0.18													
2006	3.00	4.50	00	3.80	0.21													
																	2004	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	U.S.-20	002070	046.169	046.768	N	1997	3.20	3.50	19	3.35	0.41	
						1998	3.10	3.50	19	3.30	0.58	
						1999	3.00	3.50	19	3.26	0.71	
						2000	3.00	3.50	19	3.26	0.83	
						2001	3.80	3.50	35	3.64	0.38	
						2002	3.60	3.50	35	3.54	0.47	
						2003	3.60	3.50	00	3.54	0.44	
						2004	3.50	3.50	00	3.50	0.43	
						2005	3.50	3.50	00	3.50	0.45	
						2006	3.60	3.50	00	3.54	0.48	
3	U.S.-20	002070	046.768	047.250	N	1997	2.90	4.50	25	3.76	0.18	
						1998	2.60	4.50	25	3.64	0.26	
						1999	2.70	4.50	31	3.67	0.45	
						2000	2.70	4.50	31	3.73	0.47	
						2001	3.80	5.00	31	4.47	0.18	
						2002	3.80	5.00	31	4.48	0.26	
						2003	3.70	5.00	00	4.42	0.23	
						2004	3.80	5.00	00	4.46	0.27	
						2005	3.80	5.00	00	4.46	0.28	
						2006	3.60	5.00	00	4.37	0.31	
3	U.S.-20	002070	049.829	050.050	ASC	1997	2.40	4.50	27	3.56	0.16	
						1998	2.00	4.50	27	3.37	0.22	
						1999	2.30	4.50	27	3.51	0.19	
						2000	2.40	4.50	27	3.55	0.20	
						2001	2.20	4.50	34	3.47	0.24	
						*2002	1.90	4.50	34	3.33	0.26	
						2003	1.50	3.00	00	2.34	0.12	
						2004	1.60	3.00	00	2.39	0.40	
						2005	1.60	3.00	00	2.39	0.11	
						2006	1.50	3.00	00	2.34	0.17	
3	U.S.-20	002070	049.829	050.050	DES	1997	2.40	5.00	27	3.83	0.16	
						1998	1.70	5.00	27	3.52	0.16	
						1999	1.40	5.00	27	3.38	0.25	
						2000	1.60	5.00	27	3.47	0.28	
						2001	1.50	4.30	34	3.04	0.38	
						*2002	2.40	4.00	34	3.28	0.39	
						2003	1.60	4.00	00	2.95	0.12	
						2004	1.60	4.00	00	2.95	0.47	
						2005	1.40	4.00	00	2.87	0.16	
						2006	1.60	4.00	00	2.95	0.21	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
3	U.S.-20	002070	050.050	050.429	ASC	1997	2.40	4.50	27	3.56	0.16							
						1998	2.00	4.50	27	3.37	0.22							
						1999	2.30	4.50	27	3.51	0.19							
						2000	2.40	4.50	27	3.55	0.20							
						2001	2.20	4.50	34	3.47	0.24							
						*2002	1.90	4.50	34	3.33	0.26							
						2003	2.60	5.00	00	3.95	0.50	MILL INLAY AND OVERLAY						
						2004	3.80	5.00	00	4.47	0.06							
						2005	3.80	5.00	00	4.47	0.09							
						2006	3.60	5.00	00	4.39	0.10							
						3	U.S.-20	002070	050.050	050.429	DES	1997	2.40	5.00	27	3.83	0.16	
												1998	1.70	5.00	27	3.52	0.16	
1999	1.40	5.00	27	3.38	0.25													
2000	1.60	5.00	27	3.47	0.28													
2001	1.50	4.30	34	3.04	0.38													
*2002	2.40	4.00	34	3.28	0.39													
2003	3.50	5.00	00	4.34	0.31							MILL INLAY AND OVERLAY						
2004	3.60	5.00	00	4.39	0.12													
2005	3.40	5.00	00	4.30	0.13													
2006	3.40	5.00	00	4.30	0.13													
3	U.S.-20	002070	050.429	050.837	ASC							1997	3.30	5.00	40	4.26	0.25	
												1998	3.00	5.00	40	4.12	0.30	
						1999	2.90	5.00	37	4.08	0.37							
						2000	3.00	5.00	37	4.12	0.36							
						2001	3.00	5.00	37	4.12	0.45							
						*2002	2.80	4.80	37	3.92	0.37							
						2003	3.10	3.20	00	3.15	0.38							
						2004	3.20	3.20	00	3.20	0.31							
						2005	3.30	3.20	00	3.24	0.29							
						2006	3.30	3.20	00	3.24	0.28							
						3	U.S.-20	002070	050.429	050.837	DES	1997	3.30	4.00	40	3.69	0.25	
												1998	3.50	4.00	40	3.78	0.23	
1999	3.20	4.00	37	3.65	0.30													
2000	3.20	4.00	37	3.65	0.29													
2001	3.20	4.00	37	3.65	0.33													
*2002	3.10	4.00	37	3.60	0.23													
2003	3.00	4.00	00	3.56	0.29													
2004	3.00	4.00	00	3.56	0.32													
2005	3.00	4.00	00	3.56	0.30													
2006	3.00	4.00	00	3.56	0.32													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
3	U.S.-20	002070	050.837	051.960	ASC	1997	2.70	5.00	30	3.93	0.17							
						1998	2.70	5.00	30	3.92	0.20							
						1999	2.70	5.00	33	3.92	0.25							
						2000	2.70	5.00	33	3.92	0.26							
						2001	2.70	5.00	33	3.92	0.32							
						2002	2.70	4.80	33	3.81	0.27							
						2003	2.60	2.70	00	2.65	0.37							
						2004	2.70	2.70	00	2.70	0.31							
						2005	2.60	2.70	00	2.65	0.44							
						2006	2.70	2.70	00	2.70	0.36							
						3	U.S.-20	002070	050.837	051.960	DES	1997	2.70	4.50	30	3.66	0.17	
												1998	2.40	4.50	30	3.52	0.21	
1999	2.70	4.50	33	3.66	0.26													
2000	2.40	4.20	33	3.36	0.27													
2001	2.30	4.20	33	3.31	0.32													
2002	2.40	4.10	33	3.30	0.34													
2003	2.50	4.10	00	3.35	0.39													
2004	2.50	4.10	00	3.35	0.38													
2005	2.30	4.10	00	3.26	0.36													
2006	2.20	4.10	00	3.21	0.43													
3	U.S.-20	002070	052.120	052.812	ASC							1997	2.60	5.00	31	3.89	0.11	
												1998	2.50	5.00	31	3.84	0.14	
						1999	2.60	5.00	36	3.88	0.17							
						2000	2.50	5.00	36	3.84	0.21							
						2001	2.60	5.00	36	3.88	0.20							
						2002	1.70	5.00	36	3.46	0.21							
						2003	2.40	5.00	00	3.78	0.22							
						2004	2.60	4.00	00	3.34	0.20							
						2005	2.60	4.00	00	3.35	0.23							
						2006	2.70	4.00	00	3.39	0.26							
						3	U.S.-20	002070	052.120	052.812	DES	1997	2.60	5.00	31	3.89	0.11	
												1998	2.10	5.00	31	3.65	0.16	
1999	2.10	5.00	36	3.65	0.19													
2000	2.10	3.90	36	3.06	0.22													
2001	2.00	3.90	36	3.01	0.23													
2002	2.10	3.50	36	2.84	0.19													
2003	2.10	3.50	00	2.84	0.25													
2004	2.60	3.50	00	3.08	0.17													
2005	2.70	3.50	00	3.12	0.20													
2006	2.60	3.50	00	3.08	0.25													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	U.S.-20	002070	095.308	096.050	N	1997	2.60	2.40	36	2.48	0.12	
						1998	2.30	2.40	43	2.35	0.09	
						1999	2.40	2.30	33	2.34	0.14	
						2000	2.50	2.30	33	2.38	0.17	
						*2001	2.40	2.30	33	2.34	0.20	
						2002	3.40	5.00	33	4.33	0.18	C.R.A.B.S.
						2003	3.20	5.00	00	4.25	0.03	
						2004	3.10	5.00	00	4.21	0.03	
						2005	3.10	5.00	00	4.20	0.03	
						2006	3.00	5.00	00	4.16	0.05	
3	U.S.-20	002070	096.050	096.268	N	1997	2.60	2.40	36	2.48	0.12	
						1998	2.30	2.40	43	2.35	0.09	
						1999	2.40	2.30	33	2.34	0.14	
						2000	2.50	2.30	33	2.38	0.17	
						*2001	2.40	2.30	33	2.34	0.20	
						2002	3.20	2.30	33	2.70	0.12	
						2003	3.50	5.00	00	4.32	0.14	SEALCOAT
						2004	3.30	4.50	00	3.96	0.14	
						2005	3.30	4.50	00	3.96	0.13	
						2006	3.30	4.50	00	3.96	0.13	
3	U.S.-20	002070	096.268	099.376	N	1997	3.70	5.00	48	4.38	0.10	
						1998	3.70	5.00	60	4.38	0.14	
						1999	3.80	5.00	56	4.42	0.14	
						2000	3.80	5.00	56	4.42	0.16	
						2001	3.80	2.80	56	3.27	0.17	
						2002	3.70	2.80	56	3.22	0.17	
						2003	3.80	5.00	00	4.42	0.18	SEALCOAT
						2004	3.70	4.80	00	4.27	0.19	
						2005	3.70	4.20	00	3.96	0.20	
						2006	3.70	4.20	00	3.96	0.16	
3	U.S.-20	002070	099.376	103.250	N	1997	3.60	5.00	50	4.33	0.11	
						1998	3.60	5.00	61	4.33	0.17	
						1999	3.60	5.00	59	4.33	0.17	
						2000	3.70	5.00	59	4.38	0.17	
						2001	3.70	3.30	59	3.49	0.20	
						2002	3.70	3.30	59	3.49	0.20	
						2003	3.80	5.00	00	4.42	0.20	SEALCOAT
						2004	3.70	4.30	00	4.01	0.19	
						2005	3.70	4.30	00	4.01	0.21	
						2006	3.70	4.00	00	3.85	0.18	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	U.S.-20	002070	103.250	105.940	N	1997	3.30	2.90	38	3.09	0.24		
						1998	3.30	2.90	47	3.09	0.25		
						1999	3.30	2.90	53	3.09	0.27		
						2000	3.20	2.90	53	3.04	0.24		
						2001	3.30	2.40	53	2.82	0.32		
						2002	3.00	2.40	53	2.68	0.30		
						2003	3.60	5.00	00	4.33	0.12	SEALCOAT	2003
						2004	3.60	5.00	00	4.33	0.11		
						2005	3.60	5.00	00	4.33	0.10		
						2006	3.60	5.00	00	4.33	0.10		
3	U.S.-20	002070	106.000	112.910	N	1997	3.10	2.30	43	2.68	0.33		
						1998	4.00	5.00	50	4.52	0.40	PLANT MIX OVERLAY	1998
						1999	3.80	5.00	49	4.42	0.07		
						2000	3.80	5.00	49	4.42	0.09		
						2001	3.80	5.00	49	4.42	0.11		
						2002	3.70	4.80	49	4.27	0.12		
						2003	3.70	5.00	00	4.38	0.11	SEALCOAT	2003
						2004	3.60	5.00	00	4.33	0.13		
						2005	3.60	5.00	00	4.33	0.15		
						2006	3.60	5.00	00	4.33	0.13		
3	U.S.-20	002070	112.980	118.019	N	1997	3.00	2.70	40	2.84	0.21		
						1998	2.90	2.70	42	2.79	0.25		
						1999	3.00	2.50	47	2.73	0.23		
						2000	3.00	2.40	47	2.68	0.26		
						2001	3.00	2.10	47	2.52	0.28		
						2002	2.80	2.10	47	2.43	0.27		
						2003	2.80	2.10	00	2.43	0.22		
						2004	2.80	2.10	00	2.43	0.21		
						2005	2.90	2.10	00	2.48	0.22		
						2006	2.80	2.10	00	2.43	0.20		
3	U.S.-20	002070	118.019	122.680	N	1997	2.70	2.40	43	2.54	0.18		
						1998	2.60	2.40	48	2.49	0.20		
						1999	2.70	2.30	53	2.49	0.16		
						2000	2.70	2.30	53	2.49	0.19		
						2001	2.70	2.10	53	2.38	0.20		
						2002	2.60	2.00	53	2.28	0.20		
						2003	2.60	2.00	00	2.28	0.18		
						2004	2.60	2.00	00	2.28	0.15		
						2005	2.70	2.00	00	2.33	0.16		
						2006	2.60	2.00	00	2.28	0.17		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	U.S.-20	002070	122.680	124.634	N	1997	2.90	2.40	42	2.63	0.20	
						1998	2.90	2.40	50	2.63	0.21	SEALCOAT
						1999	2.90	2.30	53	2.58	0.21	
						2000	2.90	2.30	53	2.58	0.24	
						2001	2.90	2.00	53	2.42	0.24	
						2002	2.70	2.00	53	2.33	0.23	
						2003	2.70	2.00	00	2.33	0.22	
						2004	2.70	2.00	00	2.33	0.21	
						2005	2.70	2.00	00	2.33	0.21	
						2006	2.70	2.00	00	2.33	0.18	
3	U.S.-20	002410	003.620	003.810	N	1997	2.50	5.00	25	3.79	0.04	
						1998	2.60	5.00	25	3.83	0.03	
						1999	2.50	5.00	25	3.78	0.05	
						2000	2.50	5.00	25	3.78	0.04	
						2001	2.50	5.00	53	3.79	0.06	
						2002	2.30	5.00	53	3.69	0.04	
						2003	2.60	5.00	00	3.84	0.06	
						2004	2.50	5.00	00	3.79	0.07	
						2005	2.40	5.00	00	3.74	0.07	
						2006	2.50	5.00	00	3.80	0.07	
3	U.S.-20	002411	003.620	003.740	ASC	1997	2.50	5.00	25	3.86	0.04	
						1998	2.60	5.00	25	3.91	0.03	
						1999	2.50	5.00	25	3.86	0.05	
						2000	2.50	5.00	25	3.86	0.04	
						2001	2.50	5.00	53	3.86	0.06	
						2002	2.30	5.00	53	3.77	0.04	
						2003	2.60	5.00	00	3.89	0.06	
						2004	2.50	5.00	00	3.84	0.07	
						2005	2.40	5.00	00	3.80	0.07	
						2006	2.50	5.00	00	3.84	0.07	
3	U.S.-20	002411	003.620	003.740	DES	1997	2.50	5.00	20	3.86	0.04	
						1998	2.60	5.00	20	3.91	0.03	
						1999	2.50	5.00	20	3.86	0.05	
						2000	2.50	5.00	20	3.86	0.04	
						2001	2.50	5.00	53	3.86	0.06	
						2002	2.30	5.00	53	3.77	0.04	
						2003	2.70	5.00	00	3.93	0.04	
						2004	2.50	5.00	00	3.84	0.06	
						2005	2.50	5.00	00	3.84	0.06	
						2006	2.50	5.00	00	3.84	0.06	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
3	U.S.-20	002710	004.709	004.847	N	1997	2.90	4.80	32	3.91	0.12							
						1998	2.20	4.80	34	3.57	0.14							
						1999	2.50	4.80	52	3.71	0.12							
						2000	3.70	4.80	52	4.28	0.05							
						2001	3.40	4.80	52	4.14	0.09							
						2002	1.90	4.70	52	3.38	0.22							
						2003	2.00	4.70	00	3.44	0.31							
						2004	1.00	4.70	00	2.99	0.39							
						2005	1.70	4.70	00	3.32	0.34							
						2006	2.00	4.70	00	3.45	0.45							
						3	U.S.-20	007351	047.250	048.505	N	*1997	2.90	5.00	32	4.07	0.12	
												1998	2.10	5.00	29	3.59	0.13	
1999	2.60	5.00	39	3.83	0.11													
2000	2.50	5.00	39	3.78	0.14													
2001	2.50	5.00	39	3.78	0.15													
2002	2.40	2.80	39	2.60	0.14													
2003	2.60	2.80	00	2.70	0.14													
2004	2.50	4.00	00	3.26	0.15													
2005	2.40	4.00	00	3.21	0.16													
2006	2.50	4.00	00	3.26	0.16													
3	U.S.-20	007351	048.505	049.681	N							*1997	2.90	5.00	32	4.07	0.12	
												1998	2.30	5.00	34	3.80	0.11	
						1999	2.70	4.40	52	3.64	0.17							
						2000	2.30	4.40	52	3.46	0.14							
						2001	2.20	4.40	52	3.41	0.16							
						2002	2.80	2.60	52	2.68	0.20							
						2003	2.80	2.60	00	2.69	0.19							
						2004	3.10	5.00	00	4.13	0.22	MILL AND INLAY						
						2005	3.60	5.00	00	4.36	0.11							
						2006	3.60	5.00	00	4.36	0.13							
						3	U.S.-20	007352	047.280	048.510	N	1997	2.90	4.00	28	3.50	0.12	
												1998	2.70	4.00	28	3.41	0.13	
1999	2.60	4.00	34	3.37	0.15													
2000	2.50	4.00	34	3.32	0.13													
2001	2.50	2.80	34	2.66	0.17													
2002	2.40	2.80	34	2.62	0.15													
*2003	2.50	2.80	00	2.66	0.20													
2004	2.70	2.80	00	2.75	0.11													
2005	2.50	4.00	00	3.26	0.10													
2006	2.50	4.00	00	3.26	0.12													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

2004

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
3	U.S.-20	007352	048.510	049.594	N	1997	2.90	4.00	28	3.50	0.12	
						1998	2.70	4.00	28	3.41	0.13	
						1999	2.60	4.00	34	3.37	0.15	
						2000	2.50	4.00	34	3.32	0.13	
						2001	2.50	2.80	34	2.66	0.17	
						2002	2.40	2.80	34	2.62	0.15	
						*2003	2.50	2.80	00	2.66	0.20	
						2004	3.20	5.00	00	4.19	0.33	MILL AND INLAY
						2005	3.10	5.00	00	4.14	0.07	
						2006	3.00	5.00	00	4.09	0.12	
3	S.H.-21	002140	000.000	000.410	N	1997	2.10	3.00	37	2.63	0.19	
						1998	1.80	3.00	37	2.51	0.20	
						1999	1.80	3.00	37	2.52	0.26	
						2000	1.60	3.00	37	2.41	0.21	
						2001	1.80	3.00	53	2.49	0.17	
						2002	1.80	3.00	53	2.49	0.22	SEALCOAT
						2003	1.80	3.00	00	2.49	0.21	
						2004	1.80	3.00	00	2.49	0.21	
						2005	1.70	2.40	00	2.10	0.23	
						2006	1.70	2.40	00	2.10	0.24	
3	S.H.-21	002140	008.252	008.405	N	1997	3.40	2.00	46	2.58	0.10	
						1998	3.10	2.00	46	2.45	0.16	
						1999	2.90	2.00	46	2.37	0.16	
						2000	3.00	2.00	46	2.41	0.17	
						2001	3.10	2.00	53	2.46	0.15	
						2002	2.80	2.00	53	2.33	0.30	SEALCOAT
						2003	2.80	2.00	00	2.33	0.16	
						2004	2.80	2.00	00	2.33	0.28	
						2005	2.80	2.00	00	2.33	0.12	
						2006	2.80	2.00	00	2.33	0.16	
3	S.H.-21	002140	008.405	010.265	ASC	1997	2.80	3.00	44	2.91	0.12	
						1998	2.80	2.90	44	2.85	0.14	
						1999	2.60	2.90	50	2.76	0.11	
						2000	2.60	2.90	50	2.76	0.12	
						2001	2.70	2.90	47	2.81	0.16	
						2002	2.90	2.90	47	2.90	0.16	SEALCOAT
						2003	3.00	2.90	47	2.94	0.10	
						2004	2.90	2.40	47	2.62	0.10	
						2005	3.00	2.40	00	2.66	0.14	
						2006	3.00	2.40	00	2.66	0.17	
3	S.H.-21	002140	008.405	010.265	DES	1997	3.50	3.00	40	3.22	0.10	
						1998	3.40	3.00	40	3.17	0.16	
						1999	3.30	3.00	40	3.13	0.12	
						2000	3.40	3.00	50	3.17	0.14	
						2001	3.30	3.00	47	3.13	0.18	
						2002	3.20	3.00	47	3.08	0.14	SEALCOAT
						2003	3.20	3.00	47	3.08	0.12	

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
3	S.H.-21	002140	010.265	N	2004	3.20	3.00	47	3.08	0.12		2005	3.20	2.40	00	2.75	0.14		2006	3.20	2.40	00	2.75	0.15		1997	3.10	1.80	37	2.38	0.17		1998	2.90	1.80	37	2.29	0.25		1999	3.00	5.00	37	4.10	0.18	COLD IN PLACE RECYCLE WITH OVERLAY1999	2000	3.80	5.00	37	4.46	0.06		2001	3.90	5.00	51	4.50	0.06		2002	3.70	5.00	51	4.41	0.06	SEALCOAT	2003	3.80	5.00	51	4.46	0.06		2004	3.80	5.00	51	4.46	0.06		2005	3.80	5.00	00	4.46	0.06		2006	3.80	5.00	00	4.46	0.06		3	S.H.-21	002140	016.425	017.160	N	1997	3.10	2.10	38	2.54	0.11							*1998	2.70	2.10	38	2.36	0.18							1999	3.00	5.00	38	4.10	0.12	COLD IN PLACE RECYCLE WITH OVERLAY1999						2000	3.90	5.00	38	4.50	0.04							2001	3.90	5.00	50	4.50	0.04							2002	3.80	5.00	50	4.46	0.06	SEALCOAT						2003	3.80	5.00	50	4.46	0.06							2004	3.80	5.00	50	4.46	0.04							2005	3.90	5.00	00	4.50	0.05							2006	3.90	5.00	00	4.50	0.06		3	S.H.-21	002140	017.160	022.000	N	1997	3.80	5.00	51	4.46	0.04	SEALCOAT						1998	3.80	5.00	51	4.46	0.09							*1999	3.70	5.00	52	4.41	0.07							2000	3.60	4.80	52	4.26	0.08							2001	3.60	4.50	52	4.09	0.10							2002	3.50	4.50	52	4.05	0.08	SEALCOAT						2003	3.60	3.40	52	3.48	0.10							2004	3.60	2.50	52	2.99	0.11							2005	3.60	2.50	00	2.99	0.11							2006	3.50	2.40	00	2.89	0.13		3	S.H.-21	002140	022.000	028.000	N	1997	3.20	5.00	47	4.19	0.11							1998	3.00	4.80	47	3.99	0.14							1999	3.10	4.80	48	4.03	0.13							2000	3.10	4.70	48	3.98	0.13							2001	3.10	4.70	49	3.98	0.15							2002	3.10	4.70	49	3.98	0.16							2003	3.10	4.70	49	3.98	0.14							2004	3.00	3.60	49	3.33	0.14							2005	3.10	3.60	00	3.37	0.15							2006	3.00	3.60	00	3.33	0.13										
					S.H.-21	002140	010.265	N	2004	3.20	3.00	47	3.08	0.12		2005	3.20	2.40	00	2.75	0.14		2006	3.20	2.40	00	2.75	0.15		1997	3.10	1.80	37	2.38	0.17		1998	2.90	1.80	37	2.29	0.25		1999	3.00	5.00	37	4.10	0.18	COLD IN PLACE RECYCLE WITH OVERLAY1999	2000	3.80	5.00	37	4.46	0.06		2001	3.90	5.00	51	4.50	0.06		2002	3.70	5.00	51	4.41	0.06	SEALCOAT	2003	3.80	5.00	51	4.46	0.06		2004	3.80	5.00	51	4.46	0.06		2005	3.80	5.00	00	4.46	0.06		2006	3.80	5.00	00	4.46	0.06		3	S.H.-21	002140	016.425	017.160	N	1997	3.10	2.10	38	2.54	0.11							*1998	2.70	2.10	38	2.36	0.18							1999	3.00	5.00	38	4.10	0.12	COLD IN PLACE RECYCLE WITH OVERLAY1999						2000	3.90	5.00	38	4.50	0.04							2001	3.90	5.00	50	4.50	0.04							2002	3.80	5.00	50	4.46	0.06	SEALCOAT						2003	3.80	5.00	50	4.46	0.06							2004	3.80	5.00	50	4.46	0.04							2005	3.90	5.00	00	4.50	0.05							2006	3.90	5.00	00	4.50	0.06		3	S.H.-21	002140	017.160	022.000	N	1997	3.80	5.00	51	4.46	0.04	SEALCOAT						1998	3.80	5.00	51	4.46	0.09							*1999	3.70	5.00	52	4.41	0.07							2000	3.60	4.80	52	4.26	0.08							2001	3.60	4.50	52	4.09	0.10							2002	3.50	4.50	52	4.05	0.08	SEALCOAT						2003	3.60	3.40	52	3.48	0.10							2004	3.60	2.50	52	2.99	0.11							2005	3.60	2.50	00	2.99	0.11							2006	3.50	2.40	00	2.89	0.13		3	S.H.-21	002140	022.000	028.000	N	1997	3.20	5.00	47	4.19	0.11							1998	3.00	4.80	47	3.99	0.14							1999	3.10	4.80	48	4.03	0.13							2000	3.10	4.70	48	3.98	0.13							2001	3.10	4.70	49	3.98	0.15							2002	3.10	4.70	49	3.98	0.16							2003	3.10	4.70	49	3.98	0.14							2004	3.00	3.60	49	3.33	0.14							2005	3.10	3.60	00	3.37	0.15							2006	3.00	3.60	00	3.33	0.13						
									002140	010.265	N	2004	3.20	3.00	47	3.08	0.12		2005	3.20	2.40	00	2.75	0.14		2006	3.20	2.40	00	2.75	0.15		1997	3.10	1.80	37	2.38	0.17		1998	2.90	1.80	37	2.29	0.25		1999	3.00	5.00	37	4.10	0.18	COLD IN PLACE RECYCLE WITH OVERLAY1999	2000	3.80	5.00	37	4.46	0.06		2001	3.90	5.00	51	4.50	0.06		2002	3.70	5.00	51	4.41	0.06	SEALCOAT	2003	3.80	5.00	51	4.46	0.06		2004	3.80	5.00	51	4.46	0.06		2005	3.80	5.00	00	4.46	0.06		2006	3.80	5.00	00	4.46	0.06		3	S.H.-21	002140	016.425	017.160	N	1997	3.10	2.10	38	2.54	0.11							*1998	2.70	2.10	38	2.36	0.18							1999	3.00	5.00	38	4.10	0.12	COLD IN PLACE RECYCLE WITH OVERLAY1999						2000	3.90	5.00	38	4.50	0.04							2001	3.90	5.00	50	4.50	0.04							2002	3.80	5.00	50	4.46	0.06	SEALCOAT						2003	3.80	5.00	50	4.46	0.06							2004	3.80	5.00	50	4.46	0.04							2005	3.90	5.00	00	4.50	0.05							2006	3.90	5.00	00	4.50	0.06		3	S.H.-21	002140	017.160	022.000	N	1997	3.80	5.00	51	4.46	0.04	SEALCOAT						1998	3.80	5.00	51	4.46	0.09							*1999	3.70	5.00	52	4.41	0.07							2000	3.60	4.80	52	4.26	0.08							2001	3.60	4.50	52	4.09	0.10							2002	3.50	4.50	52	4.05	0.08	SEALCOAT						2003	3.60	3.40	52	3.48	0.10							2004	3.60	2.50	52	2.99	0.11							2005	3.60	2.50	00	2.99	0.11							2006	3.50	2.40	00	2.89	0.13		3	S.H.-21	002140	022.000	028.000	N	1997	3.20	5.00	47	4.19	0.11							1998	3.00	4.80	47	3.99	0.14							1999	3.10	4.80	48	4.03	0.13							2000	3.10	4.70	48	3.98	0.13							2001	3.10	4.70	49	3.98	0.15							2002	3.10	4.70	49	3.98	0.16							2003	3.10	4.70	49	3.98	0.14							2004	3.00	3.60	49	3.33	0.14							2005	3.10	3.60	00	3.37	0.15							2006	3.00	3.60	00	3.33	0.13			
												010.265	N	2004	3.20	3.00	47	3.08	0.12		2005	3.20	2.40	00	2.75	0.14		2006	3.20	2.40	00	2.75	0.15		1997	3.10	1.80	37	2.38	0.17		1998	2.90	1.80	37	2.29	0.25		1999	3.00	5.00	37	4.10	0.18	COLD IN PLACE RECYCLE WITH OVERLAY1999	2000	3.80	5.00	37	4.46	0.06		2001	3.90	5.00	51	4.50	0.06		2002	3.70	5.00	51	4.41	0.06	SEALCOAT	2003	3.80	5.00	51	4.46	0.06		2004	3.80	5.00	51	4.46	0.06		2005	3.80	5.00	00	4.46	0.06		2006	3.80	5.00	00	4.46	0.06		3	S.H.-21	002140	016.425	017.160	N	1997	3.10	2.10	38	2.54	0.11							*1998	2.70	2.10	38	2.36	0.18							1999	3.00	5.00	38	4.10	0.12	COLD IN PLACE RECYCLE WITH OVERLAY1999						2000	3.90	5.00	38	4.50	0.04							2001	3.90	5.00	50	4.50	0.04							2002	3.80	5.00	50	4.46	0.06	SEALCOAT						2003	3.80	5.00	50	4.46	0.06							2004	3.80	5.00	50	4.46	0.04							2005	3.90	5.00	00	4.50	0.05							2006	3.90	5.00	00	4.50	0.06		3	S.H.-21	002140	017.160	022.000	N	1997	3.80	5.00	51	4.46	0.04	SEALCOAT						1998	3.80	5.00	51	4.46	0.09							*1999	3.70	5.00	52	4.41	0.07							2000	3.60	4.80	52	4.26	0.08							2001	3.60	4.50	52	4.09	0.10							2002	3.50	4.50	52	4.05	0.08	SEALCOAT						2003	3.60	3.40	52	3.48	0.10							2004	3.60	2.50	52	2.99	0.11							2005	3.60	2.50	00	2.99	0.11							2006	3.50	2.40	00	2.89	0.13		3	S.H.-21	002140	022.000	028.000	N	1997	3.20	5.00	47	4.19	0.11							1998	3.00	4.80	47	3.99	0.14							1999	3.10	4.80	48	4.03	0.13							2000	3.10	4.70	48	3.98	0.13							2001	3.10	4.70	49	3.98	0.15							2002	3.10	4.70	49	3.98	0.16							2003	3.10	4.70	49	3.98	0.14							2004	3.00	3.60	49	3.33	0.14							2005	3.10	3.60	00	3.37	0.15							2006	3.00	3.60	00	3.33	0.13	
														N	2004	3.20	3.00	47	3.08	0.12																																																																																																																																																																																																																																																																																																																																																																																																																																																															
															2005	3.20	2.40	00	2.75	0.14																																																																																																																																																																																																																																																																																																																																																																																																																																																															
															2006	3.20	2.40	00	2.75	0.15																																																																																																																																																																																																																																																																																																																																																																																																																																																															
															1997	3.10	1.80	37	2.38	0.17																																																																																																																																																																																																																																																																																																																																																																																																																																																															
															1998	2.90	1.80	37	2.29	0.25																																																																																																																																																																																																																																																																																																																																																																																																																																																															
															1999	3.00	5.00	37	4.10	0.18	COLD IN PLACE RECYCLE WITH OVERLAY1999																																																																																																																																																																																																																																																																																																																																																																																																																																																														
															2000	3.80	5.00	37	4.46	0.06																																																																																																																																																																																																																																																																																																																																																																																																																																																															
															2001	3.90	5.00	51	4.50	0.06																																																																																																																																																																																																																																																																																																																																																																																																																																																															
															2002	3.70	5.00	51	4.41	0.06	SEALCOAT																																																																																																																																																																																																																																																																																																																																																																																																																																																														
															2003	3.80	5.00	51	4.46	0.06																																																																																																																																																																																																																																																																																																																																																																																																																																																															
2004	3.80	5.00	51	4.46											0.06																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
2005	3.80	5.00	00	4.46	0.06																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
2006	3.80	5.00	00	4.46	0.06																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
3	S.H.-21	002140	016.425	017.160	N	1997	3.10	2.10	38	2.54	0.11								*1998	2.70	2.10	38	2.36	0.18							1999	3.00	5.00	38	4.10	0.12	COLD IN PLACE RECYCLE WITH OVERLAY1999						2000	3.90	5.00	38	4.50	0.04							2001	3.90	5.00	50	4.50	0.04							2002	3.80	5.00	50	4.46	0.06	SEALCOAT						2003	3.80	5.00	50	4.46	0.06							2004	3.80	5.00	50	4.46	0.04							2005	3.90	5.00	00	4.50	0.05							2006	3.90	5.00	00	4.50	0.06		3	S.H.-21	002140	017.160	022.000	N	1997	3.80	5.00	51	4.46	0.04	SEALCOAT						1998	3.80	5.00	51	4.46	0.09							*1999	3.70	5.00	52	4.41	0.07							2000	3.60	4.80	52	4.26	0.08							2001	3.60	4.50	52	4.09	0.10							2002	3.50	4.50	52	4.05	0.08	SEALCOAT						2003	3.60	3.40	52	3.48	0.10							2004	3.60	2.50	52	2.99	0.11							2005	3.60	2.50	00	2.99	0.11							2006	3.50	2.40	00	2.89	0.13		3	S.H.-21	002140	022.000	028.000	N	1997	3.20	5.00	47	4.19	0.11							1998	3.00	4.80	47	3.99	0.14							1999	3.10	4.80	48	4.03	0.13							2000	3.10	4.70	48	3.98	0.13							2001	3.10	4.70	49	3.98	0.15							2002	3.10	4.70	49	3.98	0.16							2003	3.10	4.70	49	3.98	0.14							2004	3.00	3.60	49	3.33	0.14							2005	3.10	3.60	00	3.37	0.15							2006	3.00	3.60	00	3.33	0.13																																																																																																									
S.H.-21	002140	016.425	017.160	N	1997	3.10	2.10	38	2.54	0.11																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					*1998	2.70	2.10	38	2.36	0.18																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					1999	3.00	5.00	38	4.10	0.12	COLD IN PLACE RECYCLE WITH OVERLAY1999																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
					2000	3.90	5.00	38	4.50	0.04																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					2001	3.90	5.00	50	4.50	0.04																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					2002	3.80	5.00	50	4.46	0.06	SEALCOAT																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
					2003	3.80	5.00	50	4.46	0.06																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					2004	3.80	5.00	50	4.46	0.04																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					2005	3.90	5.00	00	4.50	0.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					2006	3.90	5.00	00	4.50	0.06																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
3	S.H.-21	002140	017.160	022.000	N	1997	3.80	5.00	51	4.46	0.04	SEALCOAT						1998	3.80	5.00	51	4.46	0.09							*1999	3.70	5.00	52	4.41	0.07							2000	3.60	4.80	52	4.26	0.08							2001	3.60	4.50	52	4.09	0.10							2002	3.50	4.50	52	4.05	0.08	SEALCOAT						2003	3.60	3.40	52	3.48	0.10							2004	3.60	2.50	52	2.99	0.11							2005	3.60	2.50	00	2.99	0.11							2006	3.50	2.40	00	2.89	0.13		3	S.H.-21	002140	022.000	028.000	N	1997	3.20	5.00	47	4.19	0.11							1998	3.00	4.80	47	3.99	0.14							1999	3.10	4.80	48	4.03	0.13							2000	3.10	4.70	48	3.98	0.13							2001	3.10	4.70	49	3.98	0.15							2002	3.10	4.70	49	3.98	0.16							2003	3.10	4.70	49	3.98	0.14							2004	3.00	3.60	49	3.33	0.14							2005	3.10	3.60	00	3.37	0.15							2006	3.00	3.60	00	3.33	0.13																																																																																																																																																																																																																																			
S.H.-21	002140	017.160	022.000	N	1997	3.80	5.00	51	4.46	0.04	SEALCOAT																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
					1998	3.80	5.00	51	4.46	0.09																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					*1999	3.70	5.00	52	4.41	0.07																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					2000	3.60	4.80	52	4.26	0.08																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					2001	3.60	4.50	52	4.09	0.10																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					2002	3.50	4.50	52	4.05	0.08	SEALCOAT																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
					2003	3.60	3.40	52	3.48	0.10																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					2004	3.60	2.50	52	2.99	0.11																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					2005	3.60	2.50	00	2.99	0.11																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					2006	3.50	2.40	00	2.89	0.13																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
3	S.H.-21	002140	022.000	028.000	N	1997	3.20	5.00	47	4.19	0.11							1998	3.00	4.80	47	3.99	0.14							1999	3.10	4.80	48	4.03	0.13							2000	3.10	4.70	48	3.98	0.13							2001	3.10	4.70	49	3.98	0.15							2002	3.10	4.70	49	3.98	0.16							2003	3.10	4.70	49	3.98	0.14							2004	3.00	3.60	49	3.33	0.14							2005	3.10	3.60	00	3.37	0.15							2006	3.00	3.60	00	3.33	0.13																																																																																																																																																																																																																																																																																																																																																												
S.H.-21	002140	022.000	028.000	N	1997	3.20	5.00	47	4.19	0.11																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					1998	3.00	4.80	47	3.99	0.14																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					1999	3.10	4.80	48	4.03	0.13																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					2000	3.10	4.70	48	3.98	0.13																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					2001	3.10	4.70	49	3.98	0.15																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					2002	3.10	4.70	49	3.98	0.16																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					2003	3.10	4.70	49	3.98	0.14																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					2004	3.00	3.60	49	3.33	0.14																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					2005	3.10	3.60	00	3.37	0.15																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					2006	3.00	3.60	00	3.33	0.13																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	S.H.-21	002140	028.000	033.490	N	1997	3.10	4.50	48	3.87	0.15	
						1998	3.00	4.50	48	3.82	0.15	
						1999	3.00	4.50	51	3.82	0.15	
						2000	3.10	4.50	51	3.87	0.16	
						2001	3.00	4.50	53	3.82	0.16	
						2002	3.00	4.00	53	3.55	0.18	
						2003	3.00	4.00	53	3.55	0.16	
						2004	3.00	4.00	53	3.55	0.15	
						2005	3.00	3.80	00	3.44	0.16	
						2006	2.90	3.80	00	3.39	0.17	
3	S.H.-21	002140	033.490	038.908	N	1997	3.30	4.50	44	4.00	0.15	
						1998	3.20	4.50	44	3.96	0.18	
						1999	3.20	4.50	47	3.96	0.17	
						2000	3.30	4.50	47	4.00	0.16	
						2001	3.20	4.10	52	3.72	0.17	
						2002	3.10	3.90	52	3.56	0.18	
						2003	3.10	3.30	52	3.21	0.17	
						2004	3.10	3.30	52	3.21	0.16	
						2005	3.10	3.30	00	3.21	0.15	
						2006	3.10	3.30	00	3.21	0.17	
3	S.H.-21	002140	038.908	043.500	N	1997	3.20	4.10	49	3.69	0.11	
						1998	3.10	4.10	49	3.65	0.14	
						1999	3.10	4.10	48	3.65	0.12	
						2000	3.20	4.10	48	3.69	0.13	
						2001	3.10	4.10	55	3.65	0.12	
						2002	3.00	4.00	55	3.55	0.12	
						2003	3.00	3.80	55	3.44	0.12	
						2004	3.00	3.80	55	3.44	0.08	
						2005	3.00	3.60	00	3.33	0.09	
						2006	3.00	3.60	00	3.33	0.08	
3	S.H.-21	002140	043.500	052.330	N	1997	3.10	4.50	51	3.92	0.11	
						1998	2.90	4.00	51	3.54	0.12	
						1999	3.00	4.00	52	3.58	0.11	
						2000	3.00	3.60	52	3.35	0.11	
						2001	2.90	3.60	53	3.31	0.11	
						2002	2.80	3.60	53	3.27	0.10	
						2003	2.80	3.60	53	3.27	0.11	
						2004	2.70	3.60	53	3.22	0.08	
						2005	2.70	3.60	00	3.22	0.09	
						2006	2.70	3.60	00	3.22	0.09	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
3	S.H.-21	002140	052.330	056.755	N	1997	3.00	2.20	45	2.52	0.15							
						1998	2.90	2.20	45	2.48	0.17							
						1999	2.80	2.20	51	2.44	0.14							
						2000	2.80	2.20	51	2.44	0.12							
						2001	2.70	2.20	56	2.40	0.12							
						2002	2.50	2.20	56	2.32	0.12							
						2003	2.50	2.20	56	2.32	0.13							
						2004	2.50	2.20	56	2.32	0.10							
						2005	2.50	2.20	00	2.32	0.11							
						2006	2.30	2.20	00	2.24	0.10							
						3	S.H.-21	002140	056.755	058.000	N	1997	3.10	2.20	56	2.60	0.17	
												1998	2.80	2.00	56	2.35	0.15	
1999	2.90	2.00	57	2.40	0.17													
2000	2.90	2.00	57	2.40	0.16													
2001	2.80	2.00	60	2.35	0.17													
2002	2.70	2.00	60	2.31	0.17													
2003	2.70	2.00	60	2.31	0.17													
2004	2.70	2.00	60	2.31	0.10													
2005	2.60	2.00	00	2.26	0.12													
2006	2.60	2.00	00	2.26	0.12													
3	S.H.-21	002140	058.000	062.920	N							1997	3.20	3.90	45	3.58	0.09	
												1998	3.00	3.20	45	3.11	0.16	
						1999	3.10	3.20	43	3.15	0.13							
						2000	3.10	3.20	43	3.15	0.11							
						2001	3.00	3.20	50	3.11	0.14							
						2002	3.00	3.00	50	3.00	0.13							
						2003	3.00	2.90	50	2.94	0.12							
						2004	3.00	2.90	50	2.94	0.09							
						2005	3.00	2.80	00	2.88	0.10							
						2006	2.90	2.40	00	2.62	0.09							
						3	S.H.-21	002140	062.920	069.639	N	1997	2.90	5.00	43	4.13	0.09	
												1998	2.60	4.50	43	3.71	0.12	
1999	2.80	4.50	44	3.79	0.13													
2000	2.80	4.50	44	3.79	0.13													
2001	2.80	3.10	60	2.97	0.14													
2002	2.90	3.10	60	3.01	0.13													
2003	2.90	2.40	60	2.60	0.15													
2004	2.80	2.40	60	2.56	0.10													
2005	2.80	2.40	00	2.56	0.12													
2006	2.80	2.40	00	2.56	0.10													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	S.H.-21	002140	069.639	072.697	N	1997	3.00	4.80	39	4.05	0.09		
						1998	2.70	4.80	39	3.93	0.13	SEALCOAT	1999
						1999	2.90	4.80	41	4.01	0.14		
						2000	2.90	4.70	41	3.95	0.13		
						2001	2.90	4.70	54	3.95	0.14		
						2002	2.90	3.70	54	3.36	0.13		
						2003	2.90	3.70	54	3.36	0.15		
						2004	2.90	3.70	54	3.36	0.11		
						2005	2.90	3.70	00	3.36	0.11		
						2006	2.80	3.70	00	3.32	0.10		
3	S.H.-21	002140	072.697	074.110	N	1997	3.10	3.00	26	3.04	0.08		
						1998	3.00	3.00	26	3.00	0.14	SEALCOAT	1999
						1999	2.90	3.00	35	2.95	0.10		
						2000	3.00	3.00	35	3.00	0.09		
						2001	3.00	3.00	45	3.00	0.09		
						2002	2.90	3.00	45	2.95	0.09		
						2003	2.90	3.00	45	2.95	0.12		
						2004	2.80	3.00	45	2.91	0.09		
						2005	2.80	3.00	00	2.91	0.11		
						2006	2.80	3.00	00	2.91	0.10		
3	S.H.-21	002140	074.110	078.855	N	1997	3.30	3.50	31	3.41	0.10		
						1998	3.20	3.50	31	3.36	0.10	SEALCOAT	1999
						1999	3.20	3.50	27	3.36	0.10		
						2000	3.30	3.50	27	3.41	0.09		
						2001	3.30	3.50	48	3.41	0.11		
						2002	3.10	3.50	48	3.32	0.12		
						2003	3.10	3.50	48	3.32	0.11		
						2004	3.10	3.50	48	3.32	0.12		
						2005	3.10	3.50	00	3.32	0.13		
						2006	3.10	3.50	00	3.32	0.13		
3	S.H.-21	002140	078.855	085.500	N	1997	3.70	4.00	38	3.86	0.07		
						1998	3.60	3.90	38	3.76	0.09	SEALCOAT	1999
						1999	3.70	3.90	36	3.81	0.08		
						2000	3.70	3.90	36	3.81	0.06		
						2001	3.70	3.90	49	3.81	0.07		
						2002	3.50	3.90	49	3.72	0.07		
						2003	3.50	3.90	49	3.72	0.07		
						2004	3.50	3.90	49	3.72	0.08		
						2005	3.50	3.90	00	3.72	0.08		
						2006	3.50	3.90	00	3.72	0.08		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	S.H.-21	002140	085.530	091.570	N	1997	3.20	3.30	40	3.25	0.10		
						1998	3.20	3.00	40	3.08	0.11	SEALCOAT	1999
						1999	3.10	3.00	46	3.04	0.11		
						2000	3.20	3.00	46	3.08	0.07		
						2001	3.20	3.00	49	3.08	0.08		
						2002	3.10	3.00	49	3.04	0.07		
						2003	3.00	3.00	49	3.00	0.07		
						2004	3.00	3.00	49	3.00	0.07		
						2005	3.00	3.00	00	3.00	0.07		
						2006	2.90	3.00	00	2.95	0.07		
3	S.H.-21	002140	091.570	097.540	N	1997	3.10	2.90	45	2.98	0.09		
						1998	2.90	2.60	45	2.73	0.09	SEALCOAT	1999
						1999	2.90	2.60	41	2.73	0.09		
						2000	3.00	2.60	41	2.77	0.08		
						2001	2.90	2.60	46	2.73	0.08		
						2002	2.90	2.60	46	2.73	0.08		
						2003	2.80	2.60	46	2.68	0.07		
						2004	2.80	2.60	46	2.68	0.08		
						2005	2.80	2.60	00	2.68	0.08		
						2006	2.70	2.60	00	2.64	0.08		
3	S.H.-21	002140	097.540	105.517	N	1997	3.20	3.50	43	3.36	0.08		
						1998	3.00	3.50	43	3.27	0.11	SEALCOAT	1999
						1999	3.10	3.50	55	3.32	0.10		
						2000	3.20	3.50	55	3.36	0.11		
						2001	3.20	3.50	49	3.36	0.11		
						2002	3.10	3.50	49	3.32	0.11		
						2003	3.10	3.50	49	3.32	0.09		
						2004	3.00	3.50	49	3.27	0.09		
						2005	3.00	3.50	00	3.27	0.10		
						2006	3.00	3.50	00	3.27	0.10	R.A.B.S.	2006
3	S.H.-21	002141	000.410	000.788	N	1997	3.30	4.50	34	4.00	0.13		
						1998	3.60	4.50	34	4.12	0.14		
						1999	3.30	4.50	34	3.99	0.15		
						2000	3.30	4.50	34	3.99	0.18		
						2001	3.20	4.50	53	3.93	0.15		
						2002	2.90	4.50	53	3.80	0.17		
						2003	3.00	4.50	00	3.84	0.17		
						2004	3.00	4.50	00	3.87	0.17		
						2005	3.00	4.00	00	3.56	0.16		
						2006	3.00	3.90	00	3.50	0.21		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	S.H.-21	002141	000.788	003.440	N	1997	3.50	4.00	51	3.79	0.07		
						1998	3.30	4.00	51	3.70	0.10		
						1999	3.30	4.00	51	3.70	0.10		
						2000	3.20	4.00	51	3.66	0.11		
						2001	3.30	4.00	53	3.70	0.13		
						2002	3.40	4.00	53	3.74	0.12		
						2003	3.40	4.00	00	3.74	0.13		
						2004	3.30	4.00	00	3.70	0.14		
						2005	3.40	4.00	00	3.74	0.15		
						2006	3.40	3.50	00	3.45	0.16		
3	S.H.-21	002141	003.440	003.580	N	1997	2.80	4.00	46	3.46	0.12		
						1998	2.60	4.00	46	3.37	0.14		
						1999	2.60	4.00	46	3.37	0.14		
						2000	2.30	4.00	46	3.23	0.16		
						2001	2.60	4.00	53	3.36	0.13		
						2002	2.60	4.00	53	3.36	0.14		
						2003	2.70	4.00	00	3.41	0.13		
						2004	2.70	4.00	00	3.41	0.12		
						2005	2.70	4.00	00	3.41	0.13		
						2006	2.70	3.50	00	3.13	0.16		
3	U.S.-30	002040	000.000	000.610	N	1997	3.40	3.00	38	3.18	0.20		
						1998	3.10	3.00	38	3.04	0.19		
						1999	3.10	2.60	30	2.83	0.15		
						2000	3.20	2.50	30	2.83	0.24		
						2001	3.20	2.40	30	2.77	0.33		
						2002	3.40	2.40	30	2.87	0.08	SEALCOAT	2002
						2003	3.40	2.40	49	2.87	0.08		
						2004	3.40	2.40	49	2.87	0.08		
						2005	3.40	2.40	00	2.87	0.09		
						2006	3.40	2.40	00	2.87	0.08	SEALCOAT	2006
3	U.S.-30	002040	021.530	022.548	N	1997	2.90	5.00	31	4.05	0.16		
						1998	2.60	5.00	31	3.92	0.26		
						1999	2.70	5.00	31	3.96	0.32		
						2000	2.70	5.00	31	3.96	0.31		
						2001	2.70	4.20	31	3.52	0.32		
						2002	3.20	4.20	31	3.75	0.20	SEALCOAT	2002
						2003	3.20	4.20	49	3.75	0.19		
						2004	3.20	4.20	49	3.75	0.21		
						2005	3.20	4.20	00	3.75	0.23		
						2006	3.20	4.20	00	3.75	0.23		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	U.S.-30	002040	022.548	025.904	N	1997	3.20	4.00	32	3.64	0.14	
						1998	3.10	4.00	32	3.59	0.21	
						1999	3.10	4.00	35	3.59	0.25	
						2000	3.00	3.80	35	3.44	0.27	
						2001	3.10	3.80	35	3.48	0.30	
						2002	3.00	3.80	35	3.44	0.32	SEALCOAT
						2003	3.00	3.80	49	3.44	0.32	
						2004	3.10	3.80	49	3.48	0.33	
						2005	3.00	3.80	00	3.44	0.36	
						2006	3.10	3.80	00	3.48	0.34	
3	U.S.-30	002040	025.904	026.207	N	1997	3.00	2.40	39	2.65	0.13	
						1998	2.80	2.40	39	2.56	0.36	
						1999	2.90	2.10	35	2.43	0.37	
						2000	2.70	2.10	35	2.35	0.30	
						2001	2.80	2.10	35	2.39	0.38	
						2002	2.50	2.10	35	2.26	0.39	SEALCOAT
						2003	2.60	2.10	49	2.30	0.35	
						2004	2.60	2.10	49	2.30	0.39	
						2005	2.40	2.10	00	2.22	0.40	
						2006	2.40	2.10	00	2.22	0.44	
3	U.S.-30	002040	026.207	026.516	N	1997	2.50	2.10	43	2.26	0.16	
						1998	2.40	2.10	43	2.22	0.18	
						1999	2.30	2.10	41	2.18	0.21	
						2000	2.40	2.10	41	2.22	0.19	
						2001	2.30	2.00	41	2.12	0.23	
						2002	2.10	2.00	41	2.04	0.24	SEALCOAT
						2003	2.10	2.00	49	2.04	0.21	
						2004	2.20	2.00	49	2.08	0.21	
						2005	2.10	2.00	00	2.04	0.23	
						2006	2.10	2.00	00	2.04	0.22	
3	U.S.-30	002040	026.516	026.860	N	1997	2.70	1.90	37	2.23	0.25	
						1998	2.60	1.90	37	2.19	0.30	
						1999	2.50	1.90	37	2.14	0.28	
						2000	2.70	1.90	37	2.23	0.29	
						2001	2.70	1.90	41	2.23	0.28	
						2002	2.40	1.90	41	2.10	0.23	SEALCOAT
						2003	2.40	1.90	49	2.10	0.21	
						2004	2.50	1.90	49	2.14	0.19	
						2005	2.40	1.90	00	2.10	0.25	
						2006	2.50	1.90	00	2.14	0.19	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	U.S.-30	002040	026.860	027.925	N	1997	3.00	3.70	32	3.38	0.11	
							2.90	3.70	32	3.34	0.17	
							2.90	3.70	25	3.34	0.18	
							2.90	3.70	25	3.34	0.17	
							2.90	3.70	25	3.34	0.20	
							2.90	3.70	25	3.34	0.18	SEALCOAT
							2.90	3.70	49	3.34	0.18	
							3.00	3.70	49	3.38	0.18	
							2.90	3.70	00	3.34	0.20	
							2.90	3.70	00	3.34	0.23	
3	U.S.-30	002040	027.925	031.175	N	1997	3.40	5.00	45	4.33	0.11	
							3.30	4.80	45	4.18	0.13	
							3.20	4.80	46	4.13	0.14	
							3.20	4.80	46	4.13	0.14	
							3.30	4.40	46	3.95	0.16	
							3.20	4.40	46	3.91	0.13	SEALCOAT
							3.30	4.40	49	3.95	0.12	
							3.30	4.40	49	3.95	0.11	
							3.20	4.40	00	3.91	0.14	
							3.20	4.40	00	3.91	0.13	
3	S.H.-44	002130	000.000	002.913	N	1997	3.40	5.00	41	4.27	0.09	SEALCOAT
							3.40	5.00	41	4.27	0.11	
							3.40	5.00	45	4.27	0.13	
							3.40	5.00	45	4.27	0.17	
							3.50	5.00	45	4.32	0.19	
							3.30	5.00	45	4.18	0.23	
							3.40	5.00	49	4.23	0.20	
							3.40	5.00	49	4.23	0.24	
							3.30	5.00	00	4.22	0.27	
							3.30	5.00	00	4.22	0.26	
3	S.H.-44	002130	002.913	003.702	N	1997	3.60	5.00	40	4.40	0.09	SEALCOAT
							3.70	5.00	40	4.45	0.11	
							3.70	5.00	40	4.45	0.14	
							3.60	5.00	40	4.40	0.17	
							3.80	5.00	45	4.49	0.20	
							3.60	5.00	45	4.36	0.21	
							3.60	5.00	49	4.36	0.20	
							3.50	5.00	49	4.31	0.20	
							3.50	5.00	00	4.36	0.27	
							3.50	5.00	00	4.36	0.26	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
3	S.H.-44	002130	003.702	004.068	N	1997	3.80	5.00	43	4.49	0.08	SEALCOAT	1997
						1998	3.90	5.00	43	4.53	0.11		
						1999	4.00	5.00	47	4.57	0.13		
						2000	3.90	5.00	47	4.53	0.10		
						2001	3.90	4.50	47	4.24	0.13		
						2002	3.60	4.50	47	4.09	0.19		
						2003	3.60	4.50	49	4.09	0.19		
						2004	3.60	4.50	49	4.09	0.21		
						2005	3.60	4.50	00	4.11	0.25		
						2006	3.50	4.50	00	4.07	0.18		
3	S.H.-44	002130	004.068	004.837	N	1997	3.50	5.00	41	4.32	0.08	SEALCOAT	1997
						1998	3.30	5.00	41	4.23	0.07		
						1999	3.20	5.00	41	4.18	0.10		
						2000	3.20	5.00	41	4.18	0.12		
						2001	3.20	5.00	47	4.18	0.12		
						2002	3.20	4.50	47	3.87	0.15		
						2003	3.20	4.50	49	3.87	0.16		
						2004	3.20	4.50	49	3.87	0.21		
						2005	3.10	4.30	00	3.75	0.23		
						2006	3.10	4.30	00	3.75	0.21		
3	S.H.-44	002130	004.837	009.553	N	1997	3.80	5.00	43	4.45	0.08	SEALCOAT	1997
						1998	3.80	5.00	43	4.45	0.07		
						1999	3.80	5.00	43	4.45	0.08		
						2000	3.70	5.00	43	4.41	0.10		
						2001	3.80	4.60	43	4.23	0.12		
						2002	3.50	4.50	43	4.01	0.17		
						2003	3.50	3.80	49	3.65	0.17		
						2004	3.60	3.80	49	3.70	0.20		
						2005	3.50	3.80	00	3.65	0.22		
						2006	3.50	3.20	00	3.34	0.24		
3	S.H.-44	002130	009.553	010.560	N	1997	3.80	5.00	45	4.49	0.10	SEALCOAT	1997
						1998	3.90	5.00	45	4.53	0.11		
						1999	3.90	5.00	50	4.53	0.15		
						2000	3.90	4.90	50	4.48	0.19		
						2001	3.90	4.90	50	4.48	0.19		
						2002	3.70	4.80	50	4.29	0.28		
						2003	3.70	3.40	49	3.53	0.27		
						2004	3.70	3.40	49	3.53	0.32		
						2005	3.50	3.40	00	3.44	0.29		
						2006	3.50	3.40	00	3.44	0.32		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS	
										INDEX	DEPTH			
3	S.H.-44	002130	010.560	010.771	N	1997	3.40	5.00	50	4.32	0.11	SEALCOAT	1997	
						1998	3.40	5.00	50	4.32	0.13			
						1999	3.20	5.00	50	4.23	0.13			
						2000	3.20	5.00	50	4.23	0.13			
						2001	3.30	5.00	50	4.28	0.11			
						2002	3.20	5.00	50	4.17	0.13			
						2003	3.00	4.50	49	3.81	0.13			
						2004	3.10	4.50	49	3.85	0.10			
						2005	2.60	4.50	00	3.62	0.08			
						2006	2.50	4.50	00	3.57	0.08			
3	S.H.-44	002130	010.771	012.298	N	1997	3.80	5.00	44	4.45	0.10	SEALCOAT	1997	
						1998	3.80	5.00	44	4.45	0.09			
						1999	4.00	5.00	47	4.54	0.12			
						2000	4.00	5.00	47	4.54	0.15			
						2001	3.90	5.00	47	4.49	0.16			
						2002	3.70	5.00	47	4.36	0.21			
						2003	3.70	5.00	49	4.36	0.20			
						2004	3.70	4.80	49	4.26	0.25			
						2005	3.70	4.80	00	4.26	0.25			
						2006	3.70	4.80	00	4.26	0.24			
3	S.H.-44	002130	012.298	016.180	N	1997	3.70	5.00	42	4.40	0.10	SEALCOAT	1997	
						1998	3.70	5.00	42	4.40	0.13			
						1999	3.70	5.00	39	4.40	0.15			
						2000	3.70	5.00	39	4.40	0.18			
						2001	3.70	4.50	39	4.13	0.20			
						2002	3.50	4.30	39	3.93	0.23	MAJOR WIDENING		2002
						2003	3.70	4.30	49	4.02	0.20			
						2004	3.70	4.30	49	4.01	0.24			
						2005	3.60	4.30	00	3.97	0.24			
						2006	3.60	4.30	00	3.96	0.23			
3	S.H.-44	002130	019.330	019.780	N	1997	2.30	1.00	42	1.63	0.08			
						1998	3.50	5.00	42	4.26	0.05			
						1999	3.50	5.00	47	4.25	0.06			
						2000	3.40	5.00	47	4.24	0.07			
						2001	3.50	5.00	47	4.29	0.08			
						2002	3.40	5.00	47	4.24	0.08			
						2003	3.30	5.00	49	4.18	0.11			
						2004	3.40	5.00	49	4.22	0.07			
						2005	3.30	5.00	00	4.17	0.11			
						2006	3.40	5.00	00	4.22	0.08			

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	S.H.-44	002130	019.780	020.898	N	1997	3.20	5.00	22	4.14	0.13	
						1998	3.10	5.00	22	4.10	0.09	
						1999	3.00	5.00	32	4.04	0.19	
						2000	2.90	5.00	32	3.99	0.15	
						2001	2.90	4.00	32	3.47	0.16	
						2002	2.80	4.00	32	3.41	0.16	
						2003	2.90	2.40	49	2.64	0.20	
						2004	2.90	2.40	49	2.64	0.13	
						2005	2.80	2.40	00	2.59	0.34	
						2006	2.70	2.40	00	2.54	0.24	
3	S.H.-44	002130	020.898	021.814	N	1997	3.00	5.00	22	4.05	0.11	
						1998	3.10	5.00	22	4.10	0.13	
						1999	2.90	5.00	33	4.00	0.25	
						2000	2.90	5.00	33	3.99	0.19	
						2001	2.80	4.80	33	3.84	0.19	
						2002	2.70	4.80	33	3.77	0.15	
						2003	2.80	2.40	49	2.59	0.19	
						2004	2.50	2.40	49	2.44	0.19	
						2005	2.50	2.40	00	2.44	0.29	
						2006	2.10	2.40	00	2.25	0.26	
3	S.H.-44	002850	000.000	000.700	N	1997	3.40	5.00	36	4.23	0.07	
						1998	3.20	4.80	36	4.02	0.09	
						1999	3.30	4.80	43	4.07	0.11	
						2000	3.30	4.80	43	4.07	0.11	
						2001	3.20	4.80	43	4.02	0.13	
						2002	3.10	4.80	43	3.96	0.15	
						2003	3.10	4.80	49	3.96	0.13	
						2004	3.10	4.80	49	3.95	0.14	
						2005	3.10	4.80	00	3.95	0.12	
						2006	3.10	4.80	00	3.95	0.15	
3	S.H.-44	002850	000.700	001.310	N	1997	2.80	4.00	26	3.45	0.11	
						1998	2.50	2.70	26	2.60	0.13	
						1999	2.60	2.70	26	2.65	0.16	
						2000	2.50	2.70	26	2.60	0.17	
						2001	2.50	2.70	43	2.60	0.20	
						2002	2.10	2.70	43	2.42	0.15	
						2003	2.60	2.70	49	2.65	0.21	
						2004	2.60	2.70	49	2.65	0.21	
						2005	2.60	2.70	00	2.65	0.23	
						2006	2.40	2.40	00	2.40	0.22	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	S.H.-44	015914	016.180	017.633	N	1997	3.70	4.50	42	4.13	0.07	
						1998	3.50	4.50	42	4.04	0.14	
						1999	3.60	4.50	39	4.08	0.15	
						2000	3.60	4.50	39	4.08	0.17	
						2001	3.70	4.50	39	4.12	0.20	
						2002	3.40	4.50	39	3.98	0.18	
						2003	3.50	4.50	49	4.03	0.21	
						2004	3.50	4.50	49	4.03	0.26	
						2005	3.50	4.50	00	4.03	0.22	
						2006	3.50	4.00	00	3.76	0.29	
3	S.H.-44	015914	017.633	019.295	N	1997	3.90	4.50	42	4.20	0.08	
						1998	3.90	4.50	42	4.22	0.13	
						1999	3.90	4.50	35	4.20	0.14	
						2000	3.80	4.50	35	4.17	0.17	
						2001	3.90	4.50	35	4.21	0.21	
						2002	3.50	4.50	35	4.03	0.27	
						2003	3.50	4.50	49	4.03	0.28	
						2004	3.50	4.50	49	4.02	0.24	
						2005	3.50	4.50	00	4.02	0.31	
						2006	3.50	4.50	00	4.02	0.25	
3	S.H.-45	002160	009.740	010.383	N	1997	2.20	2.00	37	2.08	0.17	
						*1998	1.90	5.00	37	3.61	0.28	
						1999	3.40	5.00	49	4.33	0.12	C.R.A.B.S.
						2000	3.10	5.00	49	4.15	0.18	
						2001	3.20	5.00	49	4.19	0.16	
						2002	3.20	5.00	49	4.19	0.16	
						2003	3.10	3.50	49	3.32	0.15	
						2004	3.10	2.40	49	2.71	0.15	
						2005	3.10	2.00	00	2.49	0.15	
						2006	3.20	2.00	00	2.53	0.12	
3	S.H.-45	002160	010.383	012.025	N	1997	3.00	5.00	36	4.17	0.06	
						*1998	3.00	4.70	36	3.94	0.13	
						1999	3.40	4.00	44	3.75	0.07	
						2000	3.40	4.00	44	3.73	0.09	SEALCOAT
						2001	3.40	4.00	44	3.73	0.08	
						2002	3.40	4.00	44	3.73	0.10	
						2003	3.40	3.20	49	3.28	0.09	
						2004	3.40	3.00	49	3.17	0.10	
						2005	3.30	3.00	00	3.13	0.11	
						2006	3.30	3.00	00	3.13	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

1999

2000

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	S.H.-45	002160	012.025	013.180	N	1997	3.50	4.30	29	3.96	0.05	
						1998	3.20	4.10	29	3.69	0.08	
						1999	3.00	4.10	35	3.64	0.06	
						2000	3.10	4.10	35	3.65	0.10	SEALCOAT
						2001	3.20	4.10	35	3.69	0.08	2000
						2002	3.30	4.10	35	3.74	0.10	
						2003	3.30	4.10	49	3.74	0.08	
						2004	3.30	3.60	49	3.46	0.09	
						2005	3.30	3.60	00	3.46	0.10	
						2006	3.10	3.60	00	3.37	0.10	
3	S.H.-45	002160	013.180	014.172	N	1997	3.50	5.00	32	4.37	0.07	
						1998	3.30	5.00	32	4.24	0.09	
						1999	3.30	5.00	48	4.29	0.10	
						2000	3.30	5.00	48	4.24	0.11	SEALCOAT
						2001	3.40	5.00	48	4.28	0.11	2000
						2002	3.40	5.00	48	4.28	0.10	
						2003	3.40	5.00	49	4.28	0.10	
						2004	3.40	4.70	49	4.11	0.12	
						2005	3.40	4.70	00	4.11	0.13	
						2006	3.40	4.70	00	4.11	0.13	
3	S.H.-45	002160	014.172	022.209	N	1997	3.20	5.00	35	4.24	0.18	C.R.A.B.S.
						1998	3.90	5.00	35	4.50	0.07	
						1999	3.90	5.00	45	4.54	0.08	
						2000	3.80	5.00	45	4.45	0.09	SEALCOAT
						2001	3.90	5.00	45	4.50	0.10	2000
						2002	3.60	4.80	45	4.25	0.12	
						2003	3.60	4.80	49	4.25	0.12	
						2004	3.60	4.80	49	4.25	0.13	
						2005	3.60	2.20	00	2.83	0.14	RUT FILLING
						2006	3.60	2.20	00	2.83	0.17	2005
3	S.H.-45	002160	022.209	023.714	N	1997	3.10	3.50	32	3.33	0.14	
						1998	3.00	3.10	32	3.05	0.20	
						1999	2.90	3.10	43	3.01	0.22	
						2000	2.90	2.00	43	2.40	0.24	
						2001	2.80	1.90	43	2.30	0.24	
						2002	3.60	5.00	43	4.36	0.14	C.R.A.B.S.
						2003	3.60	5.00	49	4.36	0.13	2002
						2004	3.70	5.00	49	4.41	0.07	
						2005	3.70	5.00	00	4.41	0.09	RUT FILLING
						2006	3.70	5.00	00	4.40	0.14	2005

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
3	S.H.-45	002160	023.714	025.258	N	1997	3.00	2.00	32	2.42	0.15		
						1998	3.00	2.00	32	2.42	0.19		
						1999	2.90	2.00	40	2.38	0.19		
						2000	2.70	2.00	40	2.30	0.21		
						2001	2.70	2.00	40	2.30	0.23		
						2002	3.80	5.00	40	4.47	0.14	C.R.A.B.S.	2002
						2003	3.80	5.00	49	4.47	0.13		
						2004	3.80	5.00	49	4.47	0.10		
						2005	3.70	4.60	00	4.20	0.11	RUT FILLING	2005
						2006	3.70	4.60	00	4.20	0.12		
3	S.H.-45	002160	025.258	026.109	N	1997	2.50	2.50	29	2.50	0.22		
						1998	2.40	2.50	29	2.45	0.21		
						1999	2.40	2.00	28	2.18	0.25		
						2000	2.00	2.00	28	2.00	0.22		
						2001	2.50	1.80	28	2.11	0.21		
						2002	3.50	5.00	28	4.31	0.15	C.R.A.B.S.	2002
						2003	3.50	5.00	49	4.31	0.13		
						2004	3.50	5.00	49	4.31	0.14		
						2005	3.50	5.00	00	4.31	0.14	RUT FILLING	2005
						2006	3.10	5.00	00	4.13	0.19		
3	S.H.-45	002160	026.109	026.780	N	1997	2.50	1.80	29	2.11	0.35		
						1998	2.00	1.80	29	1.88	0.33		
						1999	1.90	1.80	33	1.84	0.39		
						2000	1.90	1.80	33	1.84	0.38		
						2001	1.80	1.80	33	1.80	0.36		
						2002	3.20	5.00	33	4.18	0.09	C.R.A.B.S.	2002
						2003	3.20	5.00	49	4.18	0.08		
						2004	3.20	5.00	49	4.18	0.10		
						2005	3.10	5.00	00	4.14	0.10	RUT FILLING	2005
						2006	3.00	5.00	00	4.09	0.20		
3	S.H.-45	002160	026.780	027.289	N	1997	2.60	4.50	28	3.64	0.41		
						1998	2.30	4.50	28	3.51	0.31		
						1999	2.30	4.50	41	3.50	0.45		
						2000	2.40	4.50	41	3.55	0.36		
						2001	2.50	4.50	41	3.59	0.32		
						2002	3.00	4.50	41	3.81	0.18		
						2003	3.00	4.50	49	3.81	0.31		
						2004	3.40	5.00	49	4.27	0.06	MILL AND INLAY	2004
						2005	3.40	5.00	00	4.27	0.06		
						2006	3.40	5.00	00	4.27	0.10		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	S.H.-45	002160	027.289	027.725	N	1997	2.70	4.50	33	3.71	0.52	
						1998	2.70	4.50	33	3.71	0.30	
						1999	2.80	4.50	42	3.77	0.42	
						2000	2.60	4.50	42	3.67	0.36	
						2001	2.70	4.50	42	3.71	0.44	
						2002	2.60	4.50	42	3.67	0.37	
						2003	2.60	4.50	49	3.67	0.39	MILL AND INLAY
						2004	3.30	5.00	49	4.26	0.10	2004
						2005	3.30	5.00	00	4.26	0.12	
						2006	3.00	5.00	00	4.12	0.15	
3	S.H.-45	002161	027.580	027.650	N	1997	2.70	1.90	39	2.24	0.52	
						1998	2.70	1.90	39	2.24	0.30	
						1999	2.80	4.50	39	3.76	0.42	
						2000	2.60	4.50	42	3.67	0.36	
						2001	2.70	4.50	42	3.71	0.44	
						2002	2.60	4.50	42	3.67	0.37	
						2003	2.60	4.50	49	3.67	0.39	
						2004	3.30	5.00	49	4.26	0.10	MILL AND INLAY
						2005	3.30	5.00	00	4.26	0.12	2004
						2006	3.00	5.00	00	4.12	0.15	
3	S.H.-51	001020	004.116	004.290	N	2003	2.20	5.00	49	3.79	0.05	
						2004	2.20	5.00	49	3.79	0.05	
						2005	2.20	5.00	00	3.79	0.05	
						2006	2.20	5.00	00	3.79	0.05	
						3	S.H.-51	001020	004.290	004.309	N	2003
2004	2.30	5.00	49	3.84	0.03							
2005	2.50	5.00	00	3.89	0.04							
2006	2.50	5.00	00	3.89	0.05							
3	S.H.-51	001021	003.644	004.062	N							2004
						2005	2.20	3.50	00	2.99	0.12	
						2006						
3	S.H.-51	001021	004.062	004.206	N	2004	1.40	4.40	49	3.12	0.17	
						2005	1.40	4.40	00	3.12	0.17	
						2006	1.40	4.40	00	3.11	0.15	
3	S.H.-51	002170	000.000	005.651	N	1997	3.90	4.80	53	4.39	0.09	SEALCOAT
						1998	3.70	4.80	61	4.31	0.06	1997
						1999	3.70	4.80	62	4.31	0.06	
						2000	3.80	4.80	62	4.35	0.06	
						2001	3.70	4.80	62	4.31	0.07	
						2002	3.50	4.80	62	4.22	0.05	
						2003	3.50	2.90	49	3.16	0.05	
						2004	3.50	2.90	49	3.16	0.06	
						2005	3.50	2.40	00	2.88	0.05	
						2006	3.50	2.40	00	2.88	0.07	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
3	S.H.-51	002170	005.651	011.413	N	1997	3.70	4.50	53	4.14	0.09	SEALCOAT	1997
						1998	3.50	4.50	61	4.05	0.07		
						1999	3.50	4.50	65	4.05	0.07		
						2000	3.60	4.50	65	4.09	0.07		
						2001	3.60	3.90	65	3.76	0.08		
						2002	3.40	3.90	65	3.67	0.07		
						2003	3.40	2.90	49	3.12	0.06		
						2004	3.40	2.80	49	3.06	0.06		
						2005	3.50	2.60	00	3.00	0.05		
						2006	3.40	2.60	00	2.95	0.07		
3	S.H.-51	002170	011.413	016.225	N	1997	3.70	3.60	54	3.64	0.10	SEALCOAT	2003
						1998	3.60	3.50	58	3.54	0.08		
						1999	3.60	2.60	61	3.04	0.09		
						2000	3.60	2.50	61	2.98	0.11		
						2001	3.50	2.50	61	2.94	0.12		
						2002	3.10	2.50	61	2.76	0.08		
						2003	2.90	2.30	49	2.56	0.08		
						2004	2.80	1.90	49	2.30	0.08		
						2005	2.80	1.90	00	2.30	0.09		
						2006	2.80	1.90	00	2.30	0.08		
3	S.H.-51	002170	016.225	021.431	N	1997	3.60	3.50	55	3.54	0.09	SEALCOAT	2003
						1998	3.50	3.50	59	3.50	0.07		
						1999	3.50	2.40	63	2.88	0.08		
						2000	3.60	2.40	63	2.93	0.10		
						2001	3.50	2.40	63	2.88	0.12		
						2002	3.00	2.30	63	2.61	0.10		
						2003	2.80	2.00	49	2.35	0.08		
						2004	2.90	2.00	49	2.40	0.08		
						2005	2.90	1.90	00	2.34	0.09		
						2006	2.90	1.90	00	2.34	0.10		
3	S.H.-51	002170	021.431	028.900	N	1997	3.60	3.90	56	3.76	0.10	SEALCOAT	2003
						1998	3.50	2.50	60	2.94	0.08		
						1999	3.50	2.40	61	2.88	0.08		
						2000	3.50	2.30	61	2.83	0.11		
						2001	3.40	2.30	61	2.78	0.11		
						2002	2.80	2.30	61	2.52	0.12		
						2003	2.70	2.30	49	2.47	0.12		
						2004	2.50	2.30	49	2.38	0.10		
						2005	2.60	2.10	00	2.32	0.10		
						2006	2.40	2.10	00	2.23	0.11		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
3	S.H.-51	002170	028.900	033.710	N	1997	3.20	3.50	47	3.36	0.41	SEALCOAT	1997
						1998	3.00	3.50	63	3.27	0.33		
						1999	3.00	3.50	65	3.27	0.38		
						2000	3.00	3.50	65	3.27	0.35		
						2001	3.00	2.50	65	2.72	0.41		
						2002	3.00	2.50	65	2.72	0.34		
						2003	2.90	2.40	49	2.62	0.36	SEALCOAT	2003
						2004	2.90	2.40	49	2.62	0.41		
						2005	3.00	2.40	00	2.66	0.30		
						2006	3.00	2.40	00	2.66	0.30		
3	S.H.-51	002170	033.710	038.900	N	1997	2.80	4.00	53	3.46	0.29	SEALCOAT	1997
						1998	2.80	4.00	62	3.46	0.23		
						1999	2.80	4.00	64	3.46	0.26		
						2000	2.90	4.00	64	3.51	0.25		
						2001	2.80	4.00	64	3.46	0.30		
						2002	2.60	4.00	64	3.37	0.23		
						2003	2.60	3.80	49	3.26	0.28		
						2004	2.60	3.80	49	3.26	0.32		
						2005	2.70	3.80	00	3.31	0.29		
						2006	2.60	3.80	00	3.26	0.28		
3	S.H.-51	002170	038.900	042.424	N	1997	3.60	5.00	53	4.37	0.05	SEALCOAT	1997
						1998	3.30	5.00	63	4.24	0.09		
						1999	3.40	5.00	66	4.28	0.08		
						2000	3.40	5.00	66	4.28	0.09		
						2001	3.40	5.00	66	4.28	0.09		
						2002	3.30	5.00	66	4.24	0.08		
						2003	3.40	3.70	49	3.56	0.08		
						2004	3.40	3.70	49	3.56	0.06		
						2005	3.40	3.70	00	3.56	0.06		
						2006	3.40	3.70	00	3.56	0.06		
3	S.H.-51	002170	042.424	047.700	N	1997	3.70	5.00	53	4.42	0.07	SEALCOAT	1997
						1998	3.40	5.00	63	4.28	0.12		
						1999	3.50	4.80	68	4.22	0.10		
						2000	3.50	4.80	68	4.22	0.11		
						2001	3.50	4.80	68	4.22	0.10		
						2002	3.40	4.30	68	3.89	0.09		
						2003	3.40	4.10	49	3.78	0.09		
						2004	3.40	4.10	49	3.78	0.08		
						2005	3.40	4.00	00	3.73	0.08		
						2006	3.40	4.00	00	3.73	0.08		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
3	S.H.-51	002170	047.700	048.487	N	1997	3.50	1.00	57	2.11	0.09	SEALCOAT	1997
						1998	3.30	1.00	63	2.02	0.06		
						1999	3.40	1.00	69	2.06	0.06		
						2000	3.40	1.00	69	2.06	0.05		
						2001	3.40	2.00	69	2.62	0.05		
						2002	3.00	2.00	69	2.44	0.04		
						2003	3.00	2.00	49	2.44	0.05		
						2004	3.00	2.00	49	2.44	0.07		
						2005	3.00	2.00	00	2.43	0.07		
						2006	2.90	2.00	00	2.39	0.05		
3	S.H.-51	002170	048.487	054.566	N	1997	3.20	2.90	55	3.03	0.10	SEALCOAT	1997
						1998	3.10	2.90	62	2.98	0.06		
						1999	3.10	2.90	67	2.98	0.06		
						2000	3.10	2.80	67	2.93	0.06		
						2001	3.10	2.40	67	2.71	0.06		
						2002	3.00	2.40	67	2.66	0.06		
						2003	2.90	2.40	49	2.62	0.06		
						2004	2.90	2.40	49	2.62	0.06		
						2005	2.90	2.40	00	2.61	0.07		
						2006	2.90	2.40	00	2.61	0.06		
3	S.H.-51	002170	054.566	060.000	N	1997	3.30	2.40	54	2.80	0.12		1997
						1998	3.20	2.40	63	2.75	0.06		
						1999	3.20	2.30	63	2.70	0.07		
						2000	3.20	2.30	63	2.70	0.06		
						2001	3.20	2.30	63	2.70	0.06		
						2002	3.40	5.00	63	4.28	0.32		
						2003	3.80	5.00	49	4.46	0.05		
						2004	3.80	5.00	49	4.46	0.07		
						2005	3.80	5.00	00	4.47	0.08		
						2006	3.70	5.00	00	4.43	0.08		
3	S.H.-51	002170	060.000	069.918	N	1997	1.90	1.10	49	1.45	0.18		1999
						1998	1.90	1.10	59	1.45	0.17		
						*1999	1.80	1.10	40	1.41	0.19		
						2000	3.90	5.00	37	4.50	0.12		
						2001	3.90	5.00	37	4.50	0.10		
						2002	3.70	5.00	37	4.42	0.09		
						2003	3.70	5.00	49	4.42	0.09		
						2004	3.70	5.00	49	4.42	0.08		
						2005	3.80	5.00	00	4.46	0.09		
						2006	3.70	5.00	00	4.42	0.08		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	S.H.-51	002170	069.918	071.456	N	1997	2.60	1.80	36	2.15	0.14	C.R.A.B.S.	1999
						1998	2.20	1.80	42	1.97	0.14		
						1999	2.30	1.80	35	2.02	0.12		
						2000	3.50	5.00	35	4.33	0.14		
						2001	3.50	5.00	35	4.33	0.13		
						2002	3.40	5.00	35	4.28	0.13		
						2003	3.50	5.00	49	4.33	0.12		
						2004	3.50	5.00	49	4.33	0.12		
						2005	3.50	5.00	00	4.33	0.13		
						2006	3.40	5.00	00	4.28	0.13		
3	S.H.-51	002170	071.456	076.600	N	1997	2.60	1.40	42	1.93	0.16	C.R.A.B.S.	1999
						1998	2.50	1.40	47	1.89	0.16		
						*1999	2.40	1.40	35	1.84	0.17		
						2000	3.80	5.00	35	4.46	0.10		
						2001	3.90	5.00	35	4.50	0.09		
						2002	3.70	5.00	35	4.42	0.08		
						2003	3.80	5.00	49	4.46	0.07		
						2004	3.80	5.00	49	4.46	0.07		
						2005	3.80	5.00	00	4.46	0.08		
						2006	3.80	5.00	00	4.46	0.09		
3	S.H.-51	002170	076.600	084.600	N	1997	2.90	2.20	47	2.51	0.10	NEW CONST OR RECONST (FLEX)	2003
						1998	2.90	2.20	56	2.51	0.10		
						1999	2.90	2.20	54	2.51	0.09		
						2000	2.80	2.20	54	2.46	0.11		
						2001	2.70	2.20	54	2.42	0.11		
						*2002	2.50	2.20	54	2.33	0.11		
						2003	3.60	5.00	49	4.37	0.14		
						2004	3.70	5.00	49	4.42	0.12		
						2005	3.70	5.00	00	4.42	0.13		
						2006	3.70	5.00	00	4.42	0.14		
3	S.H.-51	002170	084.600	089.782	N	1997	2.90	2.20	47	2.51	0.10	C.R.A.B.S.	2006
						1998	2.90	2.20	56	2.51	0.10		
						1999	2.90	2.20	54	2.51	0.09		
						2000	2.80	2.20	54	2.46	0.11		
						2001	2.70	2.20	54	2.42	0.11		
						*2002	2.50	2.20	54	2.33	0.11		
						2003	2.50	2.20	49	2.33	0.12		
						2004	2.40	2.20	49	2.28	0.10		
						2005	2.40	2.20	00	2.28	0.12		
						2006	3.60	5.00	00	4.37	0.04		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
3	S.H.-51	002170	089.782	090.785	N	1997	3.20	3.00	41	3.08	0.12	
						1998	3.10	3.00	45	3.04	0.14	
						1999	3.10	2.50	39	2.76	0.14	
						2000	3.10	2.40	39	2.71	0.18	
						2001	3.00	2.40	39	2.66	0.21	
						2002	2.80	2.40	39	2.57	0.17	
						2003	2.90	2.40	49	2.62	0.17	
						2004	2.70	2.30	49	2.48	0.21	
						2005	2.90	2.10	00	2.45	0.19	
						2006	3.40	5.00	00	4.28	0.04	C.R.A.B.S.
3	S.H.-51	002170	090.785	091.830	N	1997	3.40	2.40	38	2.83	0.29	
						1998	3.10	2.10	50	2.53	0.30	
						1999	3.10	2.00	50	2.48	0.31	
						2000	3.10	2.00	50	2.48	0.33	
						2001	3.00	1.80	50	2.32	0.36	
						*2002	2.80	1.80	39	2.23	0.31	
						2003	2.30	1.80	49	2.05	0.26	
						2004	2.40	1.80	49	2.06	0.22	
						2005	2.30	1.80	00	2.01	0.28	
						2006	3.10	5.00	00	4.16	0.07	C.R.A.B.S.
3	S.H.-51	002170	091.830	092.089	N	1997	3.40	2.40	38	2.83	0.29	
						1998	3.10	2.10	50	2.53	0.30	
						1999	3.10	2.00	50	2.48	0.31	
						2000	3.10	2.00	50	2.48	0.33	
						2001	3.00	1.80	50	2.32	0.36	
						*2002	2.80	1.80	39	2.23	0.31	
						2003	2.30	1.80	49	2.05	0.26	
						2004	2.40	1.80	49	2.06	0.22	
						2005	2.30	1.80	00	2.01	0.28	
						2006	2.10	1.80	00	1.93	0.12	
3	S.H.-51	002170	092.089	092.240	N	2004	2.20	5.00	49	3.80	0.08	
						2005	2.10	5.00	00	3.76	0.06	
						2006	2.10	5.00	00	3.76	0.06	
3	S.H.-51	002170	093.538	094.233	N	1997	2.10	2.20	33	2.15	0.17	
						1998	1.90	2.20	38	2.07	0.18	
						1999	1.80	2.10	38	1.97	0.17	
						2000	1.80	2.00	38	1.91	0.21	
						2001	1.60	2.00	38	1.82	0.28	
						2002	1.60	2.00	39	1.82	0.19	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	REMARKS	DEPTH
3	S.H.-51	002170	094.233	094.773	N	1997	2.70	2.50	23	2.58		0.08
						1998	2.70	2.50	37	2.58		0.04
						1999	2.60	2.50	37	2.54		0.05
						2000	2.40	2.50	37	2.45		0.05
						2001	1.80	2.50	37	2.20		0.19
						2002	2.40	2.50	39	2.45		0.04
3	S.H.-51	002170	094.773	095.173	N	1997	2.70	3.80	20	3.30		0.02
						1998	2.60	3.80	30	3.29		0.03
						1999	2.60	3.80	30	3.29		0.03
						2000	2.40	3.80	30	3.21		0.04
						2001	2.50	3.80	30	3.25		0.04
						2002	2.30	3.80	39	3.16		0.03
3	S.H.-51	002170	095.173	095.308	N	1997	2.30	4.00	20	3.23		0.08
						1998	2.30	4.00	31	3.28		0.08
						1999	2.20	4.00	31	3.24		0.06
						2000	1.90	4.00	31	3.12		0.05
						2001	2.80	3.40	31	3.14		0.03
						2002	2.10	3.40	39	2.85		0.13
3	S.H.-52	002005	017.994	018.004	N	2004	1.10	5.00	49	3.51		0.09
3	S.H.-52	002010	000.000	000.233	N	1997	1.90	4.50	23	3.51		0.06
						1998	1.60	4.50	23	3.39		0.11
						1999	1.50	4.50	23	3.35		0.07
						2000	1.80	4.50	23	3.46		0.08
						2001	1.80	4.50	31	3.47		0.09
						2002	1.70	4.50	39	3.43		0.06
						2003	1.50	3.00	49	2.42		0.10
						2004	1.60	2.80	49	2.34		0.10
						2005	1.60	2.40	00	2.09		0.12
						2006	1.50	2.40	00	2.05		0.11
3	S.H.-52	002010	000.233	001.200	N	1997	3.10	5.00	27	4.26		0.08
						1998	3.10	4.60	27	4.01		0.07
						1999	2.90	4.40	32	3.82		0.11
						2000	2.90	3.30	32	3.14		0.11
						2001	3.00	3.30	32	3.18		0.12
						2002	2.90	3.20	32	3.08		0.14
						2003	2.90	3.00	49	2.96		0.12
						2004	3.00	3.00	49	3.00		0.10
						2005	2.80	3.00	00	2.92		0.15
						2006	2.90	2.40	00	2.59		0.15

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	S.H.-52	002010	001.200	001.664	N	1997	2.40	3.00	33	2.76	0.07	
						1998	2.20	3.00	33	2.68	0.08	
						1999	2.10	3.00	23	2.65	0.08	
						2000	2.00	2.90	23	2.55	0.08	
						2001	2.10	2.80	23	2.52	0.09	
						2002	2.30	2.40	23	2.36	0.09	
						2003	2.30	2.40	49	2.36	0.09	
						2004	2.30	2.40	49	2.36	0.09	
						2005	2.20	2.40	00	2.32	0.09	
						2006	2.30	2.40	00	2.36	0.09	
3	S.H.-52	002010	001.664	002.039	N	1997	3.00	4.00	38	3.62	0.11	
						1998	2.60	3.50	38	3.15	0.11	
						1999	2.80	3.40	36	3.17	0.12	
						2000	2.80	3.20	36	3.04	0.11	
						2001	2.60	2.70	36	2.66	0.14	
						2002	2.60	2.50	36	2.53	0.14	
						2003	2.50	2.50	49	2.50	0.13	
						2004	2.50	2.40	49	2.43	0.13	
						2005	2.50	2.40	00	2.43	0.15	
						2006	2.50	2.40	00	2.43	0.16	
3	S.H.-52	002010	002.039	002.327	N	1997	3.50	4.00	38	3.81	0.10	
						1998	3.10	3.10	38	3.10	0.12	
						1999	3.10	3.10	38	3.10	0.13	
						2000	3.10	3.10	38	3.10	0.12	
						2001	3.20	2.50	36	2.76	0.12	
						2002	3.20	2.50	36	2.76	0.13	
						2003	3.30	2.50	49	2.80	0.14	
						2004	3.20	2.40	49	2.70	0.14	
						2005	3.20	2.40	00	2.70	0.14	
						2006	3.20	2.40	00	2.70	0.13	
3	S.H.-52	002010	002.327	003.940	N	1997	2.70	4.00	36	3.46	0.16	
						1998	2.40	4.00	36	3.33	0.22	
						1999	2.40	3.90	38	3.27	0.22	
						2000	2.40	2.60	38	2.51	0.24	
						2001	2.40	2.40	38	2.40	0.26	
						2002	2.30	2.40	38	2.35	0.24	
						2003	2.30	2.30	49	2.30	0.19	
						2004	2.20	2.30	49	2.25	0.20	SEALCOAT
						2005	2.30	2.30	00	2.30	0.20	
						2006	2.10	2.20	00	2.15	0.22	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

2004

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	S.H.-52	002010	003.940	004.480	N	1997	2.50	4.00	37	3.37	0.14	
						1998	2.40	4.00	37	3.33	0.33	
						1999	2.60	4.00	37	3.41	0.32	
						2000	2.40	3.30	37	2.92	0.33	
						2001	2.20	3.30	38	2.84	0.37	
						2002	2.50	3.30	38	2.96	0.34	
						2003	2.60	3.00	49	2.83	0.34	
						2004	2.50	3.00	49	2.79	0.35	SEALCOAT
						2005	2.30	2.30	00	2.30	0.41	
						2006	2.40	2.30	00	2.34	0.36	
3	S.H.-52	002010	004.480	005.670	N	1997	3.00	4.00	33	3.55	0.14	
						1998	2.80	4.00	33	3.46	0.27	
						1999	2.80	4.00	40	3.46	0.27	
						2000	2.60	3.20	40	2.93	0.29	
						2001	2.70	3.20	40	2.97	0.28	
						2002	2.80	3.20	40	3.02	0.27	
						2003	2.70	2.80	49	2.75	0.32	
						2004	2.80	2.80	49	2.80	0.21	SEALCOAT
						2005	2.10	2.80	00	2.48	0.30	
						2006	2.50	2.80	00	2.66	0.29	
3	S.H.-52	002010	005.670	011.337	N	1997	3.00	4.00	45	3.56	0.14	
						1998	2.80	4.00	45	3.47	0.18	
						1999	2.80	4.00	55	3.47	0.18	
						2000	2.70	3.20	55	2.98	0.19	
						2001	2.80	3.00	55	2.91	0.21	
						2002	2.80	3.00	55	2.91	0.20	
						2003	2.80	2.40	49	2.57	0.19	
						2004	2.70	2.40	49	2.53	0.19	SEALCOAT
						2005	2.80	2.40	00	2.57	0.15	
						2006	2.80	2.40	00	2.57	0.13	
3	S.H.-52	002010	011.337	014.419	N	1997	3.10	4.00	39	3.60	0.11	
						1998	3.00	4.00	39	3.56	0.20	
						1999	3.00	4.00	48	3.56	0.16	SEALCOAT
						2000	2.90	4.00	48	3.51	0.14	
						2001	3.00	3.70	48	3.38	0.20	
						2002	3.10	3.70	48	3.43	0.15	
						2003	3.10	3.50	49	3.32	0.17	
						2004	3.10	3.50	49	3.32	0.16	SEALCOAT
						2005	3.10	3.50	00	3.32	0.14	
						2006	3.10	3.50	00	3.32	0.17	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS		
										INDEX	DEPTH			
3	S.H.-52	002010	014.419	018.041	N	1997	3.70	5.00	37	4.42	0.08	C.R.A.B.S.	1997	
						1998	3.60	4.50	37	4.10	0.15			
						1999	3.50	4.50	51	4.05	0.14	SEALCOAT		
						2000	3.40	4.50	51	4.01	0.14			
						2001	3.60	4.50	51	4.10	0.15			
						2002	3.40	4.50	51	4.00	0.16			
						2003	3.40	4.50	49	4.00	0.13			
						2004	3.30	4.50	49	3.96	0.14	SEALCOAT		2004
						2005	3.40	4.50	00	4.00	0.17			
						2006	3.30	4.50	00	3.96	0.17			
3	S.H.-52	002010	018.041	026.000	N	1997	4.00	5.00	38	4.55	0.04	C.R.A.B.S.	1997	
						1998	3.90	4.50	38	4.23	0.09			
						1999	3.80	4.50	53	4.18	0.09	SEALCOAT		
						2000	3.60	4.50	53	4.09	0.10			
						2001	3.80	4.50	53	4.18	0.10			
						2002	3.60	4.50	53	4.09	0.10			
						2003	3.70	4.50	49	4.14	0.10			
						2004	3.70	4.50	49	4.14	0.10			
						2005	3.70	4.50	00	4.14	0.12			
						2006	3.70	4.50	00	4.14	0.12			
3	S.H.-52	002010	026.000	030.422	N	1997	2.80	1.00	38	1.81	0.24		1999	
						1998	2.70	1.00	38	1.76	0.23			
						1999	3.70	5.00	49	4.41	0.04	C.R.A.B.S.		
						2000	3.50	5.00	49	4.31	0.04			
						2001	3.60	5.00	49	4.36	0.04			
						2002	3.50	5.00	49	4.32	0.04			
						2003	3.50	5.00	49	4.32	0.05			
						2004	3.50	5.00	49	4.32	0.04			
						2005	3.50	5.00	00	4.32	0.04			
						2006	3.50	5.00	00	4.32	0.06			
3	S.H.-52	002010	030.422	030.653	N	1997	2.80	3.40	32	3.14	0.13		2002	
						1998	3.00	2.50	32	2.71	0.15			
						1999	3.10	2.50	36	2.75	0.16			
						2000	2.80	3.00	36	2.91	0.16			
						2001	3.10	2.70	36	2.87	0.15			
						2002	2.80	2.70	36	2.74	0.17	C.R.A.B.S.		
						2003	3.00	2.70	49	2.82	0.17			
						2004	2.80	2.30	49	2.51	0.10			
						2005	2.70	2.30	00	2.46	0.13			
						2006	2.70	2.30	00	2.46	0.09			

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
3	S.H.-52	002010	030.653	031.844	N	1997	3.50	4.00	39	3.78	0.07							
						1998	3.30	2.20	39	2.67	0.07							
						1999	3.20	2.20	38	2.62	0.11							
						2000	2.90	2.20	38	2.50	0.13							
						*2001	3.00	2.20	38	2.54	0.15							
						2002	3.20	5.00	32	4.23	0.19	C.R.A.B.S.						
						2003	2.70	5.00	49	4.02	0.10							
						2004	2.50	5.00	49	3.93	0.13							
						2005	2.70	5.00	00	4.02	0.13							
						2006	2.80	5.00	00	4.06	0.13							
						3	S.H.-52	002010	031.844	033.662	N	1997	2.60	5.00	55	3.92	0.22	COLD IN PLACE RECYCLE
												1998	2.70	4.80	55	3.85	0.20	
1999	2.70	4.80	22	3.85	0.17													
2000	2.60	4.80	22	3.81	0.19													
2001	2.60	4.00	22	3.37	0.22													
2002	3.30	4.00	22	3.68	0.22							SEALCOAT						
2003	2.60	4.00	49	3.37	0.19													
2004	2.60	4.00	49	3.37	0.18													
2005	2.50	4.00	00	3.32	0.25													
2006	2.50	4.00	00	3.32	0.21													
3	S.H.-52	002010	033.662	035.090	N							1997	3.00	5.00	42	4.11	0.13	COLD IN PLACE RECYCLE
												1998	3.20	4.50	42	3.92	0.26	
						1999	3.10	4.50	35	3.88	0.24							
						2000	3.10	4.50	35	3.88	0.25							
						2001	3.10	4.50	35	3.88	0.25							
						2002	3.30	4.50	35	3.97	0.26	SEALCOAT						
						2003	3.20	4.50	49	3.92	0.25							
						2004	3.20	4.50	49	3.92	0.23							
						2005	3.20	4.40	00	3.87	0.25							
						2006	3.30	4.00	00	3.68	0.26							
						3	S.H.-52	002010	035.090	039.000	N	1997	3.00	5.00	39	4.11	0.11	COLD IN PLACE RECYCLE
												1998	3.10	4.50	39	3.88	0.22	
1999	3.10	4.50	36	3.88	0.21													
2000	3.00	4.50	36	3.83	0.22													
2001	3.10	4.50	36	3.88	0.22													
2002	3.20	4.50	36	3.92	0.23							SEALCOAT						
2003	3.20	4.50	49	3.92	0.19													
2004	3.30	4.50	49	3.97	0.19													
2005	3.20	4.20	00	3.76	0.22													
2006	3.20	4.10	00	3.70	0.25													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS						
										INDEX	DEPTH								
3	S.H.-52	002010	039.000	043.802	N	1997	3.00	5.00	43	4.11	0.13	COLD IN PLACE RECYCLE	1997						
						1998	3.30	4.50	43	3.97	0.17								
						1999	3.30	4.50	51	3.97	0.17								
						2000	3.20	4.30	51	3.81	0.18								
						2001	3.30	4.10	51	3.74	0.19								
						2002	3.40	4.10	51	3.79	0.16	SEALCOAT	2002						
						2003	3.40	4.10	49	3.79	0.14								
						2004	3.40	4.10	49	3.79	0.16								
						2005	3.40	4.10	00	3.79	0.18								
						2006	3.40	3.70	00	3.56	0.17								
						3	S.H.-52	002010	043.802	045.014	N	1997	3.20	5.00	45	4.20	0.16	COLD IN PLACE RECYCLE	1997
												1998	3.30	4.60	45	4.02	0.18		
1999	3.30	4.60	50	4.01	0.15														
2000	3.20	4.20	50	3.75	0.16														
2001	3.30	4.20	50	3.79	0.20														
2002	3.20	4.20	50	3.76	0.18							SEALCOAT	2002						
2003	3.20	4.20	49	3.76	0.16														
2004	3.30	4.20	49	3.80	0.15														
2005	3.30	4.20	00	3.80	0.12														
2006	3.30	3.90	00	3.63	0.20														
3	S.H.-52	002010	045.014	049.534	N							1997	3.00	5.00	43	4.11	0.15	COLD IN PLACE RECYCLE	1997
												1998	3.40	4.00	43	3.73	0.21		
						1999	3.30	4.00	47	3.68	0.20								
						2000	3.20	3.90	47	3.58	0.20								
						2001	3.30	3.90	47	3.63	0.22								
						2002	3.30	3.90	47	3.63	0.18	SEALCOAT	2002						
						2003	3.30	3.60	49	3.46	0.16								
						2004	3.30	3.60	49	3.46	0.16								
						2005	3.30	3.60	00	3.46	0.16								
						2006	3.30	3.60	00	3.46	0.17								
						3	S.H.-52	002010	049.534	054.126	N	1997	3.10	5.00	43	4.23	0.21	COLD IN PLACE RECYCLE	1997
												1998	3.40	4.50	43	4.05	0.21		
1999	3.40	4.50	52	4.04	0.21														
2000	3.20	4.40	52	3.90	0.19														
2001	3.40	4.40	52	3.98	0.19														
2002	3.30	4.40	52	3.95	0.15							SEALCOAT	2002						
*2003	3.30	4.40	49	3.95	0.14														
2004	3.30	3.40	49	3.35	0.14														
2005	3.30	3.40	00	3.35	0.16														
2006	3.30	3.40	00	3.35	0.16														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS	
										INDEX	DEPTH			
3	S.H.-55	001990	000.000	001.648	N	1997	3.40	1.50	23	2.40	0.18	C.R.A.B.S.	1997	
						1998	3.70	5.00	23	4.37	0.14			
						1999	3.70	5.00	23	4.37	0.16			
						2000	3.70	5.00	23	4.37	0.16			
						2001	3.60	5.00	52	4.33	0.19			
						2002	3.50	5.00	52	4.28	0.19	SEALCOAT		2002
						2003	3.50	5.00	49	4.28	0.20			
						2004	3.50	3.50	49	3.50	0.20			
						2005	3.50	3.50	00	3.50	0.24			
						2006	3.50	3.50	00	3.50	0.23			
3	S.H.-55	001990	001.648	002.289	N	1997	3.40	2.00	24	2.63	0.20	C.R.A.B.S.	1997	
						1998	3.80	5.00	24	4.45	0.10			
						1999	3.80	5.00	24	4.45	0.12			
						2000	3.80	5.00	24	4.45	0.13			
						2001	3.80	5.00	52	4.45	0.14			
						2002	3.40	5.00	52	4.27	0.15	SEALCOAT		2002
						2003	3.50	5.00	49	4.32	0.17			
						2004	3.40	5.00	49	4.27	0.17			
						2005	3.50	5.00	00	4.32	0.20			
						2006	3.50	5.00	00	4.31	0.20			
3	S.H.-55	001990	002.289	002.650	N	1997	1.90	1.50	31	1.69	0.14	C.R.A.B.S.	1997	
						1998	2.30	5.00	31	3.70	0.09			
						1999	2.40	5.00	31	3.74	0.09			
						2000	2.60	4.80	31	3.74	0.14			
						2001	2.40	4.80	52	3.64	0.13			
						2002	2.40	4.80	52	3.64	0.13	SEALCOAT		2002
						2003	3.10	4.80	49	3.98	0.15			
						2004	3.10	4.80	49	3.98	0.14			
						2005	3.00	4.80	00	3.93	0.15			
						2006	2.90	4.80	00	3.88	0.08			
3	S.H.-55	001990	002.650	003.838	N	1997	2.90	3.00	31	2.95	0.13			
						1998	3.00	2.40	31	2.68	0.15			
						1999	2.70	2.00	31	2.33	0.15			
						2000	2.70	1.80	31	2.23	0.15			
						2001	2.60	1.70	52	2.13	0.15			
						2002	2.40	1.70	52	2.03	0.17			
						2003	2.20	1.50	49	1.83	0.16			
						2004	2.30	1.50	49	1.88	0.16			
						2005	2.50	1.50	00	1.97	0.16			
						2006	2.50	1.50	00	1.98	0.16			

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
3	S.H.-55	001990	003.838	006.370	N	1997	3.00	2.00	28	2.47	0.17		
						1998	2.80	2.00	28	2.38	0.25		
						1999	2.70	1.80	28	2.23	0.24		
						2000	2.70	1.80	28	2.23	0.25		
						2001	2.60	1.80	52	2.18	0.27		
						2002	2.30	1.80	52	2.03	0.26		
						2003	2.40	1.60	49	1.98	0.21		
						2004	2.20	1.60	49	1.88	0.26		
						2005	2.20	1.60	00	1.88	0.26		
						2006	3.80	5.00	00	4.42	0.24	NEW CONST OR RECONST (FLEX)	2006
3	S.H.-55	001990	006.370	011.621	N	1997	3.30	2.50	31	2.88	0.10		
						1998	3.20	2.50	31	2.83	0.11		
						1999	3.20	2.40	31	2.78	0.12		
						2000	3.30	2.40	31	2.83	0.11		
						2001	3.20	2.40	52	2.78	0.13		
						2002	3.10	2.40	52	2.73	0.11	SEALCOAT	2002
						2003	3.00	2.40	49	2.69	0.14		
						2004	3.00	2.40	49	2.69	0.14		
						2005	2.90	2.40	00	2.62	0.16	MINOR WIDENING	2005
						2006	3.10	2.30	00	2.66	0.15		
3	S.H.-55	001990	011.621	015.117	N	1997	3.40	3.00	19	3.19	0.30		
						1998	3.30	2.90	19	3.09	0.35		
						1999	3.40	2.40	19	2.88	0.35		
						2000	3.40	2.40	19	2.85	0.30		
						2001	3.30	2.40	52	2.83	0.37		
						2002	3.10	2.40	52	2.74	0.31	SEALCOAT	2002
						2003	3.20	2.40	49	2.79	0.35		
						2004	3.10	2.40	49	2.74	0.34		
						2005	3.10	2.40	00	2.72	0.35		
						2006	3.10	2.40	00	2.72	0.37		
3	S.H.-55	001990	015.117	015.818	N	1997	3.20	2.70	22	2.92	0.30		
						1998	3.00	2.70	22	2.83	0.36		
						1999	3.20	2.70	22	2.93	0.27		
						2000	3.20	2.60	22	2.87	0.27		
						2001	3.30	2.60	52	2.92	0.30		
						2002	3.10	2.60	52	2.83	0.29		
						2003	3.00	2.60	49	2.78	0.31		
						2004	2.80	2.30	49	2.53	0.37		
						2005	2.80	2.30	00	2.53	0.40		
						2006	2.60	2.30	00	2.44	0.38		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	S.H.-55	001990	015.818	016.180	N	1997	3.50	3.50	25	3.50	0.20	
						1998	2.40	3.20	25	2.85	0.19	
						1999	2.50	3.00	25	2.78	0.25	
						2000	2.60	3.00	25	2.82	0.22	
						2001	2.90	3.00	52	2.95	0.32	
						2002	3.20	3.00	52	3.08	0.37	
						2003	3.10	3.00	49	3.04	0.33	
						2004	3.20	2.40	49	2.74	0.39	
						2005	3.10	2.40	00	2.70	0.39	
						2006	1.40	2.40	00	1.96	0.24	
3	S.H.-55	001990	018.148	018.529	N	1997	2.40	2.80	32	2.62	0.09	
						1998	2.30	2.80	32	2.57	0.09	
						1999	2.10	2.80	32	2.48	0.13	
						2000	2.40	2.80	32	2.62	0.13	
						2001	2.10	2.80	52	2.48	0.12	
						2002	1.90	2.80	52	2.39	0.09	
						2003	1.60	2.80	49	2.25	0.14	
						2004	1.80	2.40	49	2.13	0.13	
						2005	1.70	2.40	00	2.08	0.14	
						2006	1.70	2.40	00	2.08	0.14	
3	S.H.-55	001990	018.529	019.308	ASC	1997	3.60	3.50	32	3.54	0.13	
						1998	3.50	3.50	32	3.50	0.15	
						1999	3.40	3.50	32	3.45	0.16	
						2000	3.50	3.50	32	3.50	0.14	
						2001	3.50	3.50	52	3.50	0.21	
						2002	3.30	3.50	52	3.40	0.22	
						2003	3.30	3.50	49	3.40	0.24	
						2004	3.20	3.50	49	3.36	0.27	
						2005	3.10	3.50	00	3.31	0.24	
						2006	3.00	3.50	00	3.26	0.24	
3	S.H.-55	001990	018.529	019.308	DES	1997	3.60	3.50	30	3.54	0.05	
						1998	3.70	3.50	30	3.59	0.04	
						1999	3.50	3.50	30	3.50	0.06	
						2000	3.60	3.50	30	3.54	0.06	
						2001	3.40	3.50	52	3.45	0.07	
						2002	3.40	3.50	52	3.45	0.09	
						2003	3.60	3.50	49	3.54	0.10	
						2004	3.60	3.10	49	3.33	0.08	
						2005	3.50	3.10	00	3.28	0.10	
						2006	3.50	3.10	00	3.28	0.10	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS
3	S.H.-55	001990	047.303	047.460	N	1997	2.50	5.00	24	3.79	0.17	
						1998	3.70	5.00	32	4.37	0.04	
						1999	3.60	5.00	43	4.32	0.05	
						2000	3.50	5.00	43	4.31	0.18	
						2001	3.60	5.00	43	4.36	0.15	RUT FILLING
						2002	3.70	4.80	43	4.30	0.19	2001
						2003	3.20	4.80	49	4.07	0.11	
						2004	3.20	4.80	49	4.07	0.12	
						2005	3.10	4.80	00	4.02	0.10	
						2006	3.30	4.80	00	4.11	0.15	
3	S.H.-55	001990	047.460	050.200	N	1997	2.50	5.00	24	3.79	0.20	
						1998	3.80	5.00	43	4.42	0.06	
						1999	3.80	5.00	41	4.42	0.07	
						2000	3.70	4.70	41	4.21	0.09	
						2001	3.60	4.70	41	4.17	0.08	RUT FILLING
						2002	3.50	4.70	41	4.12	0.10	2001
						2003	3.50	4.60	49	4.07	0.11	
						2004	3.50	4.60	49	4.07	0.11	
						2005	3.60	4.60	00	4.11	0.11	
						2006	3.60	4.60	00	4.11	0.15	
3	S.H.-55	001990	050.200	051.672	N	1997	3.30	3.00	46	3.14	0.04	
						1998	3.20	3.00	48	3.09	0.06	
						1999	3.30	3.00	40	3.14	0.06	PLANT MIX OVERLAY
						2000	3.30	3.00	40	3.14	0.07	1999
						2001	3.20	3.00	40	3.09	0.07	SEALCOAT
						2002	3.30	3.00	40	3.14	0.10	2001
						2003	3.30	2.40	49	2.83	0.10	
						2004	3.30	2.40	49	2.83	0.11	
						2005	3.30	2.40	00	2.83	0.14	
						2006	3.20	2.40	00	2.78	0.16	
3	S.H.-55	001990	051.672	053.990	N	1997	3.80	4.50	47	4.16	0.08	
						1998	3.70	4.50	51	4.11	0.11	
						1999	3.80	4.80	39	4.32	0.11	PLANT MIX OVERLAY
						2000	4.10	4.80	39	4.46	0.08	1999
						2001	4.10	4.80	39	4.46	0.09	SEALCOAT
						2002	3.90	4.80	39	4.36	0.11	2001
						2003	3.80	4.80	49	4.31	0.10	
						2004	3.80	4.80	49	4.31	0.11	
						2005	3.80	4.80	00	4.31	0.16	
						2006	3.80	4.30	00	4.05	0.17	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	S.H.-55	001990	053.990	056.488	N	1997	3.50	4.80	47	4.17	0.10		
						1998	3.30	4.10	44	3.71	0.13	PLANT MIX OVERLAY	1999
						1999	3.40	4.80	44	4.12	0.12		
						2000	3.90	4.80	44	4.36	0.10		
						2001	3.90	4.80	44	4.36	0.11	SEALCOAT	2001
						2002	3.70	4.80	39	4.27	0.11		
						2003	3.70	4.80	49	4.27	0.11		
						2004	3.60	4.80	49	4.22	0.13		
						2005	3.60	4.80	00	4.22	0.16		
						2006	3.60	4.80	00	4.22	0.17		
3	S.H.-55	001990	056.488	057.179	N	1997	3.60	4.80	40	4.22	0.05		
						1998	3.50	4.70	40	4.12	0.07	PLANT MIX OVERLAY	1999
						1999	3.50	4.70	38	4.12	0.08		
						2000	3.50	4.70	38	4.12	0.09		
						2001	3.60	4.70	38	4.17	0.08	SEALCOAT	2001
						2002	3.30	4.70	38	4.02	0.09		
						2003	3.50	4.70	49	4.12	0.06		
						2004	3.50	4.70	49	4.12	0.07		
						2005	3.50	4.70	00	4.12	0.10		
						2006	3.40	4.70	00	4.07	0.07		
3	S.H.-55	001990	063.270	064.656	N	1997	3.10	2.40	31	2.71	0.14		
						1998	2.90	2.40	46	2.62	0.18	SEALCOAT	1999
						1999	2.90	2.40	44	2.62	0.20		
						2000	3.00	2.40	44	2.67	0.21		
						2001	2.90	2.40	44	2.62	0.21	C.R.A.B.S.	2001
						2002	3.30	5.00	44	4.23	0.09		
						2003	3.40	5.00	49	4.27	0.08		
						2004	3.30	5.00	49	4.22	0.10		
						2005	3.30	5.00	00	4.22	0.11	MAJOR WIDENING	2005
						2006	3.20	5.00	00	4.18	0.09		
3	S.H.-55	001990	064.656	066.700	N	1997	3.30	4.00	28	3.66	0.27		
						1998	3.20	4.00	50	3.61	0.29	SEALCOAT	1999
						1999	3.40	4.00	50	3.71	0.18		
						2000	3.50	4.00	50	3.75	0.21		
						2001	3.50	4.00	50	3.75	0.21	C.R.A.B.S.	2001
						2002	3.30	4.00	50	3.66	0.10		
						2003	3.30	4.00	49	3.66	0.09		
						2004	3.30	4.00	49	3.66	0.11		
						2005	3.30	4.00	00	3.66	0.12	MAJOR WIDENING	2005
						2006	3.30	4.00	00	3.66	0.13		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
3	S.H.-55	001990	066.700	072.505	N	1997	2.90	5.00	27	3.99	0.20	C.R.A.B.S.	1997
						1998	3.30	5.00	50	4.18	0.09		
						1999	3.30	5.00	51	4.18	0.09	SEALCOAT	1999
						2000	3.40	5.00	51	4.23	0.09		
						2001	3.30	5.00	51	4.18	0.10		
						2002	3.20	5.00	51	4.13	0.10		
						2003	3.30	5.00	49	4.18	0.10		
						2004	3.20	5.00	49	4.13	0.12		
						2005	3.30	5.00	00	4.18	0.14		
						2006	3.30	5.00	00	4.18	0.13		
3	S.H.-55	001990	072.505	080.699	N	1997	2.90	5.00	33	3.99	0.19	C.R.A.B.S.	1997
						1998	3.60	5.00	50	4.33	0.08		
						1999	3.50	5.00	52	4.28	0.07	SEALCOAT	1999
						2000	3.50	4.70	52	4.12	0.08		
						2001	3.50	4.70	52	4.12	0.09		
						2002	3.40	4.70	52	4.07	0.10		
						2003	3.40	4.70	49	4.07	0.10		
						2004	3.40	4.70	49	4.07	0.11		
						2005	3.40	4.70	00	4.07	0.15		
						2006	3.40	4.70	00	4.07	0.13		
3	S.H.-55	001990	080.699	082.000	N	1997	3.50	4.50	44	4.02	0.08	C.R.A.B.S.	1997
						1998	3.30	4.40	52	3.87	0.09		
						1999	3.30	4.00	50	3.66	0.08	SEALCOAT	1999
						2000	3.40	3.90	50	3.66	0.08		
						2001	3.40	3.90	50	3.66	0.10		
						2002	3.40	3.50	50	3.45	0.11		
						2003	3.30	3.50	49	3.40	0.12		
						2004	3.40	3.50	49	3.45	0.12		
						2005	3.30	3.50	00	3.40	0.12	SEALCOAT	2005
						2006	3.30	3.50	00	3.40	0.12		
3	S.H.-55	001990	082.060	084.389	N	1997	2.70	3.00	33	2.85	0.23		
						1998	2.60	3.00	41	2.80	0.23		
						1999	2.70	3.00	41	2.85	0.26		
						2000	2.70	2.80	41	2.75	0.27		
						2001	2.60	2.80	41	2.70	0.29		
						2002	3.40	4.50	41	3.97	0.06		
						2003	3.50	4.50	49	4.02	0.06		
						2004	3.40	4.50	49	3.97	0.07		
						2005	3.40	4.50	00	3.97	0.09	SEALCOAT	2005
						2006	3.40	4.50	00	3.97	0.09		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
3	S.H.-55	001990	084.389	091.100	N	1997	3.20	2.50	34	2.83	0.18							
						1998	3.10	2.50	42	2.78	0.19							
						1999	3.10	2.40	42	2.73	0.23							
						*2000	3.10	2.40	42	2.73	0.22							
						2001	3.00	2.40	42	2.68	0.26							
						2002	3.40	5.00	42	4.23	0.10							
						2003	3.60	5.00	49	4.33	0.09							
						2004	3.50	5.00	49	4.28	0.10							
						2005	3.50	5.00	00	4.28	0.10	SEALCOAT						
						2006	3.50	3.70	00	3.60	0.11							
						3	S.H.-55	001990	091.100	094.850	N	1997	3.50	2.00	36	2.71	0.16	
												1998	3.30	2.00	40	2.62	0.18	
1999	3.20	2.00	39	2.57	0.19													
*2000	3.50	5.00	39	4.28	0.07													
2001	3.60	5.00	38	4.33	0.08							C.R.A.B.S.						
2002	3.40	5.00	38	4.23	0.10													
2003	3.40	5.00	49	4.23	0.11													
2004	3.40	5.00	49	4.23	0.14													
2005	3.40	5.00	00	4.23	0.13													
2006	3.40	4.80	00	4.13	0.15													
3	S.H.-55	001990	094.850	097.300	N							1997	2.70	2.40	38	2.54	0.19	
												1998	2.50	2.30	43	2.39	0.22	
						1999	2.40	2.10	37	2.24	0.22							
						*2000	2.60	2.10	37	2.33	0.22							
						2001	3.40	5.00	43	4.23	0.08	C.R.A.B.S.						
						2002	3.10	5.00	43	4.09	0.11							
						2003	3.10	5.00	49	4.09	0.14							
						2004	3.10	5.00	49	4.09	0.16							
						2005	3.20	5.00	00	4.14	0.15							
						2006	3.10	4.50	00	3.83	0.20							
						3	S.H.-55	001990	097.300	101.890	N	1997	2.70	2.40	38	2.54	0.19	
												1998	2.50	2.30	43	2.39	0.22	
1999	2.40	2.10	37	2.24	0.22													
*2000	2.60	2.10	37	2.33	0.22													
2001	2.60	2.00	37	2.28	0.26													
2002	2.60	2.00	37	2.28	0.21													
2003	2.60	2.00	49	2.28	0.21													
2004	2.70	2.00	49	2.33	0.21													
2005	2.70	2.00	00	2.33	0.21													
2006	2.50	2.00	00	2.23	0.23							C.R.A.B.S.						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
3	S.H.-55	001990	101.890	106.900	N	1997	3.10	2.50	40	2.78	0.19	
						1998	3.00	2.50	45	2.73	0.21	
						1999	3.00	2.50	46	2.73	0.25	
						2000	3.00	2.30	46	2.63	0.25	
						*2001	3.00	2.30	46	2.63	0.26	
						2002	2.80	2.30	45	2.53	0.26	
						2003	2.80	2.30	49	2.53	0.27	
						2004	2.70	2.20	49	2.43	0.26	
						2005	2.70	2.00	00	2.33	0.27	SEALCOAT
						2006	3.30	5.00	00	4.18	0.30	C.R.A.B.S.
3	S.H.-55	001990	106.900	108.000	N	1997	3.10	2.50	40	2.78	0.19	
						1998	3.00	2.50	45	2.73	0.21	
						1999	3.00	2.50	46	2.73	0.25	
						2000	3.00	2.30	46	2.63	0.25	
						*2001	3.00	2.30	46	2.63	0.26	
						2002	3.30	5.00	49	4.18	0.04	C.R.A.B.S.
						2003	3.30	5.00	49	4.18	0.05	
						2004	3.30	5.00	49	4.18	0.08	
						2005	3.30	5.00	00	4.18	0.07	SEALCOAT
						2006	3.20	5.00	00	4.13	0.08	
3	S.H.-55	001990	108.000	113.800	N	1997	3.10	2.50	40	2.78	0.19	
						1998	3.00	2.50	45	2.73	0.21	
						1999	3.00	2.50	46	2.73	0.25	
						2000	3.00	2.30	46	2.63	0.25	
						*2001	3.00	2.30	46	2.63	0.26	SEALCOAT
						2002	3.80	5.00	41	4.42	0.11	PLANT MIX OVERLAY
						2003	3.80	5.00	49	4.42	0.07	
						2004	3.70	5.00	49	4.37	0.11	
						2005	3.80	5.00	00	4.42	0.16	SEALCOAT
						2006	3.70	5.00	00	4.37	0.17	
3	S.H.-55	001990	113.800	115.106	N	1997	3.00	3.00	37	3.00	0.25	
						1998	2.90	3.00	39	2.95	0.29	
						1999	2.90	2.90	40	2.90	0.33	
						2000	2.90	2.50	40	2.68	0.27	
						*2001	2.90	2.30	40	2.57	0.32	SEALCOAT
						2002	2.60	2.40	31	2.49	0.19	
						2003	2.40	2.40	49	2.40	0.23	
						2004	2.40	2.30	49	2.34	0.28	
						2005	2.50	2.30	00	2.39	0.25	
						2006	2.40	2.30	00	2.34	0.24	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
3	S.H.-55	001990	115.106	115.471	N	1997	2.70	2.50	33	2.59	0.22							
						1998	2.40	2.50	38	2.45	0.17							
						1999	2.50	2.50	38	2.50	0.17							
						2000	2.60	2.50	38	2.54	0.22							
						2001	2.70	2.50	38	2.59	0.21	SEALCOAT	2001					
						2002	3.00	2.50	31	2.72	0.12							
						2003	3.00	2.50	49	2.72	0.11							
						2004	3.00	2.50	49	2.72	0.19							
						2005	2.70	2.40	00	2.53	0.18							
						2006	3.10	2.40	00	2.71	0.14							
						3	S.H.-55	001990	115.471	116.000	N	1997	3.10	2.50	35	2.78	0.19	
												1998	3.00	2.50	38	2.73	0.17	
*1999	2.80	2.50	34	2.64	0.28													
2000	2.60	5.00	37	3.92	0.17													
2001	2.50	5.00	37	3.87	0.14							SEALCOAT	2001					
2002	2.80	5.00	37	4.01	0.13													
2003	2.60	2.40	49	2.48	0.14													
2004	2.70	2.40	49	2.53	0.16													
2005	2.60	2.40	00	2.48	0.15													
2006	2.50	2.40	00	2.44	0.20													
3	S.H.-55	001990	116.000	122.900	N							*1997	2.90	2.40	44	2.63	0.24	
												1998	2.70	2.50	45	2.59	0.17	
						*1999	2.60	2.50	47	2.54	0.19	C.R.A.B.S.	1999					
						2000	3.80	5.00	43	4.42	0.10							
						2001	3.70	5.00	43	4.37	0.10	SEALCOAT	2001					
						2002	3.60	5.00	43	4.33	0.12							
						2003	3.60	5.00	49	4.33	0.12							
						2004	3.60	5.00	49	4.33	0.13							
						2005	3.60	5.00	00	4.33	0.15							
						2006	3.60	5.00	00	4.32	0.16							
						3	S.H.-55	001990	122.900	126.000	N	*1997	2.90	2.40	44	2.63	0.24	
												1998	4.00	5.00	52	4.52	0.25	PLANT MIX OVERLAY
1999	3.70	5.00	53	4.37	0.04													
2000	3.80	5.00	53	4.42	0.10													
2001	3.70	5.00	53	4.37	0.11							SEALCOAT	2001					
2002	3.60	5.00	53	4.33	0.20													
2003	3.50	5.00	49	4.28	0.17													
2004	3.60	4.30	49	3.96	0.23													
2005	3.60	4.30	00	3.96	0.29													
2006	3.60	4.30	00	3.96	0.27													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS									
										INDEX	DEPTH										
3	S.H.-55	001990	126.000	130.056	N	1997	2.90	3.00	29	2.95	0.13	PLANT MIX OVERLAY SEALCOAT	1998 2001								
						1998	4.00	5.00	51	4.52	0.17										
						1999	3.90	5.00	48	4.47	0.05										
						2000	3.90	5.00	48	4.47	0.10										
						2001	3.90	5.00	48	4.47	0.11										
						2002	3.70	5.00	48	4.37	0.16										
						2003	3.70	4.80	49	4.27	0.13										
						2004	3.70	4.10	49	3.90	0.19										
						2005	3.70	4.10	00	3.90	0.23										
						2006	3.60	4.10	00	3.86	0.27										
						3	S.H.-55	001990	130.056	131.399	N			1997	2.90	2.50	31	2.67	0.28	PLANT MIX OVERLAY SEALCOAT	1998 2001
														1998	4.00	5.00	52	4.55	0.28		
1999	3.40	5.00	47	4.28	0.06																
2000	3.30	5.00	47	4.23	0.12																
2001	3.30	5.00	47	4.23	0.15																
2002	3.30	5.00	47	4.23	0.15																
2003	3.40	4.80	49	4.17	0.16																
2004	3.40	4.80	49	4.17	0.15																
2005	3.40	4.80	00	4.17	0.23																
2006	3.40	4.80	00	4.17	0.27																
3	S.H.-55	001990	131.399	142.796	N							1997	2.00	5.00	36	3.63	PLANT MIX OVERLAY PLANT MIX OVERLAY SEALCOAT	1997 1998 1999 2001			
												1998	4.00	5.00	53	4.54			0.12		
						1999	3.50	5.00	35	4.31	0.17										
						2000	3.50	5.00	35	4.31	0.24										
						2001	3.50	4.80	35	4.20	0.28										
						2002	3.30	4.80	35	4.11	0.33										
						2003	3.30	4.80	49	4.11	0.35										
						2004	3.20	4.80	49	4.07	0.43										
						2005	3.30	4.80	00	4.11	0.52										
						2006	3.10	4.00	00	3.59	0.47										
						3	S.H.-55	001990	142.796	142.974	N	*1997	3.40	5.00	32	4.27	0.08		PLANT MIX OVERLAY PLANT MIX OVERLAY SEALCOAT	1997 1998 1999	
												1998	3.70	5.00	36	4.40	0.14				
1999	3.50	5.00	36	4.31	0.18																
2000	3.50	5.00	36	4.31	0.16																
2001	3.50	5.00	36	4.31	0.16																
2002	3.40	5.00	35	4.27	0.23																
2003	3.50	5.00	49	4.31	0.35																
2004	3.50	5.00	49	4.31	0.21																
2005	3.40	5.00	00	4.27	0.41																
2006	3.50	5.00	00	4.31	0.25																

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	S.H.-55	001990	142.974	143.921	N	*1997	3.40	5.00	32	4.27	0.08		
						1998	2.80	5.00	34	3.99	0.12		
						1999	2.80	5.00	32	3.99	0.11		
						2000	2.90	5.00	32	4.03	0.13		
						2001	1.60	5.00	32	3.44	0.19		
						2002	2.40	5.00	32	3.80	0.16		
						2003	2.80	5.00	49	3.99	0.24		
						2004	2.80	5.00	49	3.99	0.22		
						2005	2.60	5.00	00	3.90	0.23		
						2006	2.70	5.00	00	3.95	0.22		
3	S.H.-55	001990	143.921	144.117	N	1997	2.40	5.00	45	3.80	0.12		
						1998	2.30	5.00	26	3.76	0.13		
						1999	2.20	5.00	38	3.71	0.13		
						2000	2.10	5.00	38	3.67	0.15		
						2001	2.20	5.00	38	3.71	0.11		
						2002	2.10	5.00	38	3.67	0.12		
						2003	1.60	5.00	49	3.44	0.09		
						2004	1.60	5.00	49	3.45	0.12		
						2005	1.70	5.00	00	3.49	0.11		
						2006	1.60	5.00	00	3.45	0.08		
3	S.H.-55	001990	144.117	145.570	N	1997	2.60	5.00	43	3.92	0.16		
						1998	2.60	4.80	35	3.81	0.17		
						1999	2.30	4.80	38	3.67	0.21	C.R.A.B.S.	1999
						2000	2.60	4.80	38	3.81	0.26		
						2001	2.50	4.80	38	3.76	0.27	SEALCOAT	2001
						2002	2.40	4.50	38	3.55	0.33		
						2003	2.20	4.50	49	3.46	0.30		
						2004	2.60	4.50	49	3.64	0.19		
						2005	2.30	4.50	00	3.51	0.27		
						2006	2.20	4.50	00	3.46	0.26		
3	S.H.-55	001990	145.570	145.647	N	1997	2.30	2.20	43	2.24	0.21		
						1998	2.30	2.20	35	2.24	0.17		
						1999	1.40	5.00	38	3.38	0.32	C.R.A.B.S.	1999
						2000	3.90	5.00	38	4.50	0.05		
						2001	4.00	5.00	38	4.55	0.04	SEALCOAT	2001
						2002	3.70	5.00	38	4.41	0.07		
						2003	2.40	5.00	49	3.83	0.16		
						2004	2.30	5.00	49	3.78	0.19		
						2005	2.30	5.00	00	3.78	0.19		
						2006	2.20	5.00	00	3.74	0.12		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
3	S.H.-55	001990	145.647	147.021	N	1997	2.00	2.20	26	2.10	0.32		
						1998	1.80	2.10	26	1.95	0.30	C.R.A.B.S.	1999
						1999	1.10	5.00	32	3.13	0.41		
						2000	3.80	5.00	32	4.42	0.12		
						2001	3.40	5.00	32	4.23	0.10	SEALCOAT	2001
						2002	3.30	5.00	32	4.18	0.13		
						2003	3.40	5.00	49	4.23	0.13		
						2004	3.40	5.00	49	4.23	0.16	SEALCOAT	2004
						2005	3.40	5.00	00	4.23	0.14		
						2006	3.20	5.00	00	4.13	0.15		
3	S.H.-55	001990	147.021	147.307	N	1997	2.10	2.00	25	2.04	0.21		
						1998	1.90	2.00	25	1.95	0.20		
						1999	1.60	5.00	25	3.37	0.25	C.R.A.B.S.	1999
						2000	3.70	5.00	25	4.37	0.10		
						2001	3.60	5.00	32	4.33	0.11	SEALCOAT	2001
						2002	3.60	5.00	32	4.33	0.13		
						2003	3.40	4.50	49	3.97	0.13		
						2004	3.50	4.50	49	4.02	0.15	SEALCOAT	2004
						2005	3.50	4.50	00	4.02	0.14		
						2006	3.40	4.50	00	3.97	0.19		
3	S.H.-55	001990	147.307	149.997	N	1997	3.00	2.00	31	2.47	0.15		
						1998	2.70	2.00	28	2.33	0.20		
						1999	2.60	5.00	31	3.85	0.21	C.R.A.B.S.	1999
						2000	3.70	5.00	31	4.37	0.12		
						2001	3.50	5.00	31	4.28	0.09	SEALCOAT	2001
						2002	3.50	5.00	31	4.28	0.11		
						2003	3.50	5.00	49	4.28	0.09		
						2004	3.50	5.00	49	4.28	0.11	SEALCOAT	2004
						2005	3.50	5.00	00	4.28	0.10		
						2006	3.40	5.00	00	4.23	0.13		
3	S.H.-55	001990	149.997	153.425	N	1997	2.90	2.40	40	2.63	0.12		
						1998	2.50	2.40	42	2.44	0.15		
						1999	2.40	5.00	31	3.75	0.16	C.R.A.B.S.	1999
						2000	3.50	5.00	31	4.28	0.08		
						2001	3.50	5.00	31	4.28	0.05	SEALCOAT	2001
						2002	3.40	5.00	31	4.23	0.06		
						2003	3.40	4.60	49	4.02	0.06		
						2004	3.40	4.60	49	4.02	0.07	SEALCOAT	2004
						2005	3.20	4.60	00	3.93	0.05		
						2006	3.10	4.60	00	3.88	0.07		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	S.H.-55	001990	153.425	156.052	N	1997	2.90	1.90	32	2.34	0.13	
						1998	2.80	1.90	41	2.30	0.15	
						1999	2.70	5.00	27	3.96	0.18	C.R.A.B.S.
						2000	3.70	5.00	27	4.41	0.06	
						2001	3.50	5.00	27	4.32	0.05	SEALCOAT
						2002	3.40	5.00	27	4.28	0.07	
						2003	3.60	5.00	49	4.37	0.06	
						2004	3.60	5.00	49	4.37	0.07	SEALCOAT
						2005	3.50	5.00	00	4.32	0.06	
						2006	3.50	5.00	00	4.32	0.07	
3	S.H.-55	002005	011.233	011.980	N	1997	3.50	4.00	24	3.76	0.07	
						1998	3.30	4.00	24	3.65	0.10	
						1999	3.30	4.00	24	3.66	0.10	
						2000	3.10	4.50	24	3.80	0.09	
						2001	3.40	4.50	52	3.95	0.12	
						2002	3.10	4.50	52	3.80	0.16	
						2003	3.30	3.00	49	3.14	0.14	
						2004	3.20	2.90	49	3.05	0.15	
						2005	3.20	2.90	00	3.05	0.16	
						2006	3.40	2.90	00	3.15	0.16	MAJOR WIDENING
3	S.H.-55	002005	012.000	012.325	N	1997	3.50	4.00	22	3.76	0.19	
						1998	3.40	4.00	22	3.71	0.25	
						1999	3.30	4.00	22	3.66	0.27	
						2000	3.30	4.00	22	3.65	0.25	
						2001	3.70	4.00	52	3.85	0.39	
						2002	3.50	4.00	52	3.74	0.37	
						2003	3.10	4.00	49	3.54	0.40	
						2004	3.20	4.00	49	3.59	0.38	
						2005	3.20	4.00	00	3.60	0.39	
						2006	2.70	4.00	00	3.33	0.19	MAJOR WIDENING
3	S.H.-55	002005	012.325	013.075	N	1997	3.30	5.00	22	4.19	0.17	
						1998	3.70	5.00	22	4.37	0.15	
						1999	3.30	5.00	22	4.18	0.23	
						2000	3.50	5.00	22	4.26	0.28	
						2001	3.30	5.00	52	4.16	0.26	
						2002	3.20	5.00	52	4.09	0.20	
						2003	2.90	5.00	49	3.94	0.27	
						2004	3.30	4.00	49	3.64	0.32	
						2005	2.60	4.00	00	3.30	0.31	
						2006	3.30	3.20	00	3.25	0.28	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS									
3	S.H.-55	002005	013.075	013.325	N	*1997	2.80	1.90	22	2.31	0.28	NEW CONST OR RECONST (FLEX)	1998								
						1998	4.00	5.00	22	4.53	0.06										
						*1999	4.40	5.00	22	4.71	0.15										
						2000	3.20	5.00	22	4.13	0.25										
						2001	2.90	5.00	52	3.97	0.22										
						2002	3.50	5.00	52	4.26	0.21										
						2003	2.80	4.80	49	3.81	0.17										
						2004	2.70	4.80	49	3.76	0.21										
						2005	2.70	4.80	00	3.75	0.28										
						2006	2.60	4.80	00	3.69	0.31										
						3	S.H.-55	002005	013.325	016.650	N			*1997	3.10	1.90	24	2.48	0.21	NEW CONST OR RECONST (FLEX)	1998
														1998	3.80	1.90	24	2.83	0.07		
														1999	4.00	1.90	24	2.95	0.16		
												2000		4.10	5.00	24	4.57	0.21			
2001	4.10	5.00	52	4.56	0.22																
2002	3.80	5.00	52	4.41	0.24							RUT FILLING	2002								
2003	3.80	5.00	49	4.41	0.28																
2004	3.80	5.00	49	4.41	0.31																
2005	3.80	5.00	00	4.41	0.29																
2006	3.70	5.00	00	4.36	0.27																
3	S.H.-55	002005	016.650	017.860	N							*1997	3.10	4.00	17	3.55	0.18	NEW CONST OR RECONST (FLEX)	1998		
												1998	4.00	4.00	17	4.00	0.19				
												1999	3.70	4.00	17	3.85	0.10				
												2000	3.70	4.00	17	3.85	0.14				
						2001	3.70	4.00	52	3.85	0.19										
						2002	3.60	4.00	52	3.80	0.12	RUT FILLING	2002								
						2003	3.70	4.00	49	3.85	0.19										
						2004	3.70	4.00	49	3.85	0.23										
						2005	3.70	4.00	00	3.85	0.25										
						2006	3.70	4.00	00	3.85	0.25										
						3	S.H.-55	002005	017.860	017.994	N	*1997	3.10	4.00	17	3.55	0.18			RUT FILLING	2002
												1998	3.80	4.00	17	3.90	0.07				
												1999	2.20	4.00	17	3.10	0.12				
												2000	2.40	4.50	17	3.49	0.19				
2001	3.50	4.50	52	4.01	0.14																
2002	2.40	4.50	52	3.47	0.11																
2003	3.30	4.50	49	3.91	0.12																
2004	3.30	4.50	49	3.91	0.04																
2005	3.20	4.50	00	3.85	0.25																
2006	3.30	4.50	00	3.90	0.13																

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	S.H.-55	002005	017.994	018.004	N	1997	0.70	2.00	32	1.35	0.20	
						1998	0.80	2.00	32	1.40	0.07	
						1999	0.70	2.00	32	1.35	0.08	
						2000	0.50	5.00	32	2.84	0.13	
						2001	3.80	5.00	52	4.42	0.13	
						2002	0.30	5.00	52	2.71	0.09	RUT FILLING
						2003	0.90	5.00	49	2.99	0.14	
						2005	0.60	5.00	00	2.83	0.24	
						2006	0.60	5.00	00	2.82	0.24	
3	S.H.-55	007995	057.179	062.770	N	1997	3.70	4.50	40	4.11	0.10	
						1998	3.60	4.50	40	4.06	0.13	
						1999	3.60	4.50	35	4.06	0.14	
						2000	3.60	4.50	35	4.06	0.19	
						2001	3.60	4.50	35	4.06	0.18	
						2002	3.50	4.50	35	4.01	0.21	
						2003	3.50	4.50	49	4.01	0.19	
						2004	3.50	4.50	49	4.01	0.23	
						2005	3.50	4.50	00	4.01	0.21	
						2006	3.50	4.30	00	3.91	0.24	
3	S.H.-55	015912	044.645	047.000	N	1998	3.40	5.00	32	4.22	0.06	
						1999	3.40	5.00	43	4.21	0.07	
						2000	3.40	5.00	43	4.26	0.10	
						2001	3.40	5.00	43	4.26	0.09	
						2002	3.30	5.00	43	4.22	0.11	
						2003	3.30	5.00	49	4.22	0.12	
						2004	3.30	5.00	49	4.22	0.13	
						2005	3.30	5.00	00	4.22	0.16	
						2006	3.30	4.00	00	3.68	0.18	
3	S.H.-55	015912	047.000	047.303	N	1998	3.50	5.00	32	4.27	0.05	
						1999	3.50	5.00	43	4.48	0.06	
						2000	3.10	5.00	43	4.08	0.15	
						2001	3.00	5.00	43	4.03	0.14	
						2002	3.10	4.80	43	3.98	0.20	
						2003	3.40	4.80	49	4.12	0.12	
						2004	3.40	4.80	49	4.12	0.17	
						2005	3.40	4.80	00	4.12	0.09	
						2006	3.40	4.80	00	4.12	0.21	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	67	002180	000.000	008.954	N	1997	3.80	2.60	42	3.14	0.05	
						1998	3.70	2.50	52	3.04	0.06	
						1999	3.70	2.50	52	3.04	0.06	
						2000	3.60	2.40	52	2.95	0.07	
						2001	3.40	2.30	52	2.80	0.09	
						2002	3.20	2.30	27	2.71	0.09	
						2003	3.10	2.20	49	2.61	0.09	NEW CONST OR RECONST (FLEX)
						2004	3.40	5.00	49	4.26	0.07	
						2005	3.70	5.00	00	4.40	0.15	
						2006	3.60	5.00	00	4.35	0.16	
3	67	005320	000.000	001.000	N	1997	2.90	2.50	47	2.65	0.13	
						1998	3.60	2.50	56	2.95	0.04	
						1999	3.70	2.50	56	2.99	0.05	
						2000	3.80	5.00	56	4.50	0.08	
						2001	3.70	5.00	56	4.46	0.09	
						2002	3.50	5.00	27	4.38	0.06	
						*2003	3.70	5.00	49	4.46	0.08	
						2004	3.30	5.00	49	4.29	0.19	C.R.A.B.S.
						2005	3.20	5.00	00	4.25	0.03	
						2006	3.10	5.00	00	4.21	0.07	
3	67	005320	001.000	002.740	N	1997	2.90	2.50	47	2.65	0.13	
						1998	3.60	2.50	56	2.95	0.04	
						1999	3.70	2.50	56	2.99	0.05	
						2000	3.80	5.00	56	4.50	0.08	
						2001	3.70	5.00	56	4.46	0.09	
						2002	3.50	5.00	27	4.38	0.06	
						*2003	3.70	5.00	49	4.46	0.08	
						2004	4.10	5.00	49	4.62	0.10	SEALCOAT
						2005	4.00	5.00	00	4.58	0.10	
						2006	3.90	5.00	00	4.54	0.08	
3	67	005320	003.230	004.100	N	1997	2.90	2.50	41	2.65	0.13	
						1998	4.00	2.50	46	3.12	0.08	
						1999	3.90	2.50	46	3.07	0.08	
						2000	4.00	2.50	46	3.12	0.10	
						2001	4.00	2.50	46	3.12	0.11	
						2002	3.50	2.50	27	2.91	0.11	
						2003	3.70	5.00	49	4.46	0.10	
						2004	3.60	5.00	49	4.42	0.14	SEALCOAT
						2005	3.60	5.00	00	4.42	0.11	
						2006	3.50	5.00	00	4.37	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
3	67	005320	004.100	016.309	N	1997	2.90	2.20	31	2.46	0.13							
						1998	2.80	1.70	39	2.15	0.29							
						1999	2.90	1.70	39	2.19	0.28							
						2000	2.90	1.70	39	2.19	0.29							
						2001	2.80	1.70	39	2.15	0.32							
						2002	2.60	1.70	27	2.07	0.28							
						*2003	2.60	1.70	49	2.07	0.30							
						2004	3.20	5.00	49	4.25	0.27	C.R.A.B.S.						
						2005	3.50	5.00	00	4.37	0.03							
						2006	3.50	5.00	00	4.37	0.04							
						3	67	016410	002.740	003.120	N	1997	2.90	3.00	47	2.96	0.13	
												1998	4.40	3.00	56	3.57	0.09	
1999	4.40	3.00	56	3.57	0.09													
2000	4.40	3.00	56	3.57	0.08													
2001	4.40	5.00	56	4.75	0.10													
2002	4.10	5.00	27	4.62	0.10													
2003	4.10	5.00	49	4.62	0.07													
2004	4.10	5.00	49	4.62	0.09													
2005	4.00	5.00	00	4.58	0.07													
2006	4.00	5.00	00	4.58	0.07													
3	S.H.-69	002000	067.860	068.026	N							1997	2.30	3.00	23	2.71	0.15	
												1998	2.10	3.00	23	2.62	0.14	
						1999	2.00	3.00	23	2.58	0.13							
						2000	2.00	3.00	23	2.58	0.15							
						2001	2.10	3.00	52	2.62	0.20							
						2002	4.00	5.00	27	4.57	0.07	NEW CONST OR RECONST (FLEX)						
						2003	2.50	5.00	49	3.94	0.08							
						2004	2.50	5.00	49	3.89	0.11							
						2005	2.50	5.00	00	3.89	0.12							
						2006	2.50	5.00	00	3.89	0.13							
						3	S.H.-69	002150	001.442	001.821	N	1997	2.70	1.40	27	1.98	0.14	
												1998	3.00	1.40	27	2.12	0.20	
1999	2.90	1.40	27	2.07	0.12													
2000	3.00	4.00	52	3.54	0.21													
2001	3.70	5.00	52	4.41	0.14							NEW CONST OR RECONST (FLEX)						
2002	3.70	5.00	27	4.37	0.11													
2003	3.70	5.00	49	4.37	0.09													
2004	3.70	5.00	49	4.36	0.10													
2005	3.70	5.00	00	4.40	0.11							RUT FILLING						
2006	3.50	5.00	00	4.31	0.07													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
3	S.H.-69	002150	001.821	007.200	N	1997	2.90	1.30	28	2.03	0.21		
						*1998	3.10	1.30	28	2.13	0.24		
						1999	3.10	1.30	29	2.12	0.26	NEW CONST OR RECONST (FLEX)	1999
						*2000	3.00	1.30	29	2.08	0.29		
						2001	4.00	5.00	52	4.53	0.19	NEW CONST OR RECONST (FLEX)	2001
						2002	3.70	5.00	27	4.36	0.08		
						2003	3.70	5.00	49	4.35	0.09		
						2004	3.70	5.00	49	4.35	0.08		
						2005	3.70	5.00	00	4.38	0.11	RUT FILLING	2005
						2006	3.60	5.00	00	4.34	0.13		
3	S.H.-69	002150	007.200	009.218	N	1997	4.00	5.00	32	4.56	0.07		
						1998	4.00	5.00	32	4.56	0.10		
						1999	3.90	5.00	32	4.51	0.10	SEALCOAT	1999
						2000	3.90	5.00	32	4.52	0.07		
						2001	4.00	5.00	52	4.56	0.12	NEW CONST OR RECONST (FLEX)	2001
						2002	3.80	4.80	27	4.33	0.14		
						2003	3.80	4.80	49	4.33	0.15		
						2004	3.80	4.00	49	3.90	0.14		
						2005	3.70	4.00	00	3.85	0.18		
						2006	3.80	4.00	00	3.90	0.16		
3	S.H.-69	002150	009.218	009.344	N	1997	1.50	2.40	28	2.02	0.23		
						1998	1.60	2.40	28	2.07	0.20		
						1999	1.40	2.40	28	1.98	0.15	SEALCOAT	1999
						2000	1.20	2.40	28	1.90	0.21		
						2001	1.20	5.00	52	3.41	0.27		
						2002	3.30	5.00	27	4.23	0.08	NEW CONST OR RECONST (FLEX)	2002
						2003	3.00	5.00	49	4.10	0.09		
						2004	2.70	5.00	49	3.92	0.13		
						2005	3.30	5.00	00	4.20	0.08		
						2006	3.30	5.00	00	4.20	0.14		
3	S.H.-71	001980	000.060	006.020	N	*1997	3.50	5.00	42	4.38	0.03	SEALCOAT	1997
						1998	3.30	5.00	43	4.29	0.04		
						*1999	3.30	5.00	42	4.29	0.04		
						2000	3.30	5.00	41	4.29	0.04		
						2001	3.30	5.00	41	4.29	0.05		
						2002	3.10	5.00	41	4.21	0.04		
						2003	3.20	5.00	49	4.27	0.04		
						2004	3.20	5.00	49	4.27	0.04		
						2005	3.20	4.80	00	4.15	0.04		
						2006	3.20	4.80	00	4.14	0.05		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
3	S.H.-71	001980	006.020	007.080	N	*1997	3.50	5.00	42	4.38	0.03	SEALCOAT	1997
						1998	3.30	5.00	43	4.29	0.04		
						*1999	3.30	5.00	42	4.29	0.04	PLANT MIX OVERLAY	
						2000	2.90	5.00	52	4.13	0.06		
						2001	2.80	5.00	52	4.09	0.05		
						2002	2.80	5.00	52	4.09	0.06		
						2003	2.80	5.00	49	4.11	0.05		
						2004	2.80	5.00	49	4.11	0.05		
						2005	2.80	5.00	00	4.11	0.06		
						2006	2.80	5.00	00	4.09	0.05		
3	S.H.-71	001980	007.080	013.320	N	*1997	3.50	5.00	42	4.38	0.03	SEALCOAT	1997
						1998	3.30	5.00	43	4.29	0.04		
						*1999	3.30	5.00	42	4.29	0.04		
						2000	3.50	5.00	39	4.38	0.04		
						2001	3.50	5.00	39	4.38	0.04		
						2002	3.40	5.00	39	4.34	0.05		
						2003	3.40	5.00	49	4.34	0.04		
						2004	3.40	5.00	49	4.34	0.04		
						2005	3.40	5.00	00	4.34	0.05		
						2006	3.40	5.00	00	4.34	0.05		
3	S.H.-71	001980	013.320	021.365	N	1997	3.90	5.00	38	4.54	0.03	SEALCOAT	1997
						1998	3.70	5.00	51	4.46	0.04		
						1999	3.70	5.00	50	4.46	0.03		
						2000	3.70	5.00	50	4.46	0.04		
						2001	3.70	5.00	50	4.46	0.04		
						2002	3.50	5.00	50	4.38	0.04		
						2003	3.60	5.00	49	4.42	0.04		
						2004	3.50	5.00	49	4.38	0.05		
						2005	3.50	5.00	00	4.38	0.05		
						2006	3.50	5.00	00	4.38	0.05		
3	S.H.-71	001980	021.365	028.200	N	1997	3.80	5.00	40	4.50	0.03	SEALCOAT	1997
						1998	3.60	5.00	47	4.42	0.04		
						1999	3.60	5.00	45	4.42	0.03		
						2000	3.60	5.00	45	4.42	0.04		
						2001	3.60	5.00	45	4.42	0.04		
						2002	3.40	5.00	45	4.33	0.04		
						2003	3.40	5.00	49	4.33	0.04		
						2004	3.40	5.00	49	4.33	0.05		
						2005	3.40	4.80	00	4.22	0.06		
						2006	3.40	4.80	00	4.22	0.05		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	S.H.-71	001980	028.200	028.501	N	1997	2.90	1.30	44	1.90	0.11		
						1998	2.70	1.30	39	1.82	0.14		
						1999	2.50	1.00	37	1.56	0.14		
						2000	2.50	1.00	37	1.56	0.14		
						2001	2.50	1.00	37	1.56	0.17		
						2002	2.10	1.00	37	1.41	0.14		
						2003	1.90	1.00	49	1.33	0.18	COLD IN PLACE RECYCLE WITH OVERLAY2005	
						2004	1.80	1.00	49	1.30	0.16		
						2005	1.90	1.00	00	1.33	0.17		
						2006	3.20	5.00	00	4.32	0.02		
3	S.H.-71	001980	028.501	028.790	N	1997	3.00	1.30	44	1.94	0.17		
						1998	2.80	1.30	44	1.86	0.21		
						1999	2.80	1.30	44	1.86	0.18		
						2000	2.60	1.30	44	1.79	0.14		
						2001	2.60	1.30	37	1.79	0.11		
						2002	2.20	1.30	37	1.63	0.22		
						2003	2.10	1.30	49	1.60	0.18		
						2004	2.00	1.30	49	1.56	0.17		
						2005	1.90	1.30	00	1.52	0.20	COLD IN PLACE RECYCLE WITH OVERLAY2005	
						2006	2.90	5.00	00	4.20	0.03		
3	S.H.-72	002030	000.000	001.989	N	1997	2.90	5.00	36	4.06	0.11		
						1998	2.80	4.20	36	3.57	0.13		
						1999	2.80	4.20	36	3.57	0.16		
						2000	2.90	4.20	36	3.61	0.18		
						2001	2.80	4.00	37	3.46	0.18		
						2002	2.70	4.00	37	3.41	0.19		
						2003	2.70	2.40	49	2.53	0.16		
						2004	2.60	2.40	49	2.48	0.19	SEALCOAT	2004
						2005	2.70	2.40	00	2.53	0.18		
						2006	2.60	2.40	00	2.48	0.19		
3	S.H.-78	002190	000.000	008.000	N	1997	2.80	1.50	35	2.03	0.20		
						1998	2.60	5.00	35	4.00	0.21		
						1999	3.70	5.00	45	4.46	0.10	C.R.A.B.S.	1999
						2000	3.70	5.00	45	4.46	0.10	SEALCOAT	2000
						2001	3.70	5.00	45	4.46	0.11		
						2002	3.60	5.00	45	4.42	0.10		
						2003	3.60	5.00	49	4.42	0.09		
						2004	3.60	5.00	49	4.42	0.10		
						2005	3.60	5.00	00	4.42	0.11		
						2006	3.60	5.00	00	4.43	0.09		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	S.H.-78	002190	008.000	012.000	N	1997	2.40	2.00	42	2.16	0.17		
						*1998	2.90	5.00	42	4.13	0.13	C.R.A.B.S.	1999
						1999	3.80	5.00	48	4.50	0.10	SEALCOAT	2000
						2000	3.70	5.00	48	4.46	0.11		
						2001	3.80	5.00	48	4.51	0.12		
						2002	3.60	5.00	48	4.43	0.11		
						2003	3.60	5.00	49	4.43	0.11		
						2004	3.70	5.00	49	4.47	0.10		
						2005	3.70	5.00	00	4.47	0.12		
						2006	3.50	4.50	00	4.11	0.09		
3	S.H.-78	002190	012.000	016.000	N	1997	2.40	2.00	42	2.16	0.17	C.R.A.B.S.	1997
						*1998	2.90	5.00	42	4.13	0.13	SEALCOAT	2000
						1999	3.70	5.00	42	4.46	0.08		
						2000	3.60	5.00	42	4.42	0.09		
						2001	3.60	5.00	42	4.43	0.09		
						2002	3.40	5.00	42	4.35	0.09		
						2003	3.40	5.00	49	4.35	0.08		
						2004	3.50	5.00	49	4.39	0.08		
						2005	3.40	5.00	00	4.35	0.09		
						2006	3.40	4.70	00	4.19	0.09		
3	S.H.-78	002190	016.000	019.775	N	1997	2.50	1.90	37	2.14	0.16	C.R.A.B.S.	1997
						1998	3.60	5.00	37	4.42	0.08	SEALCOAT	2000
						1999	3.60	5.00	45	4.42	0.09		
						2000	3.60	5.00	45	4.42	0.09		
						2001	3.60	5.00	45	4.43	0.09		
						2002	3.30	5.00	45	4.31	0.08		
						2003	3.40	5.00	49	4.35	0.08		
						2004	3.40	5.00	49	4.35	0.09		
						2005	3.40	5.00	00	4.35	0.09		
						2006	3.30	5.00	00	4.31	0.08		
3	S.H.-78	002190	019.775	026.000	N	1997	2.40	1.50	39	1.86	0.16		
						1998	2.20	5.00	39	3.87	0.16		
						1999	3.50	5.00	41	4.39	0.09	C.R.A.B.S.	1999
						2000	3.40	5.00	41	4.35	0.12	SEALCOAT	2000
						2001	3.50	5.00	41	4.39	0.13		
						2002	3.30	5.00	41	4.31	0.13		
						2003	3.30	5.00	49	4.31	0.13		
						2004	3.20	4.00	49	3.67	0.16		
						2005	3.10	3.70	00	3.45	0.18		
						2006	3.00	3.40	00	3.23	0.18		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	S.H.-78	002190	026.000	029.158	N	1997	2.30	1.00	49	1.52	0.14	
						1998	2.20	5.00	49	3.87	0.11	
						1999	3.70	5.00	48	4.47	0.09	C.R.A.B.S.
						2000	3.70	5.00	48	4.47	0.12	SEALCOAT
						2001	3.70	5.00	48	4.47	0.13	
						2002	3.60	5.00	48	4.43	0.15	
						2003	3.50	5.00	49	4.39	0.15	
						2004	3.30	1.90	49	2.46	0.20	
						2005	3.10	1.90	00	2.38	0.24	
						2006	2.90	1.90	00	2.31	0.26	
3	S.H.-78	002190	029.158	036.750	N	1997	2.30	0.90	45	1.46	0.17	
						1998	2.20	5.00	45	3.87	0.21	
						1999	3.80	5.00	48	4.51	0.05	C.R.A.B.S.
						2000	3.70	5.00	48	4.47	0.07	SEALCOAT
						2001	3.80	5.00	48	4.51	0.08	
						2002	3.60	5.00	48	4.43	0.08	
						2003	3.60	5.00	49	4.43	0.07	
						2004	3.60	4.70	49	4.25	0.08	
						2005	3.60	4.70	00	4.25	0.08	
						2006	3.60	4.70	00	4.25	0.09	
3	S.H.-78	002190	036.750	042.000	N	1997	3.60	5.00	34	4.43	0.03	
						1998	3.50	5.00	34	4.39	0.07	
						1999	3.50	5.00	38	4.39	0.06	
						2000	3.50	5.00	38	4.39	0.07	SEALCOAT
						2001	3.60	5.00	38	4.43	0.07	
						2002	3.50	5.00	38	4.39	0.07	
						2003	3.50	5.00	49	4.39	0.07	SEALCOAT
						2004	3.40	4.60	49	4.11	0.07	
						2005	3.50	4.60	00	4.15	0.08	
						2006	3.40	4.60	00	4.11	0.09	
3	S.H.-78	002190	042.000	052.000	N	1997	3.60	5.00	50	4.43	0.10	
						1998	3.40	5.00	50	4.35	0.11	
						1999	3.40	5.00	52	4.35	0.10	
						2000	3.50	5.00	52	4.39	0.12	
						2001	3.50	5.00	52	4.39	0.12	
						2002	3.30	5.00	52	4.31	0.13	
						2003	3.40	5.00	49	4.35	0.12	SEALCOAT
						2004	3.30	5.00	49	4.31	0.09	
						2005	3.30	5.00	00	4.31	0.11	
						2006	3.20	4.70	00	4.09	0.09	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	S.H.-78	002190	052.000	055.000	N	1997	3.40	4.50	41	4.04	0.11	
						1998	3.20	3.40	41	3.31	0.18	
						1999	3.20	3.10	44	3.14	0.18	
						2000	3.70	5.00	44	4.46	0.08	C.R.A.B.S.
						2001	3.80	5.00	44	4.51	0.07	
						2002	3.50	5.00	44	4.37	0.07	
						2003	3.50	5.00	49	4.37	0.06	
						2004	3.60	5.00	49	4.42	0.06	
						2005	3.60	5.00	00	4.42	0.07	
						2006	3.50	5.00	00	4.37	0.05	
3	S.H.-78	002190	055.000	061.326	N	1997	2.60	1.00	37	1.66	0.14	
						1998	2.40	1.00	37	1.57	0.20	
						1999	2.40	1.00	40	1.57	0.19	
						2000	3.80	5.00	40	4.50	0.10	C.R.A.B.S.
						2001	3.80	5.00	40	4.50	0.10	
						2002	3.50	5.00	40	4.37	0.12	
						2003	3.50	5.00	49	4.37	0.10	
						2004	3.50	5.00	49	4.37	0.10	SEALCOAT
						2005	3.50	5.00	00	4.37	0.11	
						2006	3.50	5.00	00	4.38	0.11	
3	S.H.-78	002190	061.326	063.000	N	1997	2.00	1.50	44	1.70	0.14	
						1998	2.00	1.50	44	1.70	0.19	
						1999	1.90	1.50	34	1.66	0.17	
						2000	3.60	5.00	34	4.42	0.13	C.R.A.B.S.
						2001	3.60	5.00	34	4.42	0.12	
						2002	3.30	5.00	34	4.29	0.14	
						2003	3.30	5.00	49	4.29	0.12	
						2004	3.30	5.00	49	4.29	0.12	SEALCOAT
						2005	3.20	5.00	00	4.25	0.13	
						2006	3.20	5.00	00	4.25	0.14	
3	S.H.-78	002190	063.000	067.000	N	1997	2.00	2.00	46	2.00	0.15	
						1998	1.90	2.00	46	1.95	0.15	
						1999	2.00	1.90	43	1.94	0.13	
						2000	3.60	5.00	43	4.42	0.13	C.R.A.B.S.
						2001	3.60	4.90	43	4.36	0.15	
						2002	3.50	4.90	43	4.32	0.15	
						2003	3.50	4.90	49	4.32	0.14	
						2004	3.50	4.90	49	4.32	0.15	SEALCOAT
						2005	3.40	4.90	00	4.28	0.15	
						2006	3.40	4.90	00	4.28	0.16	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	S.H.-78	002190	067.000	076.004	N	1997	1.90	1.50	43	1.66	0.20	C.R.A.B.S.	2000
						1998	1.80	1.50	43	1.62	0.19		
						1999	1.90	1.50	46	1.66	0.19		
						2000	3.70	5.00	46	4.47	0.10		
						2001	3.70	5.00	46	4.47	0.10		
						2002	3.50	5.00	46	4.38	0.11		
						2003	3.60	5.00	49	4.42	0.09		
						2004	3.60	5.00	49	4.42	0.10		
						2005	3.50	5.00	00	4.38	0.10		
						2006	3.50	5.00	00	4.38	0.10		
3	S.H.-78	002190	082.680	082.900	N	*1997	2.30	2.00	46	2.12	0.21	SEALCOAT	2004
						1998	2.00	1.50	43	1.70	0.19		
						1999	3.30	1.50	46	2.24	0.05		
						2000	2.80	5.00	46	4.09	0.08		
						2001	2.80	5.00	46	4.09	0.09		
						2002	2.50	5.00	46	3.96	0.08		
						2003	2.60	5.00	49	4.01	0.06		
						2004	2.50	5.00	49	3.96	0.08		
						2005	2.50	5.00	00	3.96	0.07		
						2006	2.50	5.00	00	3.96	0.07		
3	S.H.-78	002190	082.900	090.500	N	*1997	2.30	2.00	46	2.12	0.21	C.R.A.B.S.	1998
						1998	4.00	5.00	46	4.58	0.23		
						1999	3.00	5.00	58	4.17	0.04		
						2000	3.10	5.00	58	4.21	0.06		
						2001	3.10	5.00	58	4.21	0.06		
						2002	3.20	5.00	58	4.25	0.06		
						2003	3.20	5.00	49	4.25	0.05		
						2004	3.20	5.00	49	4.25	0.05		
						2005	3.20	5.00	00	4.25	0.06		
						2006	3.20	5.00	00	4.25	0.05		
3	S.H.-78	002190	090.500	094.664	N	*1997	2.70	1.50	44	1.99	0.19	C.R.A.B.S.	1998
						1998	4.00	5.00	44	4.58	0.21		
						1999	3.40	5.00	56	4.33	0.04		
						2000	3.50	5.00	56	4.38	0.05		
						2001	3.50	5.00	56	4.38	0.05		
						2002	3.50	5.00	56	4.38	0.05		
						2003	3.50	5.00	49	4.38	0.04		
						2004	3.50	5.00	49	4.38	0.04		
						2005	3.50	5.00	00	4.38	0.06		
						2006	3.40	5.00	00	4.33	0.06		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
3	S.H.-78	002190	094.664	098.640	N	1997	2.80	1.70	34	2.11	0.25	
						1998	4.00	5.00	34	4.62	0.26	C.R.A.B.S.
						1999	3.20	5.00	54	4.32	0.05	
						2000	3.20	5.00	54	4.32	0.05	
						2001	3.30	5.00	54	4.36	0.06	
						2002	3.30	5.00	54	4.36	0.06	
						2003	3.30	5.00	49	4.36	0.07	
						2004	3.30	5.00	49	4.36	0.05	
						2005	3.30	5.00	00	4.36	0.06	
						2006	3.30	5.00	00	4.36	0.05	
3	I-84	001010	000.000	005.968	ASC	1997	4.00	2.60	29	3.31	0.20	
						1998	3.60	2.40	29	3.01	0.08	
						1999	3.60	2.40	43	3.01	0.09	
						2000	4.00	5.00	43	4.48	0.02	
						2001	4.00	5.00	43	4.48	0.04	NEW CONST OR RECONST (FLEX)
						2002	3.80	5.00	43	4.38	0.11	
						2003	3.90	5.00	49	4.43	0.11	
						2004	3.70	5.00	49	4.33	0.15	
						2005	3.80	5.00	33	4.38	0.15	
						2006	3.80	5.00	33	4.38	0.17	
3	I-84	001010	000.000	005.968	DES	1997	3.10	2.30	32	2.70	0.15	
						1998	2.80	2.30	32	2.55	0.25	
						1999	3.10	2.10	47	2.61	0.21	
						2000	4.20	5.00	47	4.59	0.05	
						2001	4.10	5.00	47	4.54	0.05	NEW CONST OR RECONST (FLEX)
						2002	3.90	5.00	47	4.43	0.08	
						2003	3.90	5.00	49	4.43	0.08	
						2004	3.80	5.00	49	4.38	0.09	
						2005	3.80	5.00	49	4.38	0.13	
						2006	3.80	5.00	49	4.38	0.13	
3	I-84	001010	005.968	012.700	ASC	1997	3.70	2.70	30	3.20	0.10	
						1998	3.40	2.60	30	3.00	0.10	
						1999	3.10	2.60	44	2.85	0.12	
						*2000	4.00	5.00	44	4.48	0.02	
						2001	3.90	5.00	44	4.43	0.03	NEW CONST OR RECONST (FLEX)
						2002	3.90	5.00	44	4.43	0.10	
						2003	4.00	5.00	49	4.48	0.10	
						2004	3.90	5.00	49	4.43	0.10	
						2005	3.90	5.00	50	4.43	0.13	
						2006	3.90	5.00	50	4.43	0.15	
3	I-84	001010	005.968	012.700	DES	1997	3.30	1.70	33	2.51	0.14	
						1998	3.20	1.70	33	2.46	0.17	
						1999	3.00	1.70	46	2.36	0.20	
						*2000	4.00	5.00	46	4.48	0.07	
						2001	3.90	5.00	46	4.43	0.09	NEW CONST OR RECONST (FLEX)
						2002	3.70	5.00	46	4.33	0.12	
						2003	3.80	5.00	49	4.38	0.13	

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
3	I-84	001010	012.700	017.640	ASC	2004	3.80	5.00	49	4.38	0.15							
						2005	3.70	5.00	49	4.33	0.17							
						2006	3.70	5.00	49	4.33	0.17							
																	SEALCOAT	
																	1997	
												1997	3.20	2.30	27	2.75	0.07	
												1998	3.10	2.30	27	2.70	0.10	
												1999	3.10	2.30	42	2.70	0.10	
												*2000	3.00	2.20	42	2.60	0.10	
												2001	3.10	2.20	42	2.66	0.13	
												2002	2.70	2.20	42	2.45	0.12	
												2003	2.80	2.20	49	2.50	0.13	
												2004	2.80	2.20	49	2.50	0.13	
												2005	2.70	2.20	34	2.45	0.16	
						2006	2.60	2.20	34	2.40	0.16							
3	I-84	001010	012.700	017.640	DES	1997	3.20	3.00	23	3.10	0.04							
						1998	3.20	3.00	23	3.10	0.07							
						1999	3.10	3.50	39	3.29	0.08							
												*2000	3.10	3.30	39	3.19	0.08	
												2001	3.10	3.30	39	3.19	0.09	
												2002	2.70	3.30	39	2.99	0.10	
												2003	2.70	3.30	49	2.99	0.11	
												2004	2.70	3.30	49	2.99	0.11	
												2005	2.70	3.30	36	2.99	0.13	
												2006	2.60	3.30	36	2.94	0.12	
						3	I-84	001010	017.640	024.839	ASC	1997	3.60	2.50	30	3.06	0.14	
												1998	3.50	2.50	30	3.01	0.24	
												1999	3.50	2.50	56	3.01	0.26	
																		2000
												2001	3.50	2.20	56	2.86	0.32	
												2002	3.20	2.20	56	2.71	0.31	
												2003	3.20	2.20	49	2.71	0.37	
												2004	3.20	2.20	49	2.71	0.38	
												2005	3.10	2.20	36	2.66	0.42	
												2006	3.10	2.20	36	2.66	0.42	
3	I-84	001010	017.640	024.839	DES							1997	3.60	2.30	29	2.96	0.13	
												1998	3.50	2.30	29	2.91	0.18	
												1999	3.50	2.30	54	2.91	0.22	
																		2000
												2001	3.40	2.30	54	2.86	0.25	
												2002	3.00	2.30	54	2.65	0.33	
												2003	3.10	2.30	49	2.70	0.32	
												2004	3.00	2.30	49	2.65	0.37	
												2005	3.00	2.30	42	2.65	0.36	
												2006	2.90	2.30	42	2.60	0.39	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
3	I-84	001010	024.839	025.991	ASC	1997	3.80	2.90	30	3.36	0.12	SEALCOAT	1997
						1998	3.70	2.90	30	3.31	0.18		
						1999	3.70	2.90	57	3.31	0.22		
						2000	3.50	2.90	57	3.20	0.22		
						2001	3.60	2.90	57	3.26	0.27		
						2002	3.40	2.90	57	3.15	0.16	MAJOR WIDENING	2002
						2003	3.20	2.90	49	3.05	0.30		
						2004	3.20	2.40	49	2.81	0.33		
						2005	3.10	2.40	37	2.76	0.39		
						2006	3.00	2.40	37	2.71	0.38		
3	I-84	001010	024.839	025.991	DES	1997	3.60	2.80	29	3.21	0.13	SEALCOAT	1997
						1998	3.40	2.80	29	3.10	0.21		
						1999	3.50	2.80	53	3.16	0.17		
						2000	3.50	2.40	53	2.96	0.17		
						2001	3.40	2.40	53	2.91	0.18		
						2002	3.00	2.40	53	2.71	0.22	MAJOR WIDENING	2002
						2003	3.00	2.30	49	2.66	0.27		
						2004	2.90	2.30	49	2.60	0.25		
						2005	2.90	2.30	40	2.61	0.28		
						2006	2.70	2.30	40	2.50	0.33		
3	I-84	001010	025.991	026.343	ASC	1997	3.30	2.00	25	2.67	0.10	SEALCOAT	1997
						1998	3.30	2.00	25	2.67	0.07		
						1999	3.40	2.00	52	2.72	0.17		
						2000	3.20	2.00	52	2.62	0.15		
						2001	3.00	2.00	52	2.51	0.18		
						2002	2.40	2.00	52	2.20	0.23	MAJOR WIDENING	2002
						2003	2.50	2.00	49	2.25	0.16		
						2004	2.40	2.00	49	2.20	0.27		
						2005	3.00	2.00	40	2.51	0.19		
						2006	2.80	2.00	40	2.41	0.23		
3	I-84	001010	025.991	026.343	DES	1997	3.00	3.60	26	3.28	0.09	SEALCOAT	1997
						1998	2.90	3.60	26	3.23	0.17		
						1999	2.90	3.60	55	3.23	0.18		
						2000	2.90	2.40	55	2.65	0.19		
						2001	2.90	2.40	55	2.65	0.17		
						2002	2.80	2.40	55	2.60	0.20	MAJOR WIDENING	2002
						2003	3.20	2.30	49	2.76	0.16		
						2004	3.00	2.30	49	2.66	0.26		
						2005	3.60	2.30	45	2.97	0.06		
						2006	3.40	2.30	45	2.87	0.17		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	I-84	001010	026.343	026.700	ASC	1997	3.50	5.00	23	4.22	0.03	
						1998	3.30	5.00	23	4.11	0.02	
						1999	3.20	5.00	34	4.06	0.05	
						2000	3.20	5.00	34	4.06	0.06	
						2001	3.30	5.00	34	4.11	0.07	
						2002	2.90	5.00	34	3.90	0.09	
						2003	2.90	5.00	49	3.90	0.04	
						2004	2.70	5.00	49	3.80	0.07	
						2005	3.10	5.00	45	4.01	0.07	
						2006	2.90	4.80	45	3.81	0.08	
3	I-84	001010	026.343	026.700	DES	1997	3.60	4.50	21	4.03	0.05	
						1998	3.50	4.50	21	3.98	0.03	
						1999	3.40	4.50	33	3.92	0.05	
						2000	3.60	3.50	33	3.55	0.04	
						2001	3.50	3.50	33	3.50	0.05	
						2002	3.10	3.50	33	3.29	0.06	
						2003	3.10	3.50	49	3.29	0.08	
						2004	3.00	3.50	49	3.24	0.07	
						2005	3.20	3.50	38	3.34	0.06	
						2006	3.20	3.50	38	3.34	0.08	
3	I-84	001010	026.700	027.621	ASC	1997	3.80	4.50	24	4.13	0.04	
						1998	3.70	4.50	24	4.08	0.03	
						1999	3.70	4.50	39	4.08	0.04	
						2000	3.70	4.50	39	4.08	0.05	
						2001	3.60	4.40	39	3.98	0.04	
						2002	3.60	4.40	39	3.98	0.04	
						2003	3.50	4.40	49	3.93	0.05	
						2004	3.50	4.40	49	3.93	0.06	
						2005	3.40	4.30	38	3.83	0.05	
						2006	3.30	4.30	38	3.77	0.08	
3	I-84	001010	026.700	027.621	DES	1997	3.10	5.00	23	4.01	0.07	
						1998	2.80	5.00	23	3.85	0.08	
						1999	2.90	5.00	34	3.90	0.09	
						2000	3.00	5.00	34	3.95	0.10	
						2001	3.00	5.00	34	3.95	0.10	
						2002	3.10	5.00	34	4.01	0.12	
						2003	3.50	5.00	49	4.21	0.08	
						2004	3.50	5.00	49	4.21	0.09	
						2005	3.50	5.00	37	4.21	0.09	
						2006	3.10	5.00	37	4.00	0.09	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
3	I-84	001010	027.621	027.893	ASC	1997	3.40	3.50	21	3.44	0.04	
						1998	3.40	3.50	21	3.44	0.04	
						1999	3.40	3.50	21	3.44	0.05	
						2000	3.40	3.50	34	3.44	0.04	
						2001	3.40	3.50	34	3.44	0.06	
						2002	3.20	3.50	34	3.34	0.07	
						2003	3.20	3.50	49	3.34	0.06	
						2004	3.00	3.50	49	3.23	0.07	
						2005	2.90	3.50	37	3.18	0.07	
						2006	3.00	3.50	37	3.23	0.08	
3	I-84	001010	027.621	027.893	DES	1997	3.70	3.50	24	3.60	0.05	
						1998	3.70	3.50	24	3.60	0.04	
						1999	3.50	3.50	24	3.50	0.04	
						2000	3.60	3.50	34	3.55	0.03	
						2001	3.60	3.50	34	3.55	0.04	
						2002	3.40	3.50	34	3.44	0.04	
						2003	3.00	3.50	49	3.23	0.06	
						2004	2.70	3.50	49	3.08	0.06	
						2005	2.80	3.50	37	3.13	0.09	
						2006	2.60	3.50	37	3.03	0.06	
3	I-84	001010	027.893	028.280	ASC	1997	3.70	4.00	20	3.84	0.03	
						1998	3.50	4.00	20	3.74	0.04	
						1999	3.50	4.00	33	3.74	0.04	
						2000	3.60	4.00	33	3.79	0.04	
						2001	3.50	4.00	33	3.73	0.05	
						2002	3.30	4.00	33	3.63	0.05	
						2003	3.40	4.00	49	3.68	0.05	
						2004	3.30	4.00	49	3.63	0.07	
						2005	3.30	4.00	37	3.63	0.07	
						2006	3.20	4.00	37	3.58	0.08	
3	I-84	001010	027.893	028.280	DES	1997	4.10	2.80	22	3.47	0.04	
						1998	4.00	2.80	22	3.42	0.04	
						1999	3.90	2.80	35	3.37	0.05	
						2000	3.90	2.20	35	3.08	0.06	
						2001	4.00	2.20	35	3.13	0.07	
						2002	3.70	2.20	35	2.98	0.07	
						2003	3.50	2.20	49	2.87	0.04	
						2004	3.60	2.20	49	2.93	0.06	
						2005	3.50	2.20	35	2.87	0.06	
						2006	3.40	2.20	35	2.82	0.06	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	I-84	001010	028.280	032.640	ASC	1997	4.00	2.70	23	3.37	0.15		
						1998	3.60	2.70	23	3.16	0.22		
						1999	3.70	2.50	42	3.12	0.25		
						2000	3.80	2.00	42	2.93	0.17		
						2001	3.50	2.00	42	2.78	0.27		
						2002	3.40	2.00	42	2.72	0.27		
						2003	3.20	5.00	49	4.06	0.29	MILL AND INLAY	2003
						2004	4.10	5.00	49	4.53	0.02		
						2005	4.00	5.00	42	4.47	0.04		
						2006	3.90	5.00	42	4.42	0.05		
3	I-84	001010	028.280	032.640	DES	1997	3.90	3.80	20	3.85	0.19		
						1998	3.70	3.80	20	3.74	0.20		
						1999	3.70	3.80	40	3.74	0.27		
						2000	3.70	2.10	40	2.93	0.26		
						2001	3.60	2.10	40	2.88	0.28		
						2002	3.10	2.10	40	2.62	0.32		
						2003	3.30	5.00	49	4.11	0.31	MILL AND INLAY	2003
						2004	4.00	5.00	49	4.47	0.02		
						2005	4.00	5.00	46	4.47	0.04		
						2006	3.90	5.00	46	4.42	0.06		
3	I-84	001010	032.640	036.474	ASC	1997	4.10	3.80	23	3.95	0.11	COLD IN PLACE RECYCLE	1997
						1998	3.70	3.60	23	3.65	0.14		
						1999	3.90	3.00	40	3.47	0.19		
						2000	3.90	3.00	40	3.47	0.13		
						2001	3.80	2.60	40	3.23	0.19		
						*2002	3.50	2.40	40	2.97	0.19		
						2003	3.50	5.00	49	4.20	0.21	MILL AND INLAY	2003
						2004	4.00	5.00	49	4.46	0.02		
						2005	4.00	5.00	39	4.46	0.03		
						2006	4.00	5.00	39	4.46	0.04		
3	I-84	001010	032.640	036.474	DES	1997	3.80	3.40	19	3.60	0.10	COLD IN PLACE RECYCLE	1997
						1998	3.60	3.40	19	3.50	0.16		
						1999	3.60	3.40	39	3.50	0.20		
						2000	3.70	2.40	39	3.08	0.22		
						2001	3.60	2.40	39	3.03	0.19		
						*2002	3.40	2.40	39	2.92	0.20		
						2003	3.50	5.00	49	4.20	0.27	MILL AND INLAY	2003
						2004	4.00	5.00	49	4.46	0.02		
						2005	4.00	4.70	46	4.32	0.03		
						2006	4.00	4.70	46	4.32	0.05		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS									
										INDEX	DEPTH										
3	I-84	001010	036.474	038.470	ASC	1997	4.00	3.90	22	3.95	0.10	COLD IN PLACE RECYCLE	1997								
						1998	3.90	3.90	22	3.90	0.08										
						1999	3.90	3.90	47	3.90	0.12										
						2000	3.90	3.00	47	3.48	0.11										
						2001	3.80	2.90	47	3.38	0.16										
						*2002	3.40	2.90	47	3.16	0.19										
						2003	3.00	2.90	49	2.95	0.28										
						2004	3.10	2.40	49	2.77	0.20										
						2005	2.80	2.40	55	2.61	0.26										
						2006	2.60	2.40	55	2.50	0.42										
						3	I-84	001010	036.474	038.470	DES			1997	3.80	4.00	12	3.89	0.17	COLD IN PLACE RECYCLE	1997
														1998	3.90	4.00	12	3.94	0.14		
														1999	3.90	4.00	46	3.94	0.15		
														2000	3.90	4.00	46	3.94	0.19		
2001	3.90	3.80	46	3.85	0.18																
*2002	3.60	3.80	46	3.69	0.24																
2003	3.80	3.00	49	3.43	0.21																
2004	3.30	3.00	49	3.16	0.24																
2005	3.20	2.40	45	2.83	0.23																
2006	3.10	2.40	45	2.77	0.34																
3	I-84	001010	038.470	039.975	ASC							1997	3.60	2.80	23	3.22	0.35	COLD IN PLACE RECYCLE	1997		
												1998	4.10	5.00	23	4.52	0.11				
												1999	4.20	4.80	47	4.48	0.14				
												2000	4.10	4.50	47	4.28	0.21				
						2001	4.00	3.40	47	3.72	0.25										
						2002	3.40	3.40	47	3.40	0.37										
						2003	3.30	2.00	49	2.70	0.47										
						2004	3.10	2.00	49	2.59	0.52										
						2005	3.00	2.00	49	2.54	0.48										
						2006	2.80	2.00	49	2.43	0.74										
						3	I-84	001010	038.470	039.975	DES	1997	3.70	2.90	22	3.32	0.35			COLD IN PLACE RECYCLE	1997
												1998	4.30	3.90	22	4.11	0.11				
												1999	4.20	3.90	42	4.05	0.14				
												2000	4.30	3.90	42	4.11	0.19				
2001	4.10	3.90	42	4.00	0.21																
2002	3.80	3.90	42	3.84	0.24																
2003	3.70	2.40	49	3.10	0.32																
2004	3.60	2.40	49	3.04	0.31																
2005	3.60	2.40	53	3.04	0.36																
2006	3.20	2.40	53	2.83	0.59																

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS	
										INDEX	DEPTH			
3	I-84	001010	039.975	042.000	ASC	1997	3.70	2.80	24	3.27	0.30	COLD IN PLACE RECYCLE	1997	
						1998	4.40	5.00	24	4.68	0.11			
						1999	4.30	5.00	45	4.62	0.14			
						2000	4.30	5.00	45	4.62	0.17			
						2001	4.20	4.30	45	4.24	0.20			
						2002	3.80	4.30	45	4.03	0.30			
						2003	3.80	2.40	49	3.15	0.37			
						2004	3.40	2.30	49	2.89	0.47			
						2005	3.40	2.30	46	2.89	0.53			
						2006	3.30	2.30	46	2.84	0.62			
3	I-84	001010	039.975	042.000	DES	1997	3.80	2.80	43	3.32	0.43	COLD IN PLACE RECYCLE	1997	
						1998	4.20	3.90	43	4.05	0.10			
						1999	4.10	3.90	47	4.00	0.14			
						2000	4.20	3.90	47	4.06	0.19			
						2001	4.00	3.90	47	3.95	0.24			
						2002	3.60	3.90	47	3.73	0.34			
						2003	3.60	2.40	49	3.04	0.35			
						2004	3.30	2.40	49	2.88	0.46			
						2005	3.50	2.40	49	2.99	0.40			
						2006	2.90	2.40	49	2.67	0.65			
3	I-84	001010	042.000	043.000	ASC	1997	3.90	3.00	30	3.47	0.32	COLD IN PLACE RECYCLE	1997	
						1998	4.40	5.00	30	4.68	0.09			
						1999	4.30	4.70	49	4.48	0.19			
						2000	4.30	4.70	49	4.48	0.25			
						2001	4.30	4.40	49	4.34	0.20			
						2002	3.90	4.40	49	4.13	0.29			
						2003	3.80	2.90	49	3.38	0.45			
						2004	3.40	2.80	49	3.12	0.59			
						2005	3.50	2.80	39	3.17	0.54			
						2006	3.30	2.80	39	3.07	0.75			
3	I-84	001010	042.000	043.000	DES	1997	3.80	2.80	48	3.32	0.42	COLD IN PLACE RECYCLE	1997	
						1998	4.30	3.70	48	4.01	0.13			
						1999	4.30	3.70	49	4.01	0.17			
						2000	4.20	3.60	49	3.92	0.24			
						2001	4.10	3.60	49	3.86	0.29			
						2002	3.50	3.60	49	3.54	0.37			
						2003	3.50	2.40	49	2.99	0.43			
						2004	3.40	2.40	49	2.93	0.51			
						2005	3.30	2.30	51	2.84	0.57			
						2006	2.90	2.30	51	2.62	0.79			

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS			
										INDEX	DEPTH				
3	I-84	001010	043.000	044.689	ASC	1997	3.50	3.00	26	3.26	0.24	COLD IN PLACE RECYCLE	1997		
						1998	3.60	5.00	26	4.24	0.10				
						1999	3.50	5.00	44	4.18	0.16				
						2000	3.60	5.00	44	4.24	0.16				
						2001	3.50	4.30	44	3.86	0.16				
						2002	3.30	4.30	44	3.75	0.22				
						2003	3.50	3.70	49	3.59	0.27			CONCRETE REHAB	2003
						2004	3.50	2.70	49	3.13	0.30				
						2005	3.40	2.70	38	3.08	0.35				
						2006	3.20	2.40	38	2.84	0.42				
3	I-84	001010	043.000	044.689	DES	1997	3.70	2.50	42	3.14	0.27	COLD IN PLACE RECYCLE	1997		
						1998	3.90	3.70	42	3.80	0.12				
						1999	3.80	3.70	43	3.75	0.19				
						2000	3.80	3.60	43	3.70	0.22				
						2001	3.60	3.50	43	3.55	0.26				
						2002	3.10	3.50	43	3.28	0.34				
						2003	3.40	2.40	49	2.94	0.24			CONCRETE REHAB	2003
						2004	3.30	2.40	49	2.89	0.36				
						2005	3.10	2.30	28	2.73	0.41				
						2006	2.70	2.30	28	2.52	0.53				
3	I-84	001010	044.689	045.940	ASC	1997	3.20	3.00	22	3.10	0.09	CONCRETE REHAB	2003		
						1998	3.00	3.00	22	3.00	0.10				
						1999	2.90	3.00	39	2.94	0.11				
						2000	2.80	3.00	39	2.89	0.12				
						2001	2.80	3.00	39	2.89	0.12				
						2002	2.60	3.00	39	2.78	0.15				
						2003	2.70	3.00	49	2.83	0.23				
						2004	3.80	2.90	49	3.39	0.08				
						2005	3.70	2.90	33	3.33	0.06				
						2006	3.60	2.90	33	3.28	0.07				
3	I-84	001010	044.689	045.940	DES	1997	3.30	4.30	22	3.76	0.12	CONCRETE REHAB	2003		
						1998	3.20	4.30	22	3.70	0.12				
						1999	3.10	4.30	36	3.65	0.17				
						2000	3.00	4.00	36	3.45	0.18				
						2001	3.00	4.00	36	3.45	0.20				
						2002	2.80	4.00	36	3.34	0.20				
						2003	3.30	4.00	49	3.61	0.13				
						2004	3.70	4.00	49	3.83	0.06				
						2005	3.40	3.50	29	3.44	0.04				
						2006	3.50	3.50	29	3.50	0.06				

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	I-84	001010	045.940	046.770	ASC	1997	3.30	4.50	21	3.85	0.08		
						1998	3.30	4.50	21	3.84	0.09		
						1999	3.00	4.50	37	3.68	0.14		
						2000	2.90	4.50	37	3.62	0.14		
						2001	3.00	4.50	37	3.67	0.13		
						2002	2.60	3.80	37	3.13	0.13		
						2003	2.70	3.80	49	3.19	0.23	CONCRETE REHAB	2003
						2004	3.90	3.80	49	3.85	0.06		
						2005	3.80	3.80	26	3.80	0.07		
						2006	3.70	3.80	26	3.74	0.08		
3	I-84	001010	045.940	046.770	DES	1997	3.30	4.00	20	3.62	0.09		
						1998	3.10	4.00	20	3.51	0.09		
						1999	3.00	4.00	32	3.45	0.11		
						2000	3.00	4.00	32	3.45	0.09		
						2001	3.00	4.00	32	3.45	0.12		
						2002	2.80	4.00	32	3.33	0.13		
						2003	3.00	4.00	49	3.44	0.20	CONCRETE REHAB	2003
						2004	4.00	4.00	49	4.00	0.07		
						2005	3.90	3.80	24	3.85	0.04		
						2006	3.90	3.80	24	3.85	0.06		
3	I-84	001010	046.770	049.120	ASC	1997	3.20	5.00	19	4.06	0.07		
						1998	3.20	5.00	19	4.05	0.09		
						1999	3.10	5.00	41	4.00	0.21		
						2000	2.80	5.00	41	3.83	0.10		
						2001	2.90	4.80	41	3.79	0.12		
						2002	2.70	4.80	41	3.68	0.13		
						2003	2.80	4.80	49	3.74	0.24	CONCRETE REHAB	2003
						2004	3.50	4.80	49	4.11	0.11		
						2005	3.50	4.80	31	4.11	0.07		
						2006	3.50	4.80	31	4.10	0.07		
3	I-84	001010	046.770	049.120	DES	1997	3.20	5.00	18	4.06	0.07		
						1998	3.10	5.00	18	4.00	0.11		
						1999	3.00	5.00	29	3.94	0.11		
						2000	3.10	5.00	29	3.99	0.09		
						2001	3.10	5.00	29	3.99	0.14		
						2002	2.90	5.00	29	3.88	0.11		
						2003	3.20	5.00	49	4.04	0.18	CONCRETE REHAB	2003
						2004	3.50	5.00	49	4.20	0.05		
						2005	3.40	5.00	31	4.15	0.07		
						2006	3.30	5.00	31	4.09	0.07		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
3	I-84	001010	049.120	049.351	ASC	1997	2.60	4.80	18	3.65	0.07							
						1998	2.40	4.80	18	3.54	0.04							
						1999	2.40	4.80	29	3.53	0.17							
						2000	2.30	4.80	29	3.47	0.18							
						2001	2.10	4.80	29	3.37	0.19							
						2002	1.90	3.50	29	2.65	0.15							
						2003	1.70	2.40	49	2.02	0.19							
						2004	3.20	5.00	49	4.04	0.07							
						2005	3.50	5.00	31	4.20	0.02							
						2006	3.60	5.00	31	4.25	0.03							
						3	I-84	001010	049.120	049.351	DES	1997	3.80	4.00	18	3.89	0.04	
												1998	3.70	4.00	18	3.84	0.08	
1999	3.60	4.00	29	3.78	0.06													
2000	3.50	4.00	29	3.73	0.05													
2001	3.10	4.00	29	3.52	0.04													
2002	2.90	4.00	29	3.41	0.07													
2003	2.70	4.00	49	3.31	0.07													
2004	3.20	4.00	49	3.57	0.03													
2005	3.10	4.00	31	3.52	0.03													
2006	3.30	4.00	31	3.62	0.06													
3	I-84	001010	049.351	050.140	ASC							1997	3.20	3.50	18	3.33	0.06	
												1998	3.00	3.50	18	3.23	0.07	
						1999	2.90	3.50	28	3.17	0.13							
						2000	2.70	3.50	28	3.06	0.15							
						2001	2.60	3.50	28	3.01	0.15							
						2002	2.40	3.50	28	2.90	0.14							
						2003	2.30	3.50	49	2.84	0.15							
						2004	3.10	4.00	49	3.51	0.06							
						2005	3.50	4.00	31	3.73	0.05							
						2006	3.50	4.00	31	3.73	0.04							
						3	I-84	001010	049.351	050.140	DES	1997	3.80	3.50	19	3.66	0.08	
												1998	3.70	3.50	19	3.60	0.08	
1999	3.60	3.50	19	3.55	0.05													
2000	3.70	3.50	19	3.60	0.07													
2001	3.50	3.50	28	3.50	0.06													
2002	3.00	3.50	28	3.22	0.11													
2003	3.00	4.50	49	3.68	0.05													
2004	3.10	4.50	49	3.74	0.06													
2005	3.40	4.50	33	3.90	0.05													
2006	3.40	4.50	33	3.90	0.05													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
3	I-84	001010	050.140	051.808	ASC	1997	3.40	3.00	20	3.21	0.07	
						1998	3.30	3.00	20	3.16	0.08	
						1999	3.20	3.00	32	3.10	0.08	
						2000	3.20	3.00	32	3.10	0.08	
						2001	3.20	4.50	29	3.79	0.08	
						2002	2.90	4.50	29	3.63	0.13	
						2003	3.00	4.50	29	3.68	0.09	
						2004	2.90	4.50	29	3.63	0.09	
						2005	3.00	2.40	30	2.72	0.09	
						2006	2.80	2.40	30	2.61	0.14	
3	I-84	001010	050.140	051.808	DES	1997	3.40	3.00	21	3.21	0.06	
						1998	3.30	3.00	21	3.16	0.07	
						1999	3.30	3.00	35	3.16	0.06	
						2000	3.10	3.00	35	3.05	0.09	
						2001	3.10	3.00	35	3.05	0.10	
						2002	2.90	3.00	35	2.94	0.10	
						2003	3.00	3.00	29	3.00	0.08	
						2004	3.00	3.00	29	3.00	0.08	
						2005	2.90	3.00	27	2.94	0.09	
						2006	2.80	3.00	27	2.89	0.16	
3	I-84	001010	051.808	053.317	ASC	1997	2.80	4.00	18	3.36	0.09	
						1998	2.60	3.00	18	2.78	0.10	
						1999	2.40	3.00	33	2.67	0.13	
						2000	2.30	2.50	33	2.39	0.13	
						2001	2.30	2.40	26	2.34	0.18	
						2002	2.10	2.40	26	2.23	0.17	
						2003	2.20	2.30	26	2.24	0.18	
						2004	2.00	2.10	26	2.04	0.15	
						2005	2.00	2.10	30	2.04	0.17	
						2006	1.80	2.10	30	1.93	0.18	
3	I-84	001010	051.808	053.317	DES	1997	3.20	4.00	17	3.57	0.09	
						1998	3.20	4.00	17	3.57	0.11	
						1999	3.00	4.00	35	3.46	0.18	
						2000	2.70	4.00	35	3.29	0.14	
						2001	2.80	4.00	35	3.35	0.18	
						2002	2.50	4.00	35	3.18	0.18	
						2003	2.30	2.80	26	2.52	0.23	
						2004	2.20	2.80	26	2.47	0.21	
						2005	2.20	2.80	28	2.47	0.25	
						2006	2.10	2.80	28	2.42	0.25	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	I-84	001010	053.317	054.275	ASC	1997	2.60	3.30	19	2.93	0.07	
						1998	2.20	3.30	19	2.71	0.14	
						1999	2.00	3.30	33	2.60	0.12	
						2000	2.10	2.50	33	2.28	0.09	
						2001	2.00	2.40	27	2.18	0.17	
						2002	1.80	2.40	27	2.07	0.15	
						2003	1.50	2.40	27	1.91	0.16	
						2004	1.80	2.30	27	2.03	0.11	
						2005	1.80	2.30	30	2.03	0.09	
						2006	1.60	2.30	30	1.92	0.17	
3	I-84	001010	053.317	054.275	DES	1997	3.20	3.50	16	3.34	0.08	
						1998	3.10	3.50	16	3.28	0.08	
						1999	2.90	3.50	34	3.18	0.11	
						2000	2.70	3.50	34	3.07	0.13	
						2001	2.70	3.50	34	3.07	0.14	
						2002	2.30	3.50	34	2.85	0.15	
						2003	2.30	3.50	27	2.85	0.19	
						2004	2.20	3.50	27	2.80	0.18	
						2005	2.20	3.20	28	2.66	0.15	
						2006	2.10	3.20	28	2.61	0.20	
3	I-84	001010	054.275	057.747	ASC	1997	2.40	3.50	18	2.93	0.06	
						1998	2.40	3.50	18	2.93	0.09	
						1999	2.10	3.50	34	2.78	0.11	
						2000	2.00	2.60	34	2.29	0.09	
						2001	2.00	2.50	29	2.24	0.11	
						2002	1.80	2.50	29	2.14	0.11	
						2003	1.70	2.40	29	2.04	0.11	
						2004	1.60	2.40	29	1.98	0.11	
						2005	1.60	2.40	28	1.98	0.14	
						2006	1.50	2.40	28	1.93	0.13	MAJOR WIDENING
3	I-84	001010	054.275	057.747	DES	1997	3.00	3.50	18	3.24	0.06	2006
						1998	3.10	3.50	18	3.29	0.08	
						1999	2.70	3.50	34	3.08	0.10	
						2000	2.70	3.50	34	3.08	0.09	
						2001	2.70	3.50	34	3.08	0.10	
						2002	2.50	3.50	34	2.98	0.12	
						2003	2.40	2.70	29	2.54	0.11	
						2004	2.60	2.70	29	2.64	0.10	
						2005	2.30	2.40	30	2.34	0.12	
						2006	2.50	2.40	30	2.45	0.11	MAJOR WIDENING

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS	
										INDEX	DEPTH			
3	I-84	001010	057.747	059.890	ASC	1997	2.40	2.80	20	2.59	0.05	MAJOR WIDENING	1997	
						1998	2.20	2.80	20	2.49	0.06			
						1999	2.00	2.80	34	2.38	0.07			
						2000	2.00	2.80	34	2.38	0.06			
						2001	1.90	2.40	31	2.14	0.07			
						2002	2.20	2.30	31	2.24	0.08			
						2003	1.50	2.30	31	1.88	0.07			
						2004	1.40	2.30	31	1.83	0.07			
						2005	1.90	2.30	32	2.09	0.07			
						2006	1.20	2.00	32	1.58	0.07			
3	I-84	001010	057.747	059.890	DES	1997	2.80	3.00	18	2.89	0.06	MAJOR WIDENING	1997	
						1998	2.80	3.00	18	2.89	0.08			
						1999	2.50	3.00	35	2.74	0.08			
						2000	2.30	3.00	35	2.64	0.10			
						2001	2.30	3.00	35	2.64	0.09			
						2002	2.10	2.40	35	2.24	0.09			
						2003	2.10	2.40	31	2.24	0.10			
						2004	2.00	2.40	31	2.19	0.08			
						2005	1.90	2.30	31	2.09	0.14			
						2006	1.80	2.30	31	2.04	0.10			
3	I-84	001010	059.890	063.500	ASC	1997	3.40	2.50	41	2.96	0.17	SEALCOAT	1997	
						1998	3.20	2.50	41	2.85	0.25			
						1999	3.20	2.50	50	2.85	0.25			
						2000	3.10	2.50	50	2.80	0.28			
						2001	3.00	2.40	39	2.70	0.28			
						2002	3.60	5.00	39	4.28	0.10			
						2003	3.40	5.00	39	4.17	0.06	C.R.A.B.S.		2003
						2004	3.30	5.00	39	4.12	0.10			
						2005	3.30	5.00	39	4.12	0.11			
						2006	3.30	5.00	39	4.12	0.08			
3	I-84	001010	059.890	063.500	DES	1997	3.60	3.40	43	3.50	0.14	SEALCOAT	1997	
						1998	3.50	3.40	43	3.45	0.17			
						1999	3.50	3.40	57	3.45	0.18			
						2000	3.40	2.50	57	2.96	0.18			
						2001	3.40	2.50	57	2.96	0.22			
						2002	3.20	2.50	57	2.85	0.18			
						2003	3.80	5.00	39	4.38	0.04	C.R.A.B.S.		2003
						2004	3.20	5.00	39	4.07	0.07			
						2005	3.20	5.00	52	4.07	0.11			
						2006	3.20	5.00	52	4.07	0.11			

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
3	I-84	001010	063.500	070.110	ASC	1997	3.80	2.30	45	3.06	0.09	SEALCOAT	1997
						1998	3.70	2.30	45	3.01	0.12		
						1999	3.60	2.30	58	2.96	0.15		
						2000	3.50	2.30	58	2.91	0.16		
						2001	3.50	2.20	45	2.86	0.18		
						2002	3.50	5.00	45	4.22	0.11		
						2003	3.80	5.00	45	4.38	0.08	C.R.A.B.S.	2003
						2004	3.70	5.00	45	4.33	0.13		
						2005	3.70	5.00	49	4.33	0.16		
						2006	3.70	5.00	49	4.33	0.17		
3	I-84	001010	063.500	070.110	DES	1997	3.70	2.40	43	3.06	0.16	SEALCOAT	1997
						1998	3.50	2.40	43	2.96	0.20		
						1999	3.50	2.40	53	2.96	0.23		
						2000	3.50	2.30	53	2.91	0.24		
						2001	3.30	2.30	53	2.81	0.25		
						2002	3.00	2.30	53	2.65	0.22		
						2003	3.70	5.00	45	4.33	0.04	C.R.A.B.S.	2003
						2004	3.70	5.00	45	4.33	0.09		
						2005	3.70	5.00	53	4.33	0.12		
						2006	3.60	5.00	53	4.28	0.13		
3	I-84	001010	070.110	072.572	ASC	1997	3.50	3.00	46	3.25	0.25	SEALCOAT	1997
						1998	3.30	3.00	46	3.15	0.32		
						1999	3.30	3.00	56	3.15	0.37		
						2000	3.40	2.80	56	3.10	0.26		
						2001	3.20	5.00	41	4.07	0.37	NEW CONST OR RECONST (CONCRETE)	2001
						2002	2.70	2.40	41	2.55	0.36		
						2003	2.80	2.40	41	2.60	0.45		
						2004	2.70	2.40	41	2.55	0.46		
						2005	2.70	2.40	34	2.55	0.50		
						2006	2.70	2.30	34	2.50	0.46		
3	I-84	001010	070.110	072.572	DES	1997	3.20	2.10	24	2.66	0.06	SEALCOAT	1997
						1998	3.20	2.10	24	2.66	0.04		
						1999	3.10	2.10	37	2.61	0.04		
						2000	3.70	5.00	37	4.33	0.18		
						2001	3.40	5.00	37	4.17	0.04	NEW CONST OR RECONST (CONCRETE)	2001
						2002	3.10	4.80	37	3.92	0.05		
						2003	3.10	4.80	41	3.92	0.04		
						2004	3.10	4.80	41	3.92	0.05		
						2005	3.10	4.80	37	3.92	0.05		
						2006	3.10	4.80	37	3.92	0.07		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
3	I-84	001010	072.572	079.751	ASC	1997	3.50	3.00	42	3.25	0.23	SEALCOAT	1997
						1998	3.30	3.00	42	3.15	0.36		
						1999	3.30	3.00	57	3.15	0.40		
						2000	3.40	2.70	57	3.05	0.29		
						2001	3.10	5.00	40	4.02	0.42	NEW CONST OR RECONST (CONCRETE)	2001
						2002	2.70	2.50	40	2.60	0.44		
						2003	2.70	2.40	40	2.55	0.49		
						2004	2.70	2.40	40	2.55	0.50		
						2005	2.60	2.40	35	2.50	0.52		
						2006	2.60	2.30	35	2.45	0.51		
3	I-84	001010	072.572	079.751	DES	1997	3.40	2.10	25	2.76	0.03	SEALCOAT	1997
						1998	3.30	2.10	25	2.71	0.05		
						1999	3.20	2.10	40	2.66	0.05		
						2000	3.70	5.00	40	4.33	0.20		
						2001	3.60	5.00	40	4.28	0.05	NEW CONST OR RECONST (CONCRETE)	2001
						2002	3.40	5.00	40	4.17	0.04		
						2003	3.40	5.00	40	4.17	0.04		
						2004	3.40	5.00	40	4.17	0.04		
						2005	3.40	5.00	38	4.17	0.05		
						2006	3.40	5.00	38	4.17	0.05		
3	I-84	001010	079.751	082.230	ASC	1997	3.70	3.00	38	3.35	0.23	SEALCOAT	1997
						1998	3.60	3.00	38	3.30	0.31		
						1999	3.50	3.00	56	3.25	0.38		
						*2000	3.60	2.90	56	3.25	0.29		
						2001	3.50	5.00	37	4.23	0.38	NEW CONST OR RECONST (CONCRETE)	2001
						2002	3.10	3.50	37	3.29	0.46		
						2003	3.00	3.10	37	3.04	0.45		
						2004	3.10	3.10	37	3.10	0.49		
						2005	3.00	3.10	25	3.04	0.51		
						2006	3.00	2.40	25	2.70	0.47		
3	I-84	001010	079.751	082.230	DES	1997	3.40	2.50	27	2.96	0.04	SEALCOAT	1997
						1998	3.30	2.50	27	2.90	0.06		
						1999	3.20	2.20	45	2.71	0.06		
						*2000	3.70	5.00	45	4.33	0.22		
						2001	3.60	5.00	45	4.28	0.06	NEW CONST OR RECONST (CONCRETE)	2001
						2002	3.20	5.00	45	4.07	0.04		
						2003	3.30	5.00	37	4.12	0.05		
						2004	3.20	5.00	37	4.07	0.07		
						2005	3.20	5.00	37	4.07	0.05		
						2006	3.20	5.00	37	4.07	0.05		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS		
										INDEX	DEPTH				
3	I-84	001010	082.230	090.053	ASC	1997	4.40	5.00	21	4.69	0.27	NEW CONST OR RECONST (CONCRETE)	1997		
						1998	4.40	5.00	21	4.69	0.30				
						1999	4.30	4.50	35	4.39	0.39				
						*2000	4.30	4.50	35	4.39	0.41				
						2001	4.30	4.40	27	4.34	0.44				
						2002	3.80	4.40	27	4.09	0.49				
						2003	3.80	4.40	27	4.09	0.50			SEALCOAT	2003
						2004	3.80	4.20	27	3.99	0.47				
						2005	3.80	3.90	42	3.84	0.50				
						2006	3.70	2.90	42	3.31	0.53				
3	I-84	001010	082.230	090.053	DES	1997	4.30	4.50	20	4.39	0.15	NEW CONST OR RECONST (CONCRETE)	1997		
						1998	4.20	4.50	20	4.34	0.24				
						1999	4.20	4.50	34	4.34	0.24				
						*2000	4.20	4.50	34	4.34	0.26				
						2001	4.10	4.00	34	4.05	0.29				
						2002	3.60	4.00	34	3.79	0.34				
						2003	3.70	4.00	27	3.84	0.36			SEALCOAT	2003
						2004	3.60	4.00	27	3.79	0.38				
						2005	3.60	3.80	48	3.69	0.40				
						2006	3.50	3.00	48	3.25	0.44				
3	I-84	001010	090.053	093.486	ASC	1997	3.90	4.50	34	4.19	0.03	NEW CONST OR RECONST (CONCRETE)	1997		
						1998	3.90	4.50	34	4.19	0.04				
						1999	3.90	4.50	38	4.19	0.04				
						2000	4.00	4.00	38	4.00	0.04				
						2001	3.90	4.00	28	3.94	0.05				
						2002	3.50	2.40	28	2.96	0.06				
						2003	3.60	2.40	28	3.01	0.04			SEALCOAT	2003
						2004	3.40	2.40	28	2.91	0.06				
						2005	3.50	2.40	30	2.96	0.06				
						2006	3.40	2.40	30	2.91	0.06				
3	I-84	001010	090.053	093.486	DES	1997	4.00	5.00	37	4.49	0.06	NEW CONST OR RECONST (CONCRETE)	1997		
						1998	4.10	5.00	37	4.54	0.04				
						1999	4.10	5.00	47	4.54	0.05				
						2000	4.10	5.00	47	4.54	0.06				
						2001	4.10	5.00	47	4.54	0.06				
						2002	3.70	5.00	47	4.33	0.07				
						2003	3.60	2.40	28	3.01	0.05			SEALCOAT	2003
						2004	3.60	2.40	28	3.01	0.07				
						2005	3.60	2.40	34	3.01	0.07				
						2006	3.60	2.40	34	3.01	0.08				

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS									
										INDEX	DEPTH										
3	I-84	001010	093.486	096.153	ASC	1997	3.90	5.00	29	4.44	0.04	NEW CONST OR RECONST (CONCRETE)	1997								
						1998	3.90	4.80	29	4.34	0.04										
						1999	3.90	4.80	37	4.34	0.04										
						2000	4.10	4.80	37	4.44	0.04										
						2001	4.00	4.80	32	4.39	0.04										
						2002	3.70	4.80	32	4.24	0.04										
						2003	3.70	4.70	32	4.19	0.04										
						2004	3.60	4.70	32	4.14	0.04										
						2005	3.70	4.00	31	3.84	0.04										
						2006	3.60	4.00	31	3.79	0.04										
						3	I-84	001010	093.486	096.153	DES			1997	3.80	5.00	33	4.39	0.04	NEW CONST OR RECONST (CONCRETE)	1997
														1998	3.80	5.00	33	4.39	0.06		
1999	3.80	5.00	40	4.39	0.06																
2000	3.90	5.00	40	4.44	0.07																
2001	3.90	5.00	40	4.44	0.07																
2002	3.50	5.00	40	4.23	0.07																
2003	3.60	3.50	32	3.55	0.07																
2004	3.60	3.50	32	3.55	0.08																
2005	3.60	3.00	37	3.30	0.09																
2006	3.60	3.00	37	3.30	0.09																
3	I-84	001010	096.153	099.570	ASC							1997	3.90	5.00	25	4.44	0.05				
												1998	3.90	5.00	25	4.44	0.04				
						1999	3.90	5.00	39	4.44	0.03										
						2000	4.00	4.80	39	4.39	0.03										
						2001	4.00	4.80	33	4.39	0.04										
						2002	3.70	4.80	33	4.24	0.04										
						2003	3.70	4.80	33	4.24	0.03										
						2004	3.70	3.80	33	3.74	0.04										
						2005	3.70	3.80	30	3.74	0.04										
						2006	3.70	3.80	30	3.74	0.04										
						3	I-84	001010	096.153	099.570	DES	1997	4.00	4.00	24	4.00	0.04				
												1998	3.90	4.00	24	3.94	0.03				
1999	3.90	4.00	33	3.94	0.03																
2000	3.90	4.00	33	3.94	0.03																
2001	4.00	4.00	33	4.00	0.03																
2002	3.70	3.80	33	3.74	0.03																
2003	3.70	3.80	33	3.74	0.03																
2004	3.70	3.80	33	3.74	0.03																
2005	3.70	3.80	30	3.74	0.03																
2006	3.70	3.80	30	3.74	0.03																

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
3	I-84	001010	099.570	106.870	ASC	1997	3.70	5.00	24	4.34	0.05							
						1998	3.70	5.00	24	4.33	0.04							
						1999	3.70	5.00	32	4.33	0.04							
						2000	3.80	4.90	32	4.34	0.03							
						2001	3.80	4.90	31	4.34	0.04							
						2002	3.50	4.70	31	4.08	0.04							
						2003	3.50	4.70	31	4.08	0.04							
						2004	3.50	4.70	31	4.08	0.04							
						2005	3.50	4.70	30	4.08	0.04							
						2006	3.50	4.50	30	3.99	0.04							
						3	I-84	001010	099.570	106.870	DES	1997	3.80	5.00	28	4.39	0.04	
												1998	3.70	5.00	28	4.33	0.04	
1999	3.70	5.00	37	4.33	0.03													
2000	3.80	4.50	37	4.14	0.04													
2001	3.80	4.50	37	4.14	0.03													
2002	3.50	3.50	37	3.50	0.03													
2003	3.60	3.50	31	3.55	0.03													
2004	3.50	3.50	31	3.50	0.03													
2005	3.60	3.50	34	3.55	0.03													
2006	3.60	3.50	34	3.55	0.03													
3	I-84	001010	106.870	109.000	ASC							1997	3.10	5.00	27	4.03	0.04	
												1998	3.10	5.00	27	4.03	0.03	
						1999	3.10	5.00	39	4.03	0.03							
						2000	3.10	5.00	39	4.03	0.03							
						2001	3.20	5.00	33	4.08	0.03							
						2002	2.80	5.00	33	3.88	0.03							
						2003	2.90	5.00	33	3.93	0.04							
						2004	2.90	5.00	33	3.93	0.04							
						2005	2.90	5.00	25	3.93	0.04							
						2006	2.90	5.00	25	3.93	0.03							
						3	I-84	001010	106.870	109.000	DES	1997	3.50	5.00	24	4.23	0.04	
												1998	3.50	5.00	24	4.23	0.02	
1999	3.50	5.00	33	4.23	0.02													
2000	3.50	4.80	33	4.13	0.02													
2001	3.50	4.80	33	4.13	0.02													
2002	3.30	4.50	33	3.88	0.02													
2003	3.30	4.50	33	3.88	0.03													
2004	3.20	4.50	33	3.83	0.03													
2005	3.30	4.50	31	3.88	0.02													
2006	3.30	4.50	31	3.88	0.03													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
3	I-84	001010	109.000	114.485	ASC	1997	3.80	3.00	24	3.40	0.07							
						1998	3.70	3.00	24	3.35	0.05							
						1999	3.60	3.00	33	3.30	0.05							
						2000	3.60	2.80	33	3.20	0.05							
						2001	3.60	2.70	29	3.15	0.05							
						2002	3.30	2.70	29	3.00	0.04							
						2003	3.10	2.40	29	2.75	0.05							
						2004	3.00	2.40	29	2.70	0.05							
						2005	2.90	2.40	33	2.65	0.05							
						2006	2.90	3.20	29	3.04	0.03							
						3	I-84	001010	109.000	114.485	DES	1997	3.90	2.60	24	3.25	0.07	
												1998	3.80	2.60	24	3.20	0.04	
1999	3.70	2.60	37	3.15	0.04													
2000	3.50	2.50	37	3.00	0.05													
2001	3.50	2.50	37	3.00	0.05													
2002	3.00	2.50	37	2.75	0.04													
2003	3.00	2.40	29	2.70	0.04													
2004	2.90	2.40	29	2.65	0.04													
2005	2.80	2.40	33	2.60	0.04													
2006	2.80	4.50	33	3.63	0.03													
3	I-84	001010	114.393	120.450	ASC							1997	3.80	3.00	24	3.40	0.07	
												1998	3.70	3.00	24	3.35	0.05	
						1999	3.60	3.00	33	3.30	0.05							
						2000	3.60	2.80	33	3.20	0.05							
						2001	3.60	2.70	29	3.15	0.05							
						2002	3.30	2.70	29	3.00	0.04							
						2003	3.10	2.40	29	2.75	0.05							
						2004	3.00	2.40	29	2.70	0.05							
						2005	2.90	2.40	33	2.65	0.05							
						2006	2.80	2.30	33	2.55	0.04							
						3	I-84	001010	114.393	120.450	DES	1997	3.90	2.60	24	3.25	0.07	
												1998	3.80	2.60	24	3.20	0.04	
1999	3.70	2.60	37	3.15	0.04													
2000	3.50	2.50	37	3.00	0.05													
2001	3.50	2.50	37	3.00	0.05													
2002	3.00	2.50	37	2.75	0.04													
2003	3.00	2.40	29	2.70	0.04													
2004	2.90	2.40	29	2.65	0.04													
2005	2.80	2.40	33	2.60	0.04													
2006	2.60	2.40	33	2.50	0.04													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	I-84	001010	120.450	121.094	ASC	1997	3.80	2.40	26	3.10	0.06	
						1998	3.80	2.40	26	3.11	0.06	
						1999	3.50	2.40	38	2.95	0.04	
						2000	3.40	2.40	38	2.90	0.04	
						2001	3.40	2.40	35	2.90	0.04	
						2002	3.10	2.40	35	2.75	0.03	
						2003	3.10	2.40	35	2.75	0.04	NEW CONST OR RECONST (CONCRETE) 2003
						2004	3.40	4.00	35	3.69	0.03	
						2005	3.20	4.00	21	3.59	0.02	
						2006	3.20	4.00	21	3.59	0.03	
3	I-84	001010	120.450	121.094	DES	1997	3.50	2.50	23	3.00	0.07	
						1998	3.40	2.50	23	2.95	0.05	
						1999	3.00	2.50	23	2.75	0.05	
						2000	2.90	2.50	23	2.70	0.05	
						2001	3.00	2.50	35	2.75	0.05	
						2002	2.30	2.50	35	2.39	0.04	
						2003	2.50	2.50	35	2.50	0.05	NEW CONST OR RECONST (CONCRETE) 2003
						2004	2.90	2.50	35	2.70	0.03	
						2005	3.40	5.00	31	4.18	0.03	
						2006	3.40	5.00	31	4.18	0.04	
3	I-84	001020	000.000	002.002	N	1997	3.80	5.00	40	4.49	0.07	
						1998	3.60	5.00	40	4.41	0.11	
						1999	3.70	5.00	40	4.45	0.12	
						2000	3.70	2.70	40	3.12	0.14	
						2001	3.60	2.70	36	3.07	0.14	
						2002	3.40	2.40	36	2.82	0.16	C.R.A.B.S.
						2003	3.40	2.40	35	2.82	0.14	
						2004	3.40	1.90	35	2.53	0.16	
						2005	3.40	1.90	31	2.53	0.18	
						2006	3.40	1.90	31	2.53	0.16	
3	I-84	001020	002.002	003.400	N	1997	3.50	2.40	31	2.86	0.10	
						1998	3.20	2.40	31	2.74	0.15	
						1999	3.20	2.40	31	2.74	0.16	
						2000	3.20	2.40	31	2.74	0.19	
						2001	3.00	2.40	36	2.65	0.19	
						2002	3.60	5.00	36	4.40	0.10	C.R.A.B.S.
						2003	3.60	5.00	35	4.40	0.10	
						2004	3.50	5.00	35	4.40	0.12	
						2005	3.50	5.00	31	4.40	0.13	
						2006	3.50	5.00	31	4.40	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	I-84	001020	003.400	003.644	N	1997	3.50	2.90	24	3.13	0.07	
						1998	3.30	2.80	24	3.00	0.09	
						1999	3.40	2.80	24	3.03	0.10	
						2000	3.30	2.70	24	2.94	0.12	
						2001	3.60	2.50	36	2.94	0.11	C.R.A.B.S.
						2002	3.40	5.00	36	4.35	0.12	C.R.A.B.S.
						2003	3.50	5.00	35	4.40	0.11	
						2004	3.40	5.00	35	4.36	0.07	
						2005	3.40	5.00	31	4.36	0.10	
						2006	3.40	5.00	31	4.36	0.08	
3	I-84	001020	003.644	004.116	N	1997	2.70	3.50	34	3.19	0.23	
						1998	2.40	3.20	34	2.89	0.26	
						1999	2.40	3.20	34	2.88	0.24	
						2000	2.40	2.80	34	2.64	0.23	
						2001	4.00	5.00	36	4.61	0.14	C.R.A.B.S.
						2002	2.70	5.00	36	4.10	0.05	
						2003	2.70	5.00	35	4.10	0.05	
						2004	2.70	4.50	35	3.79	0.06	
						2005	2.70	4.50	31	3.79	0.08	
						2006	2.70	4.50	31	3.79	0.08	
3	I-84	001020	004.116	004.290	N	1997	2.90	2.90	35	2.90	0.28	
						1998	2.70	2.90	35	2.81	0.30	
						1999	2.70	2.90	35	2.81	0.24	
						2000	2.70	2.90	35	2.81	0.31	
						2001	4.00	5.00	36	4.56	0.21	C.R.A.B.S.
						2002	2.20	5.00	36	3.79	0.10	
						2003	2.80	5.00	38	4.03	0.24	
						2004	2.30	5.00	38	3.80	0.27	
						2005	2.40	5.00	38	3.84	0.32	
						2006	2.40	3.00	38	2.73	0.34	
3	I-84	001020	004.290	004.309	N	2001	2.60	3.00	31	2.82	0.32	
						*2002	0.70	2.70	31	1.81	0.19	
						1997	2.80	5.00	38	4.03	0.24	
						1998	2.30	5.00	38	3.80	0.27	
						1999	2.40	5.00	38	3.84	0.32	
						2000	2.40	3.00	38	2.73	0.34	
						2001	2.60	3.00	31	2.82	0.32	
						2002	2.20	5.00	36	3.79	0.10	
						2003	2.80	5.00	35	4.14	0.08	
						2006	2.20	3.50	31	2.99	0.09	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	I-84	001021	004.062	004.206	N	1997	2.00	3.00	35	2.56	0.17	C.R.A.B.S. 2001
						1998	2.10	3.00	35	2.60	0.21	
						1999	2.00	3.00	35	2.57	0.23	
						2000	1.50	3.00	35	2.35	0.24	
						2001	4.00	5.00	31	4.56	0.24	
						2002	1.50	5.00	31	3.49	0.14	
						*2003	2.10	5.00	35	3.75	0.10	
						1997	3.00	3.30	39	3.18	0.12	
						1998	2.80	3.30	39	3.11	0.15	
						1999	2.90	3.30	43	3.14	0.14	
3	I-84	001030	000.000	001.080	N	2000	2.80	3.30	43	3.11	0.16	
						2001	2.70	2.90	43	2.82	0.14	
						2002	2.80	2.90	43	2.86	0.16	
						2003	2.90	2.40	35	2.58	0.15	
						2004	2.90	2.40	35	2.58	0.15	
						2005	2.90	1.90	31	2.27	0.16	
						2006	2.80	1.90	31	2.23	0.15	
						1997	3.00	2.00	35	2.41	0.17	
						1998	2.80	2.00	35	2.32	0.20	
						1999	2.80	2.00	38	2.32	0.20	
3	I-84	001030	001.080	003.178	N	2000	2.80	2.00	38	2.32	0.21	
						2001	2.80	1.90	38	2.27	0.21	
						2002	2.60	1.90	38	2.18	0.22	
						2003	2.50	1.90	35	2.14	0.20	
						2004	2.40	1.90	35	2.10	0.23	
						2005	2.40	1.70	31	1.98	0.23	
						2006	2.40	1.70	31	1.98	0.23	
						1997	2.60	4.10	35	3.53	0.16	
						1998	2.60	4.10	35	3.53	0.20	
						1999	2.50	4.10	37	3.49	0.20	
3	I-84	001040	000.000	000.590	N	2000	2.60	4.10	37	3.53	0.22	
						2001	2.60	4.00	37	3.47	0.22	
						2002	1.60	4.00	37	3.09	0.57	
						2003	3.10	4.00	35	3.66	0.02	
						2004	3.10	4.00	35	3.66	0.04	
						2005	3.10	4.00	31	3.66	0.04	
						2006	3.10	4.00	31	3.66	0.04	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	I-84	001050	000.205	000.464	N	1997	2.40	1.70	36	1.96	0.17	
						1998	2.30	1.70	36	1.92	0.21	
						1999	2.40	1.70	36	1.96	0.21	
						2000	2.30	1.70	36	1.92	0.19	
						2001	2.40	1.70	37	1.96	0.21	
						2002	1.90	1.70	37	1.77	0.23	
						2003	3.00	5.00	35	4.24	0.03	
						2004	3.00	5.00	35	4.24	0.04	
						2005	3.00	5.00	31	4.24	0.04	
						2006	3.00	5.00	31	4.24	0.04	
3	I-84	001050	000.464	000.950	N	1997	2.10	1.70	34	1.85	0.14	
						1998	2.00	1.70	34	1.81	0.14	
						1999	2.00	1.70	43	1.81	0.14	
						2000	1.80	1.70	43	1.73	0.14	
						2001	1.90	1.70	43	1.77	0.15	
						2002	1.50	1.70	43	1.62	0.15	
						2003	2.70	5.00	35	4.13	0.03	
						2004	2.70	5.00	35	4.13	0.04	
						2005	2.70	5.00	31	4.13	0.05	
						2006	2.70	5.00	31	4.13	0.06	
3	I-84	001050	000.950	001.408	N	1997	2.60	3.80	27	3.34	0.10	
						1998	2.40	3.80	27	3.27	0.10	
						1999	2.50	3.80	38	3.31	0.13	
						2000	2.50	3.80	38	3.31	0.12	
						2001	2.40	3.80	38	3.27	0.13	
						2002	2.20	3.00	38	2.69	0.12	
						2003	3.00	3.00	35	3.00	0.05	
						2004	3.00	3.00	35	3.00	0.05	
						2005	3.00	3.00	31	3.00	0.06	
						2006	3.00	3.00	31	3.00	0.05	
3	I-84	002040	050.080	050.664	N	1997	3.20	2.20	25	2.63	0.42	
						1998	2.90	2.20	25	2.50	0.41	
						1999	2.80	2.20	25	2.45	0.44	
						2000	2.90	5.00	25	4.09	0.45	
						2001	2.90	5.00	36	4.09	0.48	
						2002	2.20	2.40	36	2.31	0.36	
						2003	2.70	2.40	35	2.52	0.49	
						2004	2.60	2.30	35	2.42	0.47	
						2005	2.60	2.30	31	2.42	0.48	
						2006	2.70	2.30	31	2.47	0.48	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	I-84	002040	050.664	051.057	N	1997	2.90	2.20	27	2.50	0.47	
						1998	2.80	2.20	27	2.45	0.41	
						1999	2.80	2.20	27	2.45	0.49	
						2000	2.70	2.20	27	2.41	0.54	
						2001	2.80	2.20	36	2.46	0.52	
						2002	2.50	2.20	36	2.33	0.40	
						2003	2.50	2.20	35	2.33	0.61	
						2004	2.50	2.20	35	2.33	0.61	
						2005	2.40	2.20	31	2.28	0.63	
						2006	2.30	2.20	31	2.24	0.61	
3	I-84	002040	051.057	051.475	N	1997	2.00	2.10	28	2.05	0.31	
						1998	1.90	2.10	28	2.01	0.28	
						1999	1.80	2.10	28	1.96	0.33	
						2000	1.80	2.10	28	1.96	0.28	
						2001	1.70	2.00	36	1.86	0.35	
						2002	1.80	2.00	36	1.91	0.19	
						2003	1.50	2.00	35	1.78	0.37	
						2004	1.20	2.00	35	1.65	0.37	
						2005	1.40	2.00	31	1.74	0.35	
						2006	1.40	2.00	31	1.74	0.35	
3	I-84	002040	051.475	051.868	N	1997	1.80	2.00	32	1.90	0.31	
						1998	1.80	2.00	32	1.90	0.22	
						1999	1.70	2.00	32	1.85	0.26	
						2000	1.90	2.00	32	1.95	0.23	
						2001	1.80	2.00	36	1.90	0.25	
						2002	1.80	2.00	36	1.90	0.13	
						2003	1.70	2.00	35	1.85	0.29	
						2004	1.60	2.00	35	1.80	0.26	
						2005	1.60	2.00	31	1.80	0.21	
						2006	1.50	2.00	31	1.75	0.29	
3	I-84	002040	051.868	053.002	N	1997	2.50	5.00	37	3.81	0.14	NEW CONST OR RECONST (FLEX)
						1998	3.50	5.00	37	4.29	0.08	
						1999	3.50	5.00	37	4.29	0.08	
						2000	3.60	5.00	37	4.34	0.11	
						2001	3.50	5.00	36	4.29	0.12	
						2002	3.30	5.00	36	4.19	0.09	
						2003	3.10	5.00	35	4.09	0.14	
						2004	3.00	5.00	35	4.04	0.15	
						2005	3.10	5.00	31	4.09	0.14	
						2006	3.10	5.00	31	4.09	0.16	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

1997

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS	
										INDEX	DEPTH			
3	I-84	002040	053.002	055.199	N	1997	2.20	5.00	37	3.77	0.13	NEW CONST OR RECONST (FLEX)	1997	
						1998	3.80	5.00	37	4.47	0.06			
						1999	3.80	5.00	37	4.47	0.08			
						2000	3.90	5.00	37	4.51	0.10			
						2001	3.90	4.80	36	4.40	0.10			
						2002	3.60	4.80	36	4.27	0.11			
						2003	3.60	4.80	35	4.26	0.13			
						2004	3.60	4.80	35	4.26	0.13			
						2005	3.60	4.80	31	4.26	0.15			
						2006	3.60	4.80	31	4.25	0.14			
3	I-84	002040	055.199	055.640	N	1997	3.00	5.00	39	4.11	0.14	NEW CONST OR RECONST (FLEX)	1997	
						1998	4.00	5.00	39	4.55	0.05			
						1999	4.00	5.00	39	4.55	0.06			
						2000	3.90	5.00	39	4.50	0.07			
						2001	4.00	5.00	36	4.54	0.08			
						2002	3.70	5.00	36	4.41	0.12			
						2003	3.80	5.00	35	4.45	0.12			
						2004	3.70	5.00	35	4.41	0.12			
						2005	3.80	5.00	31	4.45	0.15			
						2006	3.70	5.00	31	4.41	0.16			
3	I-84	002040	055.640	055.755	N	1997	2.90	3.20	39	3.06	0.07			
						1998	3.60	3.20	39	3.37	0.09			
						1999	3.30	5.00	39	4.24	0.09			
						2000	3.50	5.00	39	4.32	0.15			
						2001	3.80	4.00	36	3.90	0.14			
						2002	3.10	4.00	36	3.59	0.19			
						2003	3.60	3.90	35	3.76	0.14			
						2004	3.50	3.90	35	3.71	0.13			
						2005	3.50	3.90	31	3.71	0.14			
						2006	3.10	3.90	31	3.53	0.10			
3	I-84	002040	055.755	055.942	N	1997	3.00	2.50	39	2.72	0.09			
						1998	2.80	2.50	39	2.63	0.13			
						1999	2.80	2.50	39	2.63	0.14			
						2000	2.90	2.50	39	2.67	0.19			
						2001	2.90	2.20	36	2.51	0.19			
						2002	2.90	2.20	36	2.51	0.19			
						2003	3.20	2.20	35	2.65	0.17			
						2004	3.10	2.20	35	2.60	0.20			
						2005	3.40	2.20	31	2.74	0.19			
						2006	2.60	2.20	31	2.38	0.17			

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	I-84	002040	055.942	056.919	N	1997	2.40	2.40	27	2.40	0.18	
						1998	2.30	2.30	27	2.30	0.20	
						1999	2.20	2.20	27	2.20	0.22	
						2000	2.30	2.00	27	2.13	0.24	
						2001	2.30	2.00	36	2.13	0.23	
						2002	2.30	2.00	36	2.13	0.18	
						2003	2.20	2.00	35	2.08	0.23	
						2004	2.10	2.00	35	2.04	0.22	
						2005	2.00	2.00	31	2.00	0.24	
						2006	1.90	2.00	31	1.95	0.20	
3	I-84	002040	056.919	057.633	N	1997	1.80	2.20	28	2.01	0.24	
						1998	1.60	2.20	28	1.92	0.20	
						1999	1.70	2.00	28	1.86	0.17	
						2000	1.60	2.00	28	1.81	0.22	
						2001	1.60	2.00	36	1.81	0.26	
						2002	1.60	2.00	36	1.81	0.17	
						2003	1.70	2.00	35	1.86	0.22	
						2004	1.90	2.00	35	1.95	0.20	
						2005	1.70	2.00	31	1.86	0.17	
						2006	1.60	2.00	31	1.81	0.24	
3	I-84	002040	057.633	057.935	N	1997	2.40	3.50	29	3.01	0.23	
						1998	2.00	3.00	29	2.56	0.20	
						1999	2.10	3.00	29	2.60	0.28	
						2000	2.10	3.00	29	2.60	0.31	
						2001	2.10	3.00	36	2.60	0.24	
						2002	2.40	3.00	36	2.73	0.23	
						2003	2.70	3.00	35	2.86	0.27	
						2004	2.40	3.00	35	2.73	0.23	
						2005	2.40	3.00	31	2.73	0.19	
						2006	2.30	2.40	31	2.35	0.28	
3	I-84	002040	057.935	058.386	N	1997	1.90	1.80	27	1.84	0.35	
						1998	1.50	1.80	27	1.67	0.36	
						1999	1.60	1.80	27	1.71	0.39	
						2000	2.50	5.00	27	3.91	0.05	
						2001	3.80	5.00	36	4.48	0.07	C.R.A.B.S.
						2002	2.80	4.70	36	3.88	0.07	
						2003	2.90	4.70	35	3.92	0.09	
						2004	2.90	4.70	35	3.92	0.09	
						2005	2.50	4.00	31	3.34	0.08	
						2006	2.60	4.00	31	3.39	0.08	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

2001

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
3	I-84	002040	058.386	058.670	N	1997	2.30	1.40	29	1.79	0.43	C.R.A.B.S. 2001
						1998	2.20	1.40	29	1.75	0.38	
						1999	2.10	1.40	29	1.70	0.45	
						2000	3.60	5.00	29	4.38	0.08	
						2001	3.20	5.00	36	4.20	0.09	
						2002	3.50	5.00	36	4.33	0.29	
						2003	3.50	5.00	35	4.33	0.16	
						2004	3.40	5.00	35	4.29	0.25	
						2005	3.40	4.60	31	4.07	0.19	
						2006	3.30	4.60	31	4.02	0.19	
3	I-84	002040	058.670	058.988	N	1997	2.10	4.50	26	3.43	0.17	NO INFORMATION 2001
						1998	1.80	4.50	26	3.30	0.18	
						1999	1.70	4.50	26	3.25	0.19	
						2000	2.10	4.50	26	3.42	0.22	
						2001	2.60	4.50	36	3.65	0.25	
						2002	1.70	4.50	36	3.25	0.13	
						2003	1.90	4.50	35	3.34	0.08	
						2004	1.90	4.50	35	3.34	0.09	
						2005	1.90	4.50	31	3.33	0.10	
						2006	1.90	4.50	31	3.32	0.09	
3	I-84	002040	058.988	059.356	N	1997	2.10	2.00	29	2.04	0.13	NO INFORMATION 2001
						1998	1.90	2.00	29	1.95	0.19	
						1999	1.80	2.00	29	1.91	0.18	
						2000	2.60	5.00	29	3.92	0.15	
						2001	3.80	5.00	36	4.46	0.15	
						2002	1.80	5.00	36	3.57	0.12	
						2003	2.60	5.00	35	3.92	0.05	
						2004	2.70	5.00	35	3.97	0.03	
						2005	2.60	5.00	31	3.92	0.03	
						2006	2.60	5.00	31	3.92	0.03	
3	I-84	002040	059.356	059.846	ASC	1997	1.90	1.90	31	1.90	0.14	NO INFORMATION 2001
						1998	1.70	1.90	31	1.81	0.12	
						1999	1.90	1.90	31	1.90	0.16	
						2000	3.40	1.90	31	2.53	0.04	
						2001	3.40	5.00	36	4.32	0.04	
						2002	3.00	5.00	36	4.14	0.05	
						2003	3.40	5.00	35	4.31	0.05	
						2004	3.10	5.00	35	4.19	0.04	
						2005	3.30	5.00	31	4.27	0.05	
						2006	3.10	5.00	31	4.19	0.05	
3	I-84	002040	059.356	059.846	DES	1997	1.80	1.50	31	1.62	0.14	NO INFORMATION 2001
						1998	1.70	1.50	31	1.58	0.12	
						1999	1.60	1.50	31	1.54	0.13	
						2000	3.80	1.50	31	2.47	0.07	
						2001	3.70	5.00	36	4.44	0.07	
						2002	3.40	5.00	36	4.31	0.07	
						2003	3.50	5.00	35	4.36	0.07	

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
3	I-84	002040	059.846	060.166	N	2004	3.10	5.00	35	4.19	0.08	
						2005	3.40	5.00	31	4.31	0.07	
						2006	3.30	5.00	31	4.27	0.07	
						1997	1.80	2.00	29	1.91	0.13	
						1998	1.70	2.00	29	1.86	0.13	
						1999	1.60	2.00	29	1.81	0.14	
						2000	3.60	5.00	29	4.36	0.06	
						2001	3.50	5.00	36	4.32	0.08	NO INFORMATION
						2002	3.20	5.00	36	4.18	0.09	
						2003	3.40	5.00	35	4.27	0.08	
						2004	3.20	5.00	35	4.18	0.10	
						2005	3.30	5.00	31	4.23	0.09	
						2006	2.90	5.00	31	4.05	0.11	
						3	I-84	002040	060.166	060.568	N	1997
						1998	2.90	2.40	20	2.63	0.22	
						1999	2.90	2.40	20	2.62	0.14	
						2000	3.00	5.00	20	4.04	0.20	
						2001	3.10	3.00	36	3.04	0.22	
						2002	2.80	2.40	36	2.59	0.16	
						2003	2.70	2.30	35	2.49	0.18	
						2004	2.60	2.20	35	2.39	0.16	
						2005	2.70	2.20	31	2.43	0.22	
						2006	2.40	2.20	31	2.29	0.12	
3	I-84	002040	060.568	061.012	N	1997	3.30	3.00	17	3.14	0.34	
						1998	3.10	3.00	17	3.04	0.36	
						1999	3.20	3.00	17	3.09	0.36	
						2000	3.20	3.00	17	3.09	0.38	
						2001	3.10	3.00	36	3.04	0.38	
						2002	3.20	2.40	36	2.78	0.36	
						2003	3.10	2.40	35	2.73	0.34	
						2004	3.10	2.40	35	2.73	0.38	
						2005	3.20	2.40	31	2.78	0.20	
						2006	2.90	2.40	31	2.63	0.14	
3	I-84	002040	061.012	061.578	N	1997	2.70	4.00	23	3.40	0.20	
						1998	2.60	4.00	23	3.35	0.19	
						1999	2.70	3.50	23	3.12	0.21	
						2000	2.60	3.20	23	2.91	0.21	
						2001	2.60	3.20	36	2.91	0.20	
						2002	2.70	2.40	36	2.54	0.20	
						*2003	2.70	2.40	35	2.54	0.19	
						2004	2.60	2.40	35	2.49	0.22	
						2005	2.80	2.40	31	2.59	0.21	
						2006	2.60	2.40	31	2.49	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	I-84	002040	061.578	061.797	N	1997	2.70	4.00	23	3.40	0.20	
						1998	2.60	4.00	23	3.35	0.19	
						1999	2.70	3.50	23	3.12	0.21	
						2000	2.60	3.20	23	2.91	0.21	
						2001	2.60	3.20	36	2.91	0.20	
						2002	2.70	2.40	36	2.54	0.20	
						*2003	2.70	2.40	35	2.54	0.19	
						2004	4.00	5.00	35	4.52	0.05	NEW CONST OR RECONST (FLEX)
						2005	2.70	5.00	31	3.91	0.05	
						2006	2.40	5.00	31	3.77	0.07	
3	I-84	002041	050.050	050.851	N	1997	2.50	3.40	25	3.01	0.22	
						1998	2.40	3.40	25	2.96	0.23	
						1999	2.30	3.40	25	2.92	0.26	
						2000	2.30	3.00	25	2.69	0.28	
						2001	2.30	3.00	36	2.69	0.29	
						2002	1.90	2.40	36	2.18	0.26	
						2003	1.90	2.30	35	2.12	0.28	
						2004	1.90	2.30	35	2.12	0.30	
						2005	2.00	2.30	31	2.17	0.32	
						2006	1.80	2.30	31	2.08	0.32	
3	I-84	002041	050.851	051.460	N	1997	2.40	2.00	26	2.17	0.17	
						1998	2.30	1.90	26	2.07	0.19	
						1999	2.20	1.90	26	2.02	0.19	
						2000	2.30	1.90	26	2.07	0.20	
						2001	2.20	1.90	36	2.02	0.20	
						2002	2.00	1.90	36	1.94	0.21	
						2003	1.70	1.90	35	1.81	0.23	
						2004	1.60	1.90	35	1.77	0.23	
						2005	1.80	1.90	31	1.85	0.18	
						2006	1.70	1.90	31	1.81	0.25	
3	I-84	002042	057.640	057.904	N	1997	2.60	4.50	34	3.67	0.14	
						1998	2.30	4.50	34	3.55	0.15	
						1999	2.40	4.50	34	3.58	0.12	
						2000	2.30	4.50	34	3.54	0.13	
						2001	2.40	4.50	36	3.59	0.15	
						2002	2.70	4.50	36	3.72	0.14	
						2003	2.50	4.50	35	3.63	0.21	
						2004	2.40	4.50	35	3.59	0.28	
						2005	2.30	4.50	31	3.55	0.12	
						2006	2.30	4.50	31	3.55	0.29	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	I-84	002042	057.904	058.670	N	1997	3.10	4.00	36	3.61	0.06	
						1998	3.00	4.00	36	3.56	0.09	
						1999	2.90	4.00	36	3.52	0.09	
						2000	3.80	5.00	36	4.47	0.11	
						2001	3.80	4.60	36	4.25	0.08	PLANT MIX SEAL
						2002	3.20	4.60	36	3.99	0.09	
						2003	2.90	4.60	35	3.86	0.11	
						2004	2.80	4.60	35	3.82	0.10	
						2005	2.80	4.60	31	3.82	0.08	
						2006	2.70	4.60	31	3.77	0.11	
3	I-84	002050	019.915	020.181	N	1997	2.60	3.50	30	3.11	0.21	
						1998	2.10	3.50	30	2.91	0.19	
						1999	2.10	3.50	30	2.91	0.12	
						2000	2.50	5.00	30	3.95	0.13	
						2001	2.80	5.00	36	4.07	0.26	MILL AND INLAY
						2002	2.70	5.00	36	4.03	0.26	
						2003	1.50	5.00	35	3.53	0.21	
						2004	1.60	5.00	35	3.57	0.19	SEALCOAT
						2005	1.70	5.00	31	3.61	0.21	
						2006	1.60	5.00	31	3.57	0.26	
3	I-84	002050	020.181	020.540	N	1997	2.40	3.00	33	2.74	0.19	
						1998	1.90	3.00	33	2.53	0.20	
						1999	1.80	3.00	33	2.48	0.21	
						2000	2.90	5.00	33	4.10	0.17	
						2001	2.70	5.00	36	4.02	0.18	MILL AND INLAY
						2002	2.30	5.00	36	3.85	0.19	
						2003	2.20	5.00	35	3.80	0.20	
						2004	2.20	5.00	35	3.80	0.20	
						2005	2.10	4.80	31	3.65	0.21	
						2006	2.10	4.80	31	3.65	0.18	
3	I-84	002051	019.875	020.520	N	1997	1.10	4.00	32	2.76	0.42	
						1998	2.00	4.00	32	3.14	0.41	
						1999	1.90	4.00	32	3.10	0.39	
						2000	1.90	5.00	32	3.67	0.10	
						2001	3.30	5.00	36	4.27	0.11	MILL AND INLAY
						2002	1.60	5.00	36	3.54	0.15	
						2003	2.30	5.00	35	3.84	0.13	
						2004	2.40	5.00	35	3.88	0.16	
						2005	2.20	5.00	31	3.80	0.15	
						2006	1.80	5.00	31	3.63	0.15	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
3	I-84	002052	019.680	019.875	N	1997	2.40	4.00	39	3.33	0.18	
						1998	2.60	4.00	39	3.41	0.16	
						1999	2.30	4.00	39	3.28	0.18	
						2000	2.30	4.00	39	3.29	0.17	
						2001	2.30	4.00	36	3.29	0.14	
						2002	2.80	4.00	36	3.51	0.17	
						2003	2.80	3.50	35	3.21	0.17	
						2004	2.80	3.30	35	3.09	0.18	
						2005	2.90	3.30	31	3.13	0.17	
						2006	2.90	3.30	31	3.13	0.16	
3	I-84	002170	093.538	094.233	N	2003	1.60	2.00	35	1.82	0.21	
						2004	1.50	1.90	35	1.72	0.25	
						2005	1.40	1.90	31	1.68	0.21	
						2006	1.60	1.90	31	1.77	0.26	
3	I-84	002170	094.233	094.773	N	2003	2.10	2.40	35	2.27	0.05	
						2004	2.10	2.40	35	2.27	0.06	
						2005	2.10	2.40	31	2.27	0.05	
						2006	2.20	2.40	31	2.31	0.04	
3	I-84	002170	094.773	095.173	N	2003	2.60	3.80	35	3.29	0.04	
						2004	2.30	3.80	35	3.16	0.04	
						2005	2.30	3.00	31	2.70	0.02	
						2006	2.30	3.00	31	2.70	0.06	
3	I-84	002170	095.173	095.308	N	*2003	2.50	3.40	35	3.02	0.03	
						*2004	2.50	3.40	35	3.02	0.07	
						2005	2.50	3.40	31	3.02	0.04	
						2006	2.40	3.40	31	2.97	0.02	
3	I-84	004635	000.000	000.150	N	1997	2.10	4.50	33	3.48	0.08	
						1998	1.40	4.50	33	3.19	0.13	
						1999	1.30	4.50	33	3.14	0.15	
						2000	1.50	4.50	33	3.22	0.09	
						2001	2.20	4.50	36	3.52	0.20	
						2002	1.40	4.50	36	3.19	0.17	
						2003	1.40	4.50	35	3.18	0.12	
						2004	1.40	4.50	35	3.18	0.19	
						2005	1.40	4.50	31	3.18	0.20	
						2006	1.30	4.50	31	3.13	0.20	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	I-84	004635	000.150	000.948	N	1997	2.80	3.40	24	3.14	0.11	
						1998	2.60	3.40	24	3.05	0.15	
						1999	2.60	3.40	36	3.05	0.16	
						2000	2.60	2.40	36	2.48	0.15	
						2001	2.60	2.40	36	2.48	0.18	
						2002	2.80	2.40	36	2.57	0.14	
						2003	2.80	2.40	49	2.57	0.14	
						2004	2.70	2.40	49	2.52	0.16	
						2005	2.70	2.40	49	2.50	0.18	
						2006	2.70	2.40	49	2.52	0.17	
3	U.S.-95	001540	000.000	006.814	N	1997	2.90	3.50	42	3.21	0.17	
						1998	2.70	3.40	42	3.06	0.20	
						1999	2.70	3.30	46	3.01	0.20	
						2000	2.60	3.20	46	2.91	0.20	
						2001	2.70	3.20	46	2.96	0.21	
						2002	2.80	3.20	46	3.01	0.21	SEALCOAT
						2003	2.80	2.80	35	2.80	0.21	
						2004	2.80	2.80	35	2.80	0.22	
						2005	2.80	2.60	31	2.69	0.23	
						2006	2.80	2.50	31	2.64	0.22	
3	U.S.-95	001540	006.814	010.000	N	1997	3.50	2.40	48	2.92	0.10	
						1998	3.40	2.40	48	2.87	0.11	
						1999	3.30	2.40	53	2.82	0.11	
						2000	3.30	2.40	53	2.82	0.10	
						2001	3.40	2.40	53	2.87	0.12	
						2002	3.00	2.40	53	2.68	0.14	SEALCOAT
						2003	3.10	2.40	35	2.73	0.13	
						2004	3.10	2.40	35	2.73	0.14	
						2005	3.00	2.40	31	2.68	0.16	
						2006	3.10	2.40	31	2.73	0.16	
3	U.S.-95	001540	010.000	013.260	N	1997	3.70	2.50	47	3.06	0.10	
						1998	3.60	2.50	47	3.02	0.11	
						1999	3.60	2.40	53	2.96	0.12	
						2000	3.50	2.40	53	2.92	0.11	
						2001	3.60	2.40	53	2.96	0.14	
						2002	3.20	2.40	53	2.77	0.13	SEALCOAT
						2003	3.20	2.40	35	2.77	0.15	
						2004	3.20	2.40	35	2.77	0.15	
						2005	3.20	2.30	31	2.72	0.16	
						2006	3.10	2.30	31	2.67	0.17	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	U.S.-95	001540	013.260	016.700	N	1997	3.50	3.70	42	3.60	0.13		
						1998	3.40	3.70	42	3.55	0.16		
						1999	3.30	2.80	48	3.03	0.14		
						2000	3.30	2.40	48	2.82	0.15		
						2001	3.30	2.40	48	2.82	0.17		
						2002	3.10	2.40	48	2.73	0.17	SEALCOAT	2002
						2003	3.00	2.40	35	2.68	0.20		
						2004	3.00	1.90	35	2.42	0.20		
						2005	3.00	1.70	31	2.31	0.21		
						2006	2.90	1.70	31	2.26	0.20		
3	U.S.-95	001540	016.700	020.250	N	1997	3.10	3.20	43	3.15	0.13		
						1998	2.90	3.20	43	3.05	0.16		
						1999	2.80	3.00	46	2.90	0.18		
						2000	2.90	3.00	46	2.95	0.18		
						2001	2.90	2.40	46	2.63	0.19		
						2002	2.90	2.40	46	2.63	0.18	SEALCOAT	2002
						2003	2.80	2.40	35	2.58	0.23		
						2004	2.80	2.10	35	2.43	0.24		
						2005	2.80	2.10	31	2.43	0.25		
						2006	2.60	2.10	31	2.33	0.23		
3	U.S.-95	001540	020.250	020.430	N	1997	3.40	4.50	43	3.97	0.09		
						1998	3.10	4.50	43	3.83	0.18		
						1999	3.20	4.50	46	3.88	0.20		
						2000	3.10	4.50	46	3.83	0.18		
						2001	3.30	4.50	46	3.93	0.16		
						2002	3.20	4.50	46	3.88	0.06	SEALCOAT	2002
						2003	3.20	4.50	35	3.88	0.18		
						2004	3.20	4.50	35	3.88	0.23		
						2005	3.30	4.50	31	3.93	0.25		
						2006	3.20	4.50	31	3.88	0.21		
3	U.S.-95	001540	022.710	028.940	N	*1997	3.10	1.00	42	2.00	0.14		
						1998	3.50	4.50	41	4.02	0.14		
						1999	3.50	4.50	47	4.02	0.14		
						2000	3.50	4.50	47	4.02	0.14		
						2001	3.50	4.50	47	4.02	0.12		
						*2002	3.40	4.50	47	3.97	0.12	SEALCOAT	2002
						2003	2.90	4.50	35	3.74	0.17		
						2004	2.90	4.50	35	3.74	0.18	SEALCOAT	2004
						2005	3.10	4.50	31	3.83	0.16		
						2006	3.10	4.50	31	3.83	0.17		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	U.S.-95	001540	029.000	033.345	N	*1997	3.10	1.00	42	2.00	0.14		
						1998	3.00	1.00	42	1.95	0.15		
						1999	2.90	1.00	43	1.90	0.16		
						2000	2.80	1.00	43	1.86	0.18		
						2001	2.70	1.00	43	1.81	0.17		
						2002	2.50	1.00	43	1.71	0.16		
						2003	2.60	1.00	35	1.76	0.13		
						2004	2.70	1.00	35	1.81	0.12	SEALCOAT	2004
						2005	2.90	1.00	31	1.90	0.09		
						2006	2.90	1.00	31	1.90	0.10		
3	U.S.-95	001540	034.642	034.777	N	1997	3.00	4.50	29	3.81	0.12		
						1998	3.10	4.50	29	3.86	0.15		
						1999	1.60	4.50	29	3.18	0.06		
						2000	1.30	4.50	29	3.04	0.08	SEALCOAT	2000
						2001	1.50	4.50	43	3.13	0.08		
						2002	1.50	4.50	43	3.13	0.08		
						2003	1.50	4.50	35	3.13	0.08		
						2004	1.50	4.50	35	3.13	0.08	C.R.A.B.S.	2004
						2005	3.30	4.50	31	3.95	0.12		
						2006	3.30	4.50	31	3.95	0.10		
3	U.S.-95	001540	034.777	038.433	N	1997	3.00	2.40	35	2.67	0.10		
						1998	2.90	2.40	35	2.62	0.11		
						1999	3.00	2.40	36	2.68	0.11		
						2000	2.90	2.40	36	2.62	0.12	SEALCOAT	2000
						2001	3.00	2.40	36	2.67	0.12		
						2002	2.70	2.40	36	2.53	0.12		
						2003	2.60	2.30	35	2.43	0.11		
						2004	3.10	5.00	35	4.14	0.11	C.R.A.B.S.	2004
						2005	3.40	5.00	31	4.27	0.07		
						2006	3.40	5.00	31	4.27	0.08		
3	U.S.-95	001540	038.433	039.190	N	1997	3.00	2.70	35	2.83	0.16		
						1998	2.70	2.40	35	2.53	0.16		
						1999	2.80	2.40	40	2.58	0.14		
						2000	2.80	5.00	40	4.00	0.14	SEALCOAT	2000
						2001	3.60	5.00	40	4.36	0.08		
						2002	3.40	5.00	40	4.27	0.10		
						2003	3.50	3.40	35	3.44	0.09		
						2004	3.40	3.20	35	3.29	0.09		
						2005	3.20	2.60	31	2.87	0.07		
						2006	3.20	2.60	31	2.87	0.09		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	U.S.-95	001540	039.190	045.440	N	1997	3.30	2.40	41	2.82	0.14	
						1998	3.20	2.40	41	2.78	0.15	
						1999	3.10	2.30	42	2.68	0.15	
						2000	3.10	2.30	42	2.68	0.16	SEALCOAT
						2001	3.70	2.30	42	2.96	0.05	
						2002	3.50	2.30	42	2.87	0.05	
						*2003	3.50	2.30	35	2.87	0.05	
						2004	3.50	2.30	35	2.87	0.05	
						2005	3.50	2.30	31	2.87	0.06	
						2006	3.50	2.30	31	2.87	0.06	
3	U.S.-95	001540	045.640	046.601	N	1997	3.60	2.40	32	2.97	0.14	
						1998	3.60	2.10	32	2.82	0.18	
						1999	3.30	2.10	29	2.67	0.17	
						2000	3.20	2.10	29	2.62	0.17	SEALCOAT
						2001	4.00	2.10	29	3.01	0.07	
						2002	3.80	2.10	29	2.91	0.08	
						*2003	3.80	2.10	35	2.91	0.08	
						2004	3.80	2.10	35	2.91	0.10	
						2005	3.70	2.10	31	2.87	0.11	
						2006	3.70	2.10	31	2.87	0.14	
3	U.S.-95	001540	046.601	046.941	N	1997	3.70	2.10	28	2.82	0.13	
						1998	3.60	1.90	28	2.67	0.16	
						1999	3.60	1.90	28	2.67	0.18	
						2000	3.70	1.90	28	2.71	0.17	SEALCOAT
						2001	4.20	5.00	29	4.63	0.05	
						2002	4.00	5.00	29	4.54	0.09	
						2003	4.00	4.40	35	4.21	0.09	
						2004	4.10	3.30	35	3.66	0.11	
						2005	4.00	3.30	31	3.61	0.13	
						2006	4.00	3.30	31	3.61	0.14	
3	U.S.-95	001540	046.941	047.293	N	1997	3.00	2.00	27	2.45	0.24	
						1998	2.80	1.80	27	2.25	0.24	
						1999	2.70	1.80	27	2.20	0.31	
						2000	2.70	1.80	27	2.20	0.28	SEALCOAT
						2001	3.60	4.50	27	4.09	0.12	
						2002	3.70	4.50	27	4.13	0.15	
						2003	3.70	4.50	35	4.13	0.16	
						2004	3.70	3.50	35	3.59	0.16	
						2005	3.70	3.50	31	3.59	0.15	
						2006	3.60	3.50	31	3.54	0.21	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
3	U.S.-95	001540	047.293	047.578	N	1997	2.70	2.00	31	2.31	0.15							
						1998	2.50	1.80	31	2.11	0.16							
						1999	2.50	1.80	31	2.11	0.17							
						2000	2.50	1.80	31	2.11	0.18	SEALCOAT	2000					
						2001	3.70	1.80	31	2.66	0.11							
						2002	3.80	1.80	31	2.70	0.13							
						2003	3.90	1.80	35	2.75	0.14							
						2004	3.70	1.80	35	2.66	0.11							
						2005	3.60	1.80	31	2.61	0.13							
						2006	3.70	1.80	31	2.66	0.17							
						3	U.S.-95	001540	047.578	047.969	N	1997	3.30	5.00	26	4.23	0.10	
												1998	3.00	5.00	26	4.09	0.13	
1999	2.90	5.00	26	4.05	0.19													
2000	2.90	5.00	26	4.05	0.21							SEALCOAT	2000					
2001	3.20	5.00	31	4.18	0.25													
2002	3.20	5.00	31	4.18	0.15													
2003	3.10	5.00	35	4.14	0.23													
2004	3.00	5.00	35	4.09	0.23													
2005	3.00	5.00	31	4.09	0.22													
2006	2.90	5.00	31	4.05	0.36													
3	U.S.-95	001540	047.969	048.630	N							1997	4.00	5.00	37	4.52	0.11	
												1998	3.90	5.00	37	4.47	0.19	
						1999	3.90	5.00	32	4.47	0.22							
						2000	3.80	5.00	32	4.42	0.21	SEALCOAT	2000					
						2001	3.90	5.00	32	4.47	0.23							
						2002	3.80	5.00	32	4.42	0.21							
						2003	3.80	5.00	35	4.42	0.30							
						2004	3.80	5.00	35	4.42	0.27							
						2005	3.70	5.00	31	4.37	0.30							
						2006	3.80	5.00	31	4.42	0.33							
						3	U.S.-95	001540	049.120	054.580	N	*1997	3.00	1.70	28	2.32	0.12	
												1998	4.20	5.00	33	4.61	0.15	
1999	4.20	5.00	34	4.61	0.16													
2000	4.10	5.00	34	4.56	0.18							SEALCOAT	2000					
2001	4.10	5.00	34	4.56	0.16													
2002	4.00	5.00	34	4.52	0.19													
2003	4.00	5.00	35	4.52	0.19													
2004	4.00	5.00	35	4.52	0.18													
2005	4.00	5.00	31	4.52	0.22													
2006	4.00	5.00	31	4.52	0.24													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
3	U.S.-95	001540	054.580	060.720	N	*1997	3.00	1.70	28	2.32	0.12							
						1998	4.00	5.00	27	4.51	0.19	NEW CONST OR RECONST (FLEX)	1998					
						1999	3.90	5.00	49	4.47	0.08							
						2000	3.90	5.00	49	4.47	0.09	SEALCOAT	2000					
						2001	4.00	5.00	49	4.51	0.10							
						2002	3.80	5.00	49	4.42	0.12							
						2003	3.90	5.00	35	4.47	0.11							
						2004	3.90	5.00	35	4.47	0.11							
						2005	3.90	5.00	31	4.47	0.13							
						2006	3.80	5.00	31	4.42	0.13							
						3	U.S.-95	001540	060.720	063.070	N	*1997	3.00	1.70	28	2.32	0.12	
												1998	3.20	4.50	36	3.87	0.19	
1999	3.10	4.50	37	3.82	0.20													
2000	3.10	4.50	37	3.82	0.22							SEALCOAT	2000					
2001	3.20	4.50	37	3.86	0.22													
2002	3.10	4.50	37	3.82	0.23													
2003	3.10	4.50	35	3.81	0.24													
2004	3.10	4.30	35	3.71	0.22													
2005	3.10	4.30	31	3.71	0.22													
2006	3.10	4.10	31	3.61	0.26													
3	U.S.-95	001540	063.070	063.800	N							1997	3.20	4.50	41	3.86	0.15	
												1998	3.00	4.50	41	3.76	0.19	
						1999	2.90	4.50	39	3.71	0.22							
						2000	2.90	4.50	39	3.71	0.23	SEALCOAT	2000					
						2001	3.10	4.50	39	3.81	0.22							
						2002	3.10	4.50	39	3.81	0.18							
						2003	3.10	4.50	35	3.81	0.22							
						2004	3.10	4.30	35	3.71	0.11							
						2005	3.10	2.70	31	2.89	0.25							
						2006	3.00	2.70	31	2.84	0.24							
						3	U.S.-95	001540	064.000	064.937	N	1997	3.30	3.50	34	3.40	0.14	
												1998	3.20	3.50	34	3.36	0.21	
1999	3.00	3.50	32	3.26	0.16													
2000	3.00	3.50	32	3.26	0.25							SEALCOAT	2000					
2001	3.10	3.50	32	3.31	0.23													
2002	3.10	3.50	32	3.31	0.27													
2003	3.10	3.50	35	3.31	0.32													
2004	3.10	3.50	35	3.31	0.21													
2005	3.10	3.50	31	3.31	0.26													
2006	3.10	3.50	31	3.31	0.35													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	U.S.-95	001540	064.937	065.696	N	1997	2.70	2.30	32	2.48	0.18		
						1998	2.50	2.30	32	2.39	0.22		
						1999	2.40	2.30	36	2.34	0.23		
						2000	2.80	2.30	36	2.53	0.17	SEALCOAT	2000
						2001	3.60	2.30	36	2.91	0.12		
						2002	3.50	2.30	36	2.86	0.15		
						2003	3.50	2.30	35	2.86	0.15		
						2004	3.40	2.30	35	2.81	0.16		
						2005	3.40	2.30	31	2.81	0.19		
						2006	3.40	2.30	31	2.81	0.22		
3	U.S.-95	001540	065.696	066.953	ASC	1997	2.80	2.40	27	2.59	0.22		
						1998	2.60	2.40	27	2.49	0.26		
						1999	2.60	2.40	30	2.49	0.25		
						2000	2.60	2.40	30	2.49	0.33	SEALCOAT	2000
						2001	3.20	2.40	30	2.78	0.19		
						2002	3.10	2.40	30	2.74	0.22		
						2003	3.00	2.40	35	2.69	0.23		
						2004	3.10	2.40	35	2.72	0.23		
						2005	3.00	2.40	31	2.67	0.23		
						2006	3.00	2.40	31	2.67	0.29		
3	U.S.-95	001540	065.696	066.953	DES	1997	2.90	2.30	27	2.59	0.19		
						1998	2.60	2.30	27	2.44	0.24		
						1999	2.70	2.20	30	2.44	0.23		
						2000	3.40	2.20	30	2.78	0.15	SEALCOAT	2000
						2001	3.30	2.20	30	2.73	0.16		
						2002	3.40	2.20	30	2.78	0.16		
						2003	3.40	2.20	35	2.78	0.16		
						2004	3.20	2.20	35	2.65	0.20		
						2005	3.20	2.20	31	2.65	0.22		
						2006	3.20	2.20	31	2.65	0.22		
3	U.S.-95	001540	066.953	067.142	N	1997	3.70	2.80	29	3.22	0.13		
						1998	3.50	2.70	29	3.07	0.22		
						1999	3.30	2.60	30	2.92	0.24		
						2000	3.30	2.60	30	2.92	0.26	SEALCOAT	2000
						2001	3.20	2.40	30	2.77	0.31		
						2002	3.00	2.40	30	2.68	0.32		
						2003	3.10	2.40	35	2.72	0.30		
						2004	3.10	2.30	35	2.67	0.28		
						2005	2.90	2.30	31	2.58	0.35		
						2006	3.00	2.30	31	2.62	0.36		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	U.S.-95	001540	067.142	068.020	N	1997	3.20	2.80	28	2.98	0.22	
						1998	3.10	2.80	28	2.93	0.24	
						1999	3.00	2.80	34	2.89	0.26	
						2000	3.00	2.80	34	2.88	0.27	SEALCOAT
						2001	3.30	2.80	34	3.02	0.22	
						2002	3.30	2.80	34	3.02	0.22	
						2003	3.30	2.80	35	3.01	0.22	
						2004	3.30	2.70	35	2.97	0.27	
						2005	3.30	2.70	31	2.97	0.30	
						2006	3.30	2.50	31	2.86	0.29	
3	U.S.-95	001540	068.020	068.372	N	1997	3.00	3.40	30	3.22	0.13	
						1998	2.80	3.40	30	3.14	0.14	
						1999	2.90	3.40	30	3.18	0.18	
						2000	2.70	3.40	30	3.09	0.19	SEALCOAT
						2001	2.80	3.40	34	3.13	0.20	
						2002	2.80	3.40	34	3.13	0.27	
						2003	2.90	3.40	35	3.18	0.23	
						2004	2.80	3.40	35	3.13	0.19	
						2005	2.80	3.40	31	3.13	0.30	
						2006	2.80	3.40	31	3.13	0.35	
3	U.S.-95	001540	068.372	068.753	N	1997	3.10	3.50	29	3.32	0.15	
						1998	3.10	3.30	29	3.21	0.17	
						1999	3.00	3.30	30	3.17	0.21	
						2000	3.00	3.30	30	3.17	0.23	SEALCOAT
						2001	3.00	3.30	30	3.17	0.22	
						2002	2.90	3.30	30	3.12	0.31	
						2003	2.90	3.20	35	3.07	0.29	
						2004	2.90	3.20	35	3.06	0.33	
						2005	2.90	3.20	31	3.06	0.39	
						2006	2.80	3.20	31	3.02	0.39	
3	U.S.-95	001540	068.753	070.275	N	1997	3.90	2.90	32	3.35	0.23	
						1998	3.70	2.50	32	3.04	0.29	
						1999	3.60	2.40	33	2.94	0.27	
						2000	3.70	2.40	33	2.98	0.30	SEALCOAT
						2001	4.00	2.40	33	3.12	0.15	
						2002	3.80	2.40	33	3.03	0.18	
						2003	3.80	2.40	35	3.03	0.19	
						2004	3.90	2.40	35	3.08	0.22	
						2005	3.80	2.40	31	3.03	0.24	
						2006	3.80	2.40	31	3.03	0.24	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	U.S.-95	001540	070.275	071.766	N	1997	4.00	2.00	36	2.96	0.18	
						1998	3.80	2.00	36	2.86	0.24	
						1999	3.90	2.00	37	2.91	0.23	
						2000	3.70	2.00	37	2.81	0.26	SEALCOAT
						2001	4.40	2.00	37	3.15	0.06	
						2002	4.10	2.60	37	3.32	0.13	
						2003	4.10	2.40	35	3.21	0.13	
						2004	4.10	2.40	35	3.17	0.15	
						2005	4.20	2.40	31	3.21	0.18	
						2006	4.10	2.40	31	3.17	0.19	
3	U.S.-95	001540	071.766	074.227	N	1997	3.90	4.00	32	3.95	0.18	
						1998	3.80	4.00	32	3.90	0.22	
						1999	3.80	4.00	29	3.90	0.25	
						2000	3.80	4.00	29	3.90	0.28	SEALCOAT
						2001	3.80	4.00	29	3.90	0.26	
						2002	3.70	4.00	29	3.85	0.30	
						2003	3.70	4.00	35	3.85	0.31	
						2004	3.50	4.00	35	3.75	0.30	
						2005	3.70	4.00	31	3.85	0.34	
						2006	3.70	4.00	31	3.85	0.37	
3	U.S.-95	001540	074.227	081.520	N	1997	3.70	4.50	32	4.11	0.17	
						1998	3.60	4.30	32	3.96	0.23	
						1999	3.60	4.30	30	3.96	0.25	
						2000	3.50	4.30	30	3.91	0.26	SEALCOAT
						2001	3.60	4.00	30	3.80	0.28	
						2002	3.50	4.00	30	3.75	0.32	
						2003	3.40	4.00	35	3.71	0.34	
						2004	3.40	4.00	35	3.71	0.34	
						2005	3.50	4.00	31	3.75	0.34	
						2006	3.50	3.40	31	3.44	0.37	
3	U.S.-95	001540	081.520	081.743	N	1997	2.10	2.30	34	2.20	0.19	
						1998	1.80	2.30	34	2.07	0.30	
						1999	1.80	5.00	34	3.54	0.30	NEW CONST OR RECONST (FLEX)
						2000	1.60	5.00	30	3.45	0.39	
						2001	1.50	5.00	30	3.40	0.39	
						2002	1.40	5.00	30	3.36	0.22	
						2003	1.40	5.00	35	3.36	0.21	
						2004	1.40	5.00	35	3.36	0.14	
						2005	1.90	5.00	31	3.68	0.16	
						2006	2.00	5.00	31	3.72	0.18	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
3	U.S.-95	001540	081.743	082.107	N	1997	2.30	2.40	38	2.35	0.17		
						1998	2.40	2.40	38	2.40	0.28		
						1999	1.80	2.40	38	2.12	0.28	NEW CONST OR RECONST (FLEX)	1999
						2000	2.30	2.20	38	2.24	0.16		
						2001	2.40	2.20	51	2.28	0.18		
						2002	2.40	2.20	51	2.28	0.18		
						2003	2.40	2.20	35	2.28	0.18		
						2004	3.10	5.00	35	4.20	0.06	NEW CONST OR RECONST (FLEX)	2004
						2005	2.60	5.00	31	3.98	0.04		
						2006	2.60	5.00	31	3.98	0.04		
3	U.S.-95	001540	082.107	082.327	N	1997	2.80	2.40	42	2.57	0.09		
						1998	2.90	2.40	42	2.62	0.11		
						1999	2.80	2.40	42	2.57	0.09		
						2000	2.50	2.20	42	2.32	0.11		
						2001	2.30	2.20	51	2.24	0.10		
						2002	2.00	2.20	51	2.11	0.08		
						2003	2.30	2.20	35	2.24	0.09		
						2004	4.00	2.20	35	2.95	0.09	NEW CONST OR RECONST (FLEX)	2004
						2005	2.40	5.00	31	3.91	0.05		
						2006	2.40	5.00	31	3.91	0.06		
3	U.S.-95	001540	083.872	086.606	N	1997	2.70	2.00	35	2.33	0.18		
						*1998	2.60	2.00	35	2.28	0.22		
						1999	2.20	5.00	35	3.66	0.22	NEW CONST OR RECONST (FLEX)	1999
						2000	4.00	5.00	35	4.52	0.07		
						2001	4.10	5.00	30	4.56	0.09		
						2002	4.00	5.00	30	4.52	0.09		
						2003	4.00	5.00	35	4.52	0.10		
						2004	4.00	5.00	35	4.52	0.09		
						2005	4.00	5.00	31	4.52	0.10		
						2006	3.90	5.00	31	4.47	0.12		
3	U.S.-95	001540	091.176	095.000	N	1997	2.60	1.50	33	2.02	0.25		
						1998	2.50	1.50	38	1.97	0.26		
						1999	2.50	1.50	35	1.97	0.24		
						2000	2.50	1.50	35	1.97	0.28		
						2001	2.50	1.50	35	1.97	0.25		
						2002	2.40	1.50	35	1.92	0.22		
						*2003	2.40	1.50	35	1.92	0.25		
						2004	3.30	5.00	35	4.18	0.27	NEW CONST OR RECONST (FLEX)	2004
						2005	3.90	5.00	31	4.47	0.06		
						2006	3.80	5.00	31	4.42	0.12		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS							
										INDEX	DEPTH									
3	U.S.-95	001540	095.000	097.290	N	1997	3.80	5.00	39	4.42	0.08	C.R.A.B.S.	1997							
						1998	3.70	5.00	40	4.37	0.14									
						1999	3.60	5.00	32	4.33	0.14									
						2000	3.60	5.00	32	4.33	0.15	SEALCOAT								
						2001	3.60	5.00	32	4.33	0.15									
						2002	3.40	5.00	32	4.23	0.15									
						2003	3.40	4.80	35	4.13	0.13									
						2004	3.50	4.80	35	4.18	0.14									
						2005	3.40	4.80	31	4.13	0.15									
						2006	3.40	4.10	31	3.76	0.15									
						3	U.S.-95	001540	097.290	104.800	N	1997		3.90	5.00	39	4.50	0.05	C.R.A.B.S.	1997
												1998		3.90	5.00	42	4.50	0.11		
1999	3.90	5.00	39	4.51	0.12															
2000	3.90	5.00	39	4.51	0.13							SEALCOAT								
2001	3.90	5.00	39	4.51	0.14															
2002	3.70	5.00	39	4.42	0.13															
2003	3.70	5.00	35	4.42	0.16															
2004	3.70	4.00	35	3.86	0.15															
2005	3.70	3.80	31	3.75	0.16															
2006	3.70	3.60	31	3.64	0.16															
3	U.S.-95	001540	104.800	106.107	N							1997	3.00	1.40	33	2.11	0.09		2003	
												1998	2.90	1.40	39	2.07	0.13			
						1999	3.00	1.20	38	1.99	0.13									
						2000	2.90	1.20	38	2.00	0.15									
						2001	2.80	1.20	38	1.91	0.17									
						2002	2.80	1.20	38	1.91	0.12									
						2003	3.50	5.00	35	4.32	0.15	C.R.A.B.S.								
						2004	3.60	5.00	35	4.37	0.19									
						2005	3.60	5.00	31	4.37	0.21									
						2006	3.60	5.00	31	4.37	0.18									
						3	U.S.-95	001540	106.107	108.992	N	1997	2.60	1.00	32	1.76	0.12			2003
												1998	2.50	1.00	32	1.71	0.12			
1999	2.40	1.00	29	1.66	0.14															
*2000	3.30	5.00	29	4.19	0.07															
2001	2.90	1.30	25	2.06	0.18															
2002	2.70	1.30	25	1.96	0.15															
2003	3.50	5.00	35	4.28	0.17							C.R.A.B.S.								
2004	3.40	5.00	35	4.23	0.14															
2005	3.40	5.00	31	4.23	0.16															
2006	3.30	5.00	31	4.18	0.13															

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	U.S.-95	001540	108.992	111.501	N	1997	2.60	1.00	32	1.76	0.12	
						1998	2.50	1.00	32	1.71	0.12	
						1999	2.40	1.00	29	1.66	0.14	
						*2000	3.30	5.00	29	4.19	0.07	
						2001	3.30	5.00	31	4.19	0.10	NEW CONST OR RECONST (FLEX) 2001
						2002	3.30	5.00	31	4.19	0.13	
						2003	3.30	5.00	35	4.19	0.15	
						2004	3.40	5.00	35	4.23	0.17	
						2005	3.40	5.00	31	4.23	0.18	COLD IN PLACE RECYCLE WITH OVERLAY2005
						2006	3.30	5.00	31	4.18	0.18	
3	U.S.-95	001540	111.501	112.977	N	1997	2.90	1.50	41	2.16	0.18	
						1998	2.60	1.50	39	2.02	0.21	
						1999	2.70	1.50	40	2.06	0.26	
						*2000	3.00	1.50	40	2.21	0.17	
						2001	2.70	1.50	42	2.07	0.28	
						2002	2.40	1.50	42	1.92	0.22	
						2003	2.50	1.50	35	1.97	0.27	
						2004	2.40	1.50	35	1.92	0.27	
						2005	2.40	1.50	31	1.92	0.31	COLD IN PLACE RECYCLE WITH OVERLAY2005
						2006	3.40	5.00	31	4.23	0.03	
3	U.S.-95	001540	112.977	113.393	N	1997	3.00	2.00	40	2.44	0.10	
						1998	2.70	2.00	37	2.31	0.12	
						1999	2.60	2.00	42	2.26	0.13	
						2000	2.60	2.00	42	2.26	0.09	
						2001	2.50	2.00	42	2.22	0.11	SEALCOAT 2001
						2002	2.50	2.00	42	2.22	0.12	
						2003	2.40	1.90	35	2.12	0.12	
						2004	2.40	1.90	35	2.12	0.13	
						2005	2.30	1.90	31	2.07	0.13	COLD IN PLACE RECYCLE WITH OVERLAY2005
						2006	3.00	5.00	31	4.10	0.04	
3	U.S.-95	001540	113.393	113.800	N	1997	2.00	2.40	35	2.20	0.18	
						1998	2.00	2.40	32	2.20	0.17	
						1999	2.00	2.40	33	2.20	0.17	
						2000	1.80	2.40	33	2.11	0.19	
						2001	1.70	2.40	33	2.06	0.22	SEALCOAT 2001
						2002	2.00	2.40	33	2.20	0.10	
						2003	2.10	2.10	35	2.10	0.13	
						2004	2.00	2.00	35	2.00	0.13	
						2005	1.90	2.00	31	1.95	0.13	COLD IN PLACE RECYCLE WITH OVERLAY2005
						2006	3.50	2.00	31	2.71	0.07	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	U.S.-95	001540	113.800	121.198	N	1997	3.80	4.70	33	4.27	0.05		
						1998	3.70	4.70	33	4.22	0.04		
						1999	3.60	4.70	33	4.17	0.07		
						2000	3.50	4.70	33	4.13	0.09		
						2001	3.50	4.20	33	3.86	0.08	SEALCOAT	2001
						2002	3.20	4.00	33	3.62	0.11		
						2003	3.20	3.80	35	3.51	0.13		
						2004	3.10	3.50	35	3.31	0.14		
						2005	3.10	3.40	31	3.25	0.14		
						2006	3.00	3.40	31	3.21	0.18		
3	U.S.-95	001540	121.198	123.380	N	1997	3.70	5.00	38	4.38	0.04		
						1998	3.60	5.00	36	4.33	0.05		
						1999	3.50	5.00	39	4.29	0.07		
						2000	3.40	5.00	39	4.24	0.12		
						2001	3.40	5.00	39	4.24	0.09	SEALCOAT	2001
						2002	3.30	5.00	39	4.19	0.10		
						2003	3.20	4.00	35	3.62	0.13		
						2004	3.20	3.80	35	3.51	0.14		
						2005	3.10	3.50	31	3.31	0.16		
						2006	3.00	3.50	31	3.26	0.18		
3	U.S.-95	001540	123.380	126.849	N	1997	2.90	2.50	44	2.69	0.18		
						1998	2.80	2.30	40	2.53	0.20		
						1999	2.70	2.30	43	2.48	0.22	C.R.A.B.S.	1999
						2000	3.50	5.00	43	4.28	0.07		
						2001	3.60	5.00	43	4.33	0.07	SEALCOAT	2001
						2002	3.30	5.00	43	4.19	0.07		
						2003	3.30	5.00	35	4.19	0.05		
						2004	3.40	5.00	35	4.24	0.07		
						2005	3.30	5.00	31	4.19	0.07		
						2006	3.20	5.00	31	4.14	0.08		
3	U.S.-95	001540	126.849	128.885	N	1997	2.60	3.40	45	3.01	0.14		
						1998	2.50	3.00	45	2.76	0.17		
						1999	2.30	3.00	41	2.66	0.14	C.R.A.B.S.	1999
						2000	3.60	5.00	41	4.33	0.06		
						2001	3.60	5.00	41	4.33	0.06		
						2002	3.30	5.00	41	4.19	0.05		
						2003	3.40	5.00	35	4.24	0.06		
						2004	3.40	5.00	35	4.24	0.06		
						2005	3.40	5.00	31	4.24	0.06		
						2006	3.30	5.00	31	4.19	0.06		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	U.S.-95	001540	128.885	130.100	N	1997	2.10	2.30	37	2.20	0.21	C.R.A.B.S.	1999
						1998	1.90	2.10	29	2.00	0.28		
						1999	2.00	2.10	27	2.05	0.22		
						2000	3.60	5.00	27	4.33	0.07		
						2001	3.40	5.00	27	4.24	0.08		
						2002	3.30	5.00	27	4.19	0.09		
						2003	3.40	5.00	35	4.24	0.09		
						2004	3.30	5.00	35	4.19	0.10		
						2005	3.40	5.00	31	4.24	0.09		
						2006	3.30	5.00	31	4.19	0.10		
3	U.S.-95	001540	130.100	130.930	N	1997	1.80	2.20	34	2.00	0.36	C.R.A.B.S.	1999
						1998	1.60	2.20	34	1.91	0.38		
						1999	1.90	2.20	41	2.05	0.27		
						2000	3.50	5.00	41	4.28	0.06		
						2001	3.50	5.00	41	4.28	0.06		
						2002	3.20	5.00	41	4.14	0.06		
						2003	3.30	5.00	35	4.19	0.07		
						2004	3.20	5.00	35	4.14	0.06		
						2005	3.30	5.00	31	4.19	0.07		
						2006	3.10	5.00	31	4.09	0.10		
3	U.S.-95	001540	131.820	135.381	N	1997	2.90	2.40	39	2.63	0.15	C.R.A.B.S.	2002
						1998	2.80	2.30	38	2.53	0.15		
						1999	2.70	2.30	35	2.49	0.19		
						2000	2.70	2.20	35	2.43	0.24		
						2001	2.70	2.20	35	2.43	0.23		
						2002	3.50	5.00	35	4.28	0.10		
						2003	3.50	5.00	35	4.28	0.10		
						2004	3.50	5.00	35	4.28	0.12		
						2005	3.50	5.00	31	4.28	0.14		
						2006	3.40	5.00	31	4.23	0.10		
3	U.S.-95	001540	135.381	136.080	N	1997	3.00	3.00	37	3.00	0.30	C.R.A.B.S.	1999
						1998	3.20	3.00	43	3.08	0.26		
						1999	3.20	3.00	43	3.08	0.27		
						2000	3.00	3.00	43	3.00	0.33		
						2001	3.00	3.00	43	3.00	0.31		
						2002	2.70	3.00	35	2.86	0.31		
						2003	2.70	3.00	35	2.86	0.27		
						2004	2.60	2.90	35	2.76	0.35		
						2005	2.20	5.00	31	3.74	0.31		
						2006	2.50	5.00	31	3.87	0.23		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS							
										INDEX	DEPTH								
3	U.S.-95	001540	136.080	136.413	N	1997	2.70	3.40	27	3.08	0.39	C.R.A.B.S.	1999						
						1998	2.00	3.40	21	2.77	0.47								
						1999	2.60	5.00	21	3.92	0.35								
						2000	2.60	5.00	21	3.92	0.19								
						2001	2.60	5.00	21	3.92	0.19								
						2002	2.50	4.50	35	3.60	0.29								
						2003	2.50	4.50	35	3.60	0.32								
						2004	2.40	4.50	35	3.55	0.40								
						2005	2.40	4.50	31	3.55	0.42			SEALCOAT	2005				
						2006	2.10	4.50	31	3.42	0.50								
						3	U.S.-95	001540	136.413	140.500	N			1997	3.00	3.00	24	3.00	0.25
												1998	2.80	3.00	23	2.90	0.30		
1999	2.80	5.00	29	3.95	0.40														
2000	3.60	5.00	29	4.33	0.08														
2001	3.60	5.00	29	4.33	0.07														
2002	3.50	5.00	29	4.29	0.08														
2003	3.60	5.00	35	4.33	0.10														
2004	3.50	5.00	35	4.29	0.11														
2005	3.50	5.00	31	4.28	0.16							SEALCOAT	2005						
2006	3.50	4.00	31	3.76	0.18														
3	U.S.-95	001540	140.500	145.800	N							1997	2.80	3.00	32	2.90	0.22	C.R.A.B.S.	1999
												*1998	2.60	3.00	27	2.81	0.25		
						1999	2.50	5.00	31	3.81	0.25								
						2000	3.70	4.80	31	4.27	0.05								
						2001	3.60	4.80	31	4.23	0.05								
						2002	3.50	4.80	31	4.18	0.07	SEALCOAT	2002						
						2003	3.50	4.80	35	4.18	0.07								
						2004	3.50	4.80	35	4.18	0.07								
						2005	3.50	4.80	31	4.18	0.08								
						2006	3.40	4.80	31	4.13	0.09								
						3	U.S.-95	001540	145.800	154.100	N	1997	3.10	2.30	30	2.67	0.09		
												*1998	3.00	5.00	33	4.05	0.11		
1999	3.60	5.00	37	4.33	0.07														
2000	3.60	4.80	37	4.23	0.10														
2001	3.60	4.80	37	4.23	0.11														
2002	3.50	4.80	37	4.18	0.11							SEALCOAT	2002						
2003	3.50	4.80	35	4.18	0.10														
2004	3.50	4.80	35	4.18	0.09														
2005	3.50	4.80	31	4.18	0.10														
2006	3.50	4.40	31	3.97	0.09														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
3	U.S.-95	001540	154.100	160.910	N	1997	2.20	5.00	29	3.74	0.29	C.R.A.B.S.	1997
						1998	3.90	5.00	33	4.50	0.14		
						1999	3.90	5.00	35	4.50	0.18		
						2000	4.00	5.00	35	4.55	0.20		
						2001	4.00	5.00	35	4.55	0.22		
						2002	3.70	5.00	35	4.41	0.15		
						2003	3.70	5.00	35	4.41	0.17		
						2004	3.70	5.00	35	4.41	0.16		
						2005	3.70	5.00	31	4.41	0.19		
						2006	3.50	5.00	31	4.32	0.19		
3	U.S.-95	001540	160.910	166.200	N	1997	3.50	5.00	33	4.28	0.17		1999
						1998	3.50	5.00	35	4.28	0.23	SEALCOAT	
						1999	3.50	5.00	45	4.28	0.25		
						2000	3.50	4.80	45	4.18	0.32		
						2001	3.40	4.80	45	4.13	0.32		
						2002	3.30	4.80	45	4.08	0.21		
						2003	3.30	4.80	35	4.08	0.23		
						2004	3.10	4.40	35	3.78	0.27	SEALCOAT	
						2005	3.00	4.40	31	3.73	0.31	COLD IN PLACE RECYCLE WITH OVERLAY2005	
						2006	3.50	4.40	31	3.97	0.09		
3	U.S.-95	001540	166.200	170.726	N	1997	3.90	4.70	43	4.31	0.13		2002
						1998	3.80	4.70	53	4.27	0.18	SEALCOAT	
						1999	3.70	4.70	49	4.22	0.19		
						2000	3.80	4.70	49	4.27	0.25		
						2001	3.70	4.50	49	4.11	0.26		
						2002	3.30	4.50	49	3.92	0.21		
						2003	3.40	4.50	35	3.97	0.21		
						2004	3.40	4.00	35	3.71	0.25		
						2005	3.30	4.00	31	3.66	0.25	COLD IN PLACE RECYCLE WITH OVERLAY2005	
						2006	3.20	4.00	31	3.61	0.18		
3	U.S.-95	001540	170.726	171.926	N	1997	3.80	4.50	37	4.16	0.13		1999
						1998	3.60	4.50	53	4.07	0.19	SEALCOAT	
						1999	3.70	4.50	52	4.11	0.14		
						2000	3.80	4.50	52	4.16	0.21		
						2001	3.70	4.50	52	4.11	0.18		
						2002	3.20	4.50	52	3.88	0.14		
						2003	3.30	4.50	35	3.92	0.10		
						2004	3.30	4.50	35	3.92	0.12		
						2005	3.30	4.00	31	3.66	0.15		
						2006	3.20	4.00	31	3.61	0.18		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	U.S.-95	001540	171.926	174.120	N	1997	2.70	3.00	44	2.85	0.16		
						1998	2.60	3.00	55	2.80	0.15	SEALCOAT	1999
						1999	3.40	3.00	49	3.19	0.09		
						2000	3.40	3.00	49	3.19	0.10		2002
						2001	3.10	3.00	49	3.04	0.10		
						2002	3.20	3.00	49	3.09	0.11		
						2003	3.30	3.00	35	3.14	0.13		
						2004	2.90	2.70	35	2.79	0.13	SEALCOAT	2004
						2005	3.00	2.70	31	2.84	0.15		
						2006	2.60	2.70	31	2.65	0.16		
3	U.S.-95	001540	174.120	176.577	N	1997	3.30	4.50	43	3.93	0.21		
						1998	3.20	4.50	51	3.88	0.20	SEALCOAT	1999
						1999	3.70	4.50	53	4.11	0.12		
						2000	3.70	4.50	53	4.11	0.16		
						2001	3.60	4.50	53	4.07	0.14		
						2002	3.60	4.50	53	4.07	0.12		
						2003	3.60	4.50	35	4.07	0.15		
						2004	3.50	4.30	35	3.91	0.17	SEALCOAT	2004
						2005	3.50	4.30	31	3.91	0.14		
						2006	3.50	4.30	31	3.91	0.20		
3	U.S.-95	001540	176.577	178.476	N	1997	2.40	2.70	34	2.55	0.17		
						1998	2.30	2.40	35	2.35	0.22		
						1999	2.40	2.40	40	2.40	0.22		
						2000	1.80	2.40	40	2.11	0.21		
						*2001	3.40	5.00	40	4.23	0.23	NEW CONST OR RECONST (FLEX)	2001
						2002	3.50	5.00	49	4.28	0.14		
						2003	3.50	5.00	35	4.28	0.15		
						2004	3.50	5.00	35	4.28	0.15	SEALCOAT	2004
						2005	3.40	5.00	31	4.23	0.16		
						2006	3.40	5.00	31	4.23	0.13		
3	U.S.-95	001540	178.503	181.375	N	1997	2.40	2.70	34	2.55	0.17		
						1998	2.30	2.40	35	2.35	0.22		
						1999	2.40	2.40	40	2.40	0.22		
						2000	1.80	2.40	40	2.11	0.21		
						*2001	3.40	5.00	40	4.23	0.23	NEW CONST OR RECONST (FLEX)	2001
						2002	3.80	5.00	42	4.42	0.12		
						2003	3.80	5.00	35	4.42	0.13		
						2004	3.70	5.00	35	4.38	0.13	SEALCOAT	2004
						2005	3.70	5.00	31	4.38	0.13		
						2006	3.20	5.00	31	4.14	0.23		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
3	U.S.-95	001540	181.375	182.415	N	1997	3.60	4.50	42	4.07	0.16							
						1998	3.50	4.50	49	4.02	0.14							
						1999	3.50	4.50	51	4.02	0.17							
						2000	3.60	4.50	51	4.07	0.15							
						2001	3.60	5.00	51	4.33	0.22	PLANT MIX OVERLAY	2001					
						2002	3.90	5.00	51	4.47	0.07							
						2003	3.80	5.00	35	4.42	0.10							
						2004	3.80	5.00	35	4.42	0.12	SEALCOAT	2004					
						2005	3.80	5.00	31	4.42	0.12							
						2006	3.80	5.00	31	4.42	0.09							
3	U.S.-95	001541	033.345	034.230	N	1998	3.50	5.00	42	4.25	0.05	NEW CONST OR RECONST (FLEX)	1998					
						1999	3.70	5.00	43	4.38	0.07							
						2000	3.70	5.00	43	4.41	0.09							
						2001	3.70	5.00	43	4.41	0.07							
						2002	3.40	5.00	43	4.27	0.06							
						2003	3.40	5.00	35	4.27	0.07							
						2004	3.30	5.00	35	4.23	0.09							
						2005	3.30	5.00	31	4.23	0.12							
						2006	3.30	5.00	31	4.23	0.10							
						3	U.S.-95	001541	081.752	083.002	N	2000	3.80		30	3.80	0.04	
*2001	3.90	5.00	30	4.50	0.04													
2002	3.60	5.00	30	4.37	0.06													
2003	3.70	5.00	35	4.41	0.06													
2004	3.70	5.00	35	4.41	0.07													
2005	3.60	5.00	31	4.41	0.06													
2006	3.70	5.00	31	4.45	0.09													
3	U.S.-95	001542	000.000	001.150	N							1997	3.20	4.80	28	4.17	0.13	
												1998	3.00	4.80	28	4.09	0.09	
												1999	3.00	4.80	28	4.09	0.10	
						2000	3.10	4.80	28	4.13	0.12							
						2001	3.10	4.80	51	4.13	0.17							
						2002	3.20	4.80	51	4.17	0.12							
						2003	3.20	4.80	35	4.17	0.18							
						2004	3.20	4.60	35	4.05	0.15							
						2005	3.20	4.60	31	4.05	0.14							
						2006	3.20	4.60	31	4.05	0.09							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	U.S.-95	001543	082.215	082.337	N	1997	2.80	3.00	42	2.91	0.09	
						*1998	0.60	3.00	42	1.92	0.13	
						1999	0.60	3.00	40	1.92	0.14	
						2000	0.60	3.00	40	1.99	0.14	
						2001	0.60	3.00	51	1.99	0.14	
						2002	0.60	2.40	51	1.64	0.14	
						2003	1.70	2.40	35	2.10	0.13	
						2004	4.00	5.00	35	4.58	0.09	NEW CONST OR RECONST (FLEX)
						2005	2.10	5.00	31	3.78	0.11	
						2006	2.00	5.00	31	3.74	0.10	
3	U.S.-95	001550	000.000	000.245	ASC	1997	1.50	2.20	42	1.88	0.09	
						1998	1.10	2.20	42	1.70	0.13	
						1999	1.20	2.10	42	1.72	0.13	
						2000	1.50	2.00	42	1.79	0.09	
						2001	1.30	2.00	51	1.70	0.11	
						2002	1.60	2.00	51	1.83	0.10	
						2003	1.40	2.00	35	1.75	0.14	
						2004	4.00	5.00	35	4.58	0.12	NEW CONST OR RECONST (FLEX)
						2005	1.50	5.00	31	3.54	0.15	
						2006	1.70	5.00	31	3.63	0.09	
3	U.S.-95	001550	000.000	000.245	DES	1997	1.50	2.50	42	2.05	0.09	
						1998	1.10	2.40	42	1.81	0.13	
						1999	1.20	2.00	42	1.66	0.13	
						2000	1.50	1.90	42	1.73	0.09	
						2001	1.30	1.90	51	1.65	0.11	
						2002	1.60	1.90	51	1.77	0.10	
						2003	1.40	1.90	35	1.69	0.14	
						2004	4.00	5.00	35	4.58	0.12	NEW CONST OR RECONST (FLEX)
						2005	1.50	5.00	31	3.54	0.15	
						2006	1.70	5.00	31	3.63	0.09	
3	U.S.-95	001550	000.245	000.747	N	1997	2.40	2.40	40	2.40	0.10	
						1998	2.40	2.40	40	2.40	0.11	
						1999	2.30	2.40	40	2.35	0.09	
						2000	2.20	2.40	40	2.31	0.10	
						2001	2.20	2.40	51	2.31	0.13	
						2002	2.20	2.30	51	2.25	0.11	
						2003	2.10	2.30	35	2.21	0.13	
						2004	2.90	5.00	35	4.12	0.04	NEW CONST OR RECONST (FLEX)
						2005	3.00	5.00	31	4.16	0.07	
						2006	3.00	5.00	31	4.16	0.08	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	U.S.-95	001551	000.245	000.830	N	1997	2.70	3.30	36	3.03	0.10	
						1998	2.50	3.00	36	2.77	0.15	
						1999	2.50	3.00	36	2.79	0.14	
						2000	2.30	2.90	36	2.64	0.14	
						2001	2.30	2.90	51	2.64	0.19	
						2002	2.30	2.20	51	2.24	0.18	
						2003	2.10	2.20	35	2.15	0.15	
						2004	3.00	5.00	35	4.16	0.03	NEW CONST OR RECONST (FLEX)
						2005	2.90	5.00	31	4.12	0.07	
						2006	2.90	5.00	31	4.12	0.07	
3	U.S.-95	007300	000.000	000.253	N	1997	3.00	3.00	32	3.00	0.06	
						1998	2.80	3.00	32	2.92	0.06	
						1999	2.80	3.00	32	2.92	0.04	
						2000	3.00	3.00	32	3.00	0.06	
						2001	2.90	3.00	51	2.96	0.06	
						2002	3.10	2.90	51	2.97	0.06	
						2003	2.50	2.90	35	2.74	0.06	
						2004	2.50	2.90	35	2.74	0.08	
						2005	2.50	2.90	31	2.74	0.06	
						2006	2.40	2.90	31	2.70	0.07	
3	U.S.-95	008641	087.523	091.176	N	1997	3.70	4.80	35	4.27	0.14	
						1998	3.60	4.80	39	4.22	0.19	
						1999	3.50	4.80	39	4.17	0.19	
						2000	3.50	4.60	39	4.07	0.20	
						2001	3.60	4.60	39	4.12	0.21	
						2002	3.50	4.60	30	4.07	0.18	
						2003	3.50	4.60	35	4.07	0.21	
						2004	3.50	3.50	35	3.50	0.19	SEALCOAT
						2005	3.50	3.50	31	3.50	0.21	
						2006	3.40	3.50	31	3.45	0.23	
3	U.S.-95	016040	048.630	049.120	N	1997	4.10	4.00	37	4.04	0.06	
						1998	4.00	4.00	37	4.00	0.11	
						1999	3.90	4.00	31	3.95	0.12	
						2000	3.90	4.00	31	3.95	0.13	
						2001	3.90	4.00	31	3.95	0.14	
						2002	3.70	4.00	31	3.85	0.18	
						2003	3.80	4.00	35	3.90	0.25	
						2004	3.90	4.00	35	3.95	0.25	
						2005	3.70	4.00	31	3.85	0.22	
						2006	3.60	4.00	31	3.80	0.24	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
3	I-184	002410	000.000	001.092	ASC	1997	3.40	4.00	24	3.68	0.09	
						1998	3.10	4.00	24	3.52	0.07	
						1999	3.00	4.00	24	3.46	0.07	
						2000	2.30	4.00	24	3.10	0.11	
						2001	3.30	4.00	51	3.62	0.06	
						2002	2.80	4.00	51	3.35	0.11	
						2003	3.10	4.00	35	3.51	0.10	
						2004	3.10	4.00	35	3.52	0.05	
						2005	2.90	4.00	31	3.41	0.06	
						2006	2.90	4.00	31	3.41	0.05	
3	I-184	002410	000.000	001.092	DES	1997	2.50	4.00	23	3.20	0.08	
						1998	3.20	4.00	23	3.57	0.05	
						1999	3.10	4.00	23	3.52	0.10	
						2000	2.80	4.00	23	3.36	0.07	
						2001	3.20	4.00	51	3.57	0.07	
						2002	3.20	4.00	51	3.57	0.05	
						2003	3.40	4.00	35	3.67	0.05	
						2004	3.30	4.00	35	3.62	0.05	
						2005	2.90	4.00	31	3.41	0.06	
						2006	2.90	4.00	31	3.41	0.05	
3	I-184	002410	001.092	002.721	ASC	1997	3.20	4.00	26	3.57	0.11	
						1998	3.30	4.00	26	3.62	0.14	
						1999	2.30	4.00	26	3.09	0.12	
						2000	3.40	4.00	26	3.68	0.05	
						2001	3.30	4.00	51	3.62	0.06	
						2002	3.10	4.00	51	3.52	0.05	
						2003	3.00	4.00	35	3.46	0.09	NEW CONST OR RECONST (FLEX)
						2004	3.30	4.00	35	3.62	0.04	
						2005	3.20	4.00	31	3.57	0.06	
						2006	3.30	4.00	31	3.62	0.08	
3	I-184	002410	001.092	002.721	DES	1997	3.60	4.00	23	3.78	0.07	
						1998	3.50	4.00	23	3.73	0.09	
						1999	2.50	4.00	23	3.20	0.08	
						2000	2.80	4.00	23	3.36	0.14	
						2001	2.70	4.00	51	3.31	0.13	
						2002	3.10	4.00	51	3.52	0.09	
						2003	3.20	4.50	35	3.81	0.06	NEW CONST OR RECONST (FLEX)
						2004	3.40	4.50	35	3.91	0.04	
						2005	3.20	4.50	31	3.81	0.06	
						2006	3.30	4.50	31	3.86	0.08	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
3	I-184	002410	002.721	003.620	ASC	1997	3.50	4.50	24	3.97	0.05		
						1998	3.50	4.50	24	3.97	0.07		
						1999	3.40	4.50	24	3.92	0.08		
						2000	3.20	4.50	24	3.81	0.05		
						2001	3.40	4.50	51	3.91	0.05		
						2002	3.40	4.50	51	3.91	0.06		
						2003	3.20	4.50	35	3.81	0.10	NEW CONST OR RECONST (FLEX)	2003
						2004	3.40	4.50	35	3.91	0.07		
						2005	3.40	4.50	31	3.92	0.06		
						2006	3.40	4.50	31	3.92	0.07		
3	I-184	002410	002.721	003.620	DES	1997	3.50	4.50	23	3.97	0.05		
						1998	3.20	4.50	23	3.81	0.06		
						1999	3.20	4.50	23	3.81	0.07		
						2000	2.60	4.50	23	3.50	0.11		
						2001	2.50	4.50	51	3.44	0.09		
						2002	3.00	4.50	51	3.70	0.09		
						2003	3.10	4.50	35	3.76	0.08	NEW CONST OR RECONST (FLEX)	2003
						2004	3.20	4.50	35	3.81	0.03		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS---
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
						2005	3.40	4.50	31	3.92	0.06	
						2006	3.40	4.50	31	3.92	0.07	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH	REMARKS
---	-------	--------------	-----------------------	--------------------	-----	------	----	----	----	--------------------------	---------